

References

CHAPTER VI

REFERENCES

- Abdulqader, A., Ali, F., Ismail, A., and Esa, N. M. 2019. Antioxidant compounds and capacities of Gac (*Momordica cochinchinensis* Spreng) fruits. *Asian Pac. J. Trop. Biomed.* 9 (4): 158-167.
- Ahangari, H., King, J. W., Ehsani, A., and Yousefi, M. 2021. Supercritical fluid extraction of seed oils—A short review of current trends. *Trends Food Sci. Technol.* 111: 249-260.
- Ahmad, F., Mohammad, Z. H., Zaidi, S., and Ibrahim, S. A. 2023. A comprehensive review on the application of ultrasound for the preservation of fruits and vegetables. *J. Food Process Eng.* 46 (6): e14291.
- Ahmad, T., Masoodi, F. A., Rather, S. A., Wani, S. M., and Gull, A. 2019. Supercritical fluid extraction: A review. *J. Biol. Chem. Chron.* 5(1): 114-122.
- Ahmadi, E., and Barikloo, H. 2016. Mechanical property evaluation of apricot fruits under quasi-static and dynamic loading. *J. Agric. Mach.* 6 (1): 139-152.
- Akbarnejad, A., Azadbakht, M., and Asghari, A. 2017. Studies of the selected mechanical properties of banana (*Cavendish* Var.). *Int. J. Fruit Sci.* 17 (1): 93-101.
- Akinoso, R., and Raji, A. O. 2011. Physical properties of fruit, nut and kernel of oil palm. *Int. Agrophys.* 25 (1).
- Ali, A., Zhang, N., and Santos, R. M. (2023). Mineral characterization using scanning electron microscopy (SEM): a review of the fundamentals, advancements, and research directions. *Appl. Sci.* 13 (23): 12600.
- Altuner, E. M., and Tokusoğlu, Ö. 2013. The effect of high hydrostatic pressure processing on the extraction, retention and stability of anthocyanins and flavonols contents of berry fruits and berry juices. *Int. J. Food Sci. Technol.* 48 (10): 1991-1997.

- Altuntas, E. 2015. The post-harvest engineering properties of Japan flowering crabapple (*Malus floribunda*) fruits. *Agric. Eng. Int.: CIGR J.* 17(1).
- AlYammahi, J., Darwish, A. S., Lemaoui, T., AlNashef, I. M., Hasan, S. W., Taher, H., and Banat, F. 2023. Parametric analysis and machine learning for enhanced recovery of high-value sugar from date fruits using supercritical CO₂ with co-solvents. *J. CO₂ Util.* 72: 102511.
- Amin, M., Ullah, S., Rehman, S., Ullah, Z., and Amir, M. 2014. Comparison of different types of watermelon for their important nutrients. *J. Biol. Agric. Healthc.* 4 (14): 59–66.
- Aminuddin, S. A. H., and Seow, E. K. 2024. Effect of different extraction methods on physicochemical properties of Gac fruit (*Momordica cochinchinensis*) pulp and peel oil. *Sci. Lett.* 18 (2): 108–120.
- Amorim-Carrilho, K. T., Cepeda, A., Fente, C., and Regal, P. 2014. Review of methods for analysis of carotenoids. *TrAC Trends Anal. Chem.* 56: 49-73.
- Anticona, M., Blesa, J., Lopez-Malo, D., Frigola, A., and Esteve, M. J. 2021. Effects of ultrasound-assisted extraction on physicochemical properties, bioactive compounds, and antioxidant capacity for the valorization of hybrid Mandarin peels. *Food Biosci.* 42: 101185.
- Aoki, H., Kieu, N. T. M., Kuze, N., Tomisaka, K., and Chuyen, N. V. 2002. Carotenoid pigments in GAC fruit (*Momordica cochinchinensis* SPRENG.). *Biosci. Biotechnol. Biochem.* 66 (11): 2479-2482.
- Arias, A., Feijoo, G., and Moreira, M. T. 2022. Exploring the potential of antioxidants from fruits and vegetables and strategies for their recovery. *Innov. Food Sci. Emerg. Technol.* 77: 102974.
- Aris, N. A., Idrus, N. F. M., Yian, L. N., Zuhaili Idham, M. S., Ruslan, H., and Yunus, M. A. C. 2019. The effect of fluid flow rate and extraction time in supercritical carbon dioxide. *J. Adv. Res. Appl. Sci. Eng. Technol.* 16: 26-34.

- Ariyaratna, P. M., and Gamage, H. S. D. 2024. Gac (*Momordica cochinchinensis* Spreng) fruit as a promising functional food: A comprehensive review. *Int. J. Sci. Res. Arch.* 11 (1): 2227-2236.
- Arshad, R. N., Abdul-Malek, Z., Munir, A., Buntat, Z., Ahmad, M. H., Jusoh, Y. M., and Aadil, R. M. 2020. Electrical systems for pulsed electric field applications in the food industry: An engineering perspective. *Trends Food Sci. Technol.* 104: 1-13.
- Ashokkumar, V., Flora, G., Sevanan, M., Sripriya, R., Chen, W. H., Park, J. H., and Kumar, G. 2023. Technological advances in the production of carotenoids and their applications – A critical review. *Bioresour. Technol.* 367: 128215
- Association of official analytical chemists (AOAC). 2005. Official Methods of Analysis of the AOAC International. 18th edn. Gaithersburg, MD, USA.
- Ayuso-Yuste, M. C., González-Cebrino, F., Lozano-Ruiz, M., Fernández-León, A. M., and Bernalte-García, M. J. 2022. Influence of ripening stage on quality parameters of five traditional tomato varieties grown under organic conditions. *Horticulturae*. 8 (4): 313.
- Azmir, J., Zaidul, I. S. M., Rahman, M. M., Sharif, K. M., Mohamed, A., Sahena, F., Jahurul, M. H. A., Ghafoor, K., Norulaini, N. A. N., and Omar, A. K. M. 2013. Techniques for extraction of bioactive compounds from plant materials: A review. *J. Food Eng.* 117 (4): 426-436.
- Baltacıoğlu, H., Baltacıoğlu, C., Okur, I., Tanrıvermiş, A., and Yalıç, M. 2021. Optimization of microwave-assisted extraction of phenolic compounds from tomato: Characterization by FTIR and HPLC and comparison with conventional solvent extraction. *Vibr. Spectrosc.* 113: 103204.
- Barrales, F. M., Rezende, C. A., and Martínez, J. 2015. Supercritical CO₂ extraction of passion fruit (*Passiflora edulis* sp.) seed oil assisted by ultrasound. *J. Supercrit. Fluids.* 104: 183-192.
- Bezerra, P. Q. M., de Matos, M. F. R., Ramos, I. G., Magalhães-Guedes, K. T., Druzian, J. I., Costa, J. A. V., and Nunes, I. L. 2019. Innovative functional

- nanodispersion: Combination of carotenoid from *Spirulina* and yellow passion fruit albedo. *Food Chem.* 285: 397–405.
- Bhumsaidon, A., and Chamchong, M. 2016. Variation of lycopene and beta-carotene contents after harvesting of Gac fruit and its prediction. *Agric. Nat. Resour.* 50: 257–263.
- Bulan, R., Devianti, Ayu, E. S., and Sitorus, A. 2020. Effects of moisture content on some engineering properties of arecanut (*Areca catechu* L.) fruit which are relevant to the design of processing equipment. *INMATEH Agric. Eng.* 60 (1): 61–70.
- Câmara, J. S., Albuquerque, B. R., Aguiar, J., Corrêa, R. C., Gonçalves, J. L., Granato, D., and Ferreira, I. C. 2020. Food bioactive compounds and emerging techniques for their extraction: Polyphenols as a case study. *Foods.* 10 (1): 37.
- Campalani, C., Amadio, E., Zanini, S., Dall'Acqua, S., Panozzo, M., Ferrari, S., and Perosa, A. 2020. Supercritical CO₂ as a green solvent for the circular economy: Extraction of fatty acids from fruit pomace. *J. CO₂ Util.* 41: 101259.
- Canteri, M. H., Renard, C. M., Le Bourvellec, C., and Bureau, S. 2019. ATR-FTIR spectroscopy to determine cell wall composition: Application on a large diversity of fruits and vegetables. *Carbohydr. Polym.* 212: 186–196.
- Cecen, V., Seki, Y., Sarikanat, M., and Tavman, I. H. 2008. FTIR and SEM analysis of polyester- and epoxy-based composites manufactured by VARTM process. *J. Appl. Polym. Sci.* 108 (4): 2163-2170.
- Chai, Y. H., Yusup, S., Ruslan, M. S. H., and Chin, B. L. F. 2020. Supercritical fluid extraction and solubilization of *Carica papaya* Linn. leaves in a ternary system with CO₂ + ethanol solvents. *Chem. Eng. Res. Des.* 156: 31-42.
- Chemat, F., Rombaut, N., Sicaire, A. G., Meullemiestre, A., Fabiano-Tixier, A. S., and Abert-Vian, M. 2017. Ultrasound-assisted extraction of food and natural

- products. Mechanisms, techniques, combinations, protocols, and applications. A review. *Ultrason. Sonochem.* 34: 540-560.
- Chusak, C., Chanbunyawat, P., Chumnumduang, P., Chantarasinlapin, P., Suantawee, T., and Adisakwattana, S. 2020. Effect of Gac fruit (*Momordica cochinchinensis*) powder on *in vitro* starch digestibility, nutritional quality, textural, and sensory characteristics of pasta. *LWT*. 118: 108856.
- Chuyen, H.V., Nguyen, M.H., Roach, P.D., Golding, J.B., and Parks, S.E., 2015. Gac fruit (*Momordica cochinchinensis* Spreng.): a rich source of bioactive compounds and its potential health benefits. *Int. J. Food Sci. Technol.* 50 (3): 567–577.
- Chuyen, H. V., Nguyen, M. H., Roach, P. D., Golding, J. B., and Parks, S. E. 2018. Microwave-assisted extraction and ultrasound-assisted extraction for recovering carotenoids from Gac peel and their effects on antioxidant capacity of the extracts. *Food Sci. Nutr.* 6 (1): 189-196.
- Chuyen, H. V., Roach, P. D., Golding, J. B., Parks, S. E., and Nguyen, M. H. 2019. Ultrasound-assisted extraction of Gac peel: An optimization of extraction conditions for recovering carotenoids and antioxidant capacity. *Processes*. 8 (1): 8.
- Costache, M. A., Campeanu, G., and Neata, G. 2012. Studies concerning the extraction of chlorophyll and total carotenoids from vegetables. *Rom. Biotechnol. Lett.* 17 (5): 7702-7708.
- Cruz-Sánchez, E., García-Vargas, J. M., Gracia, I., Rodriguez, J. F., and García, M. T. 2024. Supercritical CO₂ extraction of lavender flower with antioxidant activity: Laboratory to large-scale optimization process. *J. Taiwan Inst. Chem. Eng.* 157: 105404.
- Čulina, P., Balbino, S., Jokić, S., Dragović-Uzelac, V., and Pedisić, S. 2024. Efficiency of supercritical CO₂ and ultrasound-assisted extraction techniques for isolation of bioactive molecules from sea buckthorn

- (*Elaeagnus rhamnoides* (L.) A. Nelson) berry oils and cakes. *Processes*. 12 (4): 698.
- Dąbrowski, G., Konopka, I., and Czaplicki, S. 2018. Supercritical CO₂ extraction in chia oils production: Impact of process duration and co-solvent addition. *Food Sci. Biotechnol.* 27: 677–686.
- Dadi, D. W., Emire, S. A., Hagos, A. D., and Eun, J. B. 2019. Effect of ultrasound-assisted extraction of *Moringa stenopetala* leaves on bioactive compounds and their antioxidant activity. *Food Technol. Biotechnol.* 57 (1): 77.
- Dassoff, E. S., and Li, Y. O. 2019. Mechanisms and effects of ultrasound-assisted supercritical CO₂ extraction. *Trends Food Sci. Technol.* 86: 492-501.
- de Andrade Lima, M., Kestekoglou, I., Charalampopoulos, D., and Chatzifragkou, A. 2019. Supercritical fluid extraction of carotenoids from vegetable waste matrices. *Molecules*. 24 (3): 466.
- de Araújo Bezerra, J., Lamarão, C. V., Sanches, E. A., Rodrigues, S., Fernandes, F. A., Ramos, G. L. P., and Campelo, P. H. 2023. Cold plasma as a pre-treatment for processing improvement in food: A review. *Food Res. Int.* 167: 112663.
- de Campos, L. M., Leimann, F. V., Pedrosa, R. C., and Ferreira, S. R. 2008. Free radical scavenging of grape pomace extracts from Cabernet Sauvignon (*Vitis vinifera*). *Bioresour. Technol.* 99 (17): 8413–8420.
- de São José, J. F. B., de Andrade, N. J., Ramos, A. M., Vanetti, M. C. D., Stringheta, P. C., and Chaves, J. B. P. 2014. Decontamination by ultrasound application in fresh fruits and vegetables. *Food Control*. 45: 36-50.
- Dimić, I., Pavlić, B., Rakita, S., Cvetanović Kljakić, A., Zeković, Z., and Teslić, N. 2022. Isolation of cherry seed oil using conventional techniques and supercritical fluid extraction. *Foods*. 12 (1): 11.

- Divya, P. M., Roopa, B. S., Manusha, C., and Balannara, P. 2023. A concise review on oil extraction methods, nutritional, and therapeutic role of coconut products. *J. Food Sci. Technol.* 60 (2): 441–452.
- Do, T. V. T., Fan, L., Suhartini, W., and Girmatsion, M. 2019. Gac (*Momordica cochinchinensis* Spreng) fruit: A functional food and medicinal resource. *J. Funct. Foods.* 62: 103512.
- Durđević, S., Milovanović, S., Šavikin, K., Ristić, M., Menković, N., Pljevljakušić, D., and Bogdanović, A. 2017. Improvement of supercritical CO₂ and n-hexane extraction of wild growing pomegranate seed oil by microwave pretreatment. *Ind. Crops Prod.* 104: 21-27.
- Dzah, C. S., and Dzigbor, A. 2023. Ultrasound-assisted extraction: A relook at solvent to material ratio, its effects on process efficiency, and how it can be exploited for different uses. *J. Food Process Eng.* 46 (7): e14339.
- Ehiem, J. C., Ndirika, V. I. O., and Raghavan, G. V. 2015. Frictional properties of *Canarium schweinfurthii* Engl. fruits and their interaction with moisture content and shape. *Int. J. Eng. Appl. Sci.* 2 (8): 257853.
- Elain, A., Nkounkou, C., Le Fellic, M., and Donnart, K. 2020. Green extraction of polysaccharides from *Arthrosphaera platensis* using high-pressure homogenization. *J. Appl. Phycol.* 32 (3): 1719-1727.
- Elvira-Torales, L. I., García-Alonso, J., and Periago-Castón, M. J. 2019. Nutritional importance of carotenoids and their effect on liver health: A review. *Antioxidants.* 8 (7): 229.
- Emadi, B., Abolghasemi, R., Aghkhani, M. H., and Toosi, B. 2011. Physical and mechanical properties of peach. *World Appl. Sci. J.* 12 (1): 119-122.
- Erdoğdu, F., Linke, M., Praeger, U., Geyer, M., and Schlüter, O. 2014. Experimental determination of thermal conductivity and thermal diffusivity of whole green (unripe) and yellow (ripe) Cavendish bananas under cooling conditions. *J. Food Eng.* 128: 46–52.

- Esclapez, M. D., García-Pérez, J. V., Mulet, A., and Cárcel, J. A. 2011. Ultrasound-assisted extraction of natural products. *Food Eng. Rev.* 3: 108-120.
- Espinosa-Pardo, F. A., Martínez, J., and Martínez-Correa, H. A. 2014. Extraction of bioactive compounds from peach palm pulp (*Bactris gasipaes*) using supercritical CO₂. *J. Supercrit. Fluids.* 93: 2-6.
- Fadeyibi, A. 2021. Engineering and proximate properties of miracle berry fruit (*Synsepalum dulcificum* L.) essential for its processing equipment design. *Agric. Eng. Int.: CIGR J.* 23 (4).
- Faradonbeh, M. A., Esmaeilzadeh Kenari, R., and Ghaderi, M. 2019. Comparison of antioxidant activity of kiwifruit (*Actinidia deliciosa* L.) peel's extract extracted by ultrasound bath and probes. *Iran. Food Sci. Technol. Res. J.* 15 (1): 223-233.
- Fonteles, T. V., Leite, A. K. F., Silva, A. R. A., Carneiro, A. P. G., de Castro Miguel, E., Cavada, B. S., and Rodrigues, S. 2016. Ultrasound processing to enhance drying of cashew apple bagasse puree: Influence on antioxidant properties and in vitro bioaccessibility of bioactive compounds. *Ultrason. Sonochem.* 31: 237–249.
- Franke, A. A., Custer, L. J., and Murphy, S. P. 2006. *Momordica cochinchinensis* Spreng. (Gac) fruit carotenoids reevaluated. *J. Food Compos. Anal.* 19 (6-7): 664-668.
- Frohlich, P. C., Santos, K. A., Palu, F., Cardozo-Filho, L., da Silva, C., and da Silva, E. A. 2019. Evaluation of the effects of temperature and pressure on the extraction of eugenol from clove (*Syzygium aromaticum*) leaves using supercritical CO₂. *J. Supercrit. Fluids.* 143: 313-320.
- Gajic, I. M. S., Savic, I. M., Gajic, D. G., and Dasic, A. 2021. Ultrasound-assisted extraction of carotenoids from orange peel using olive oil and its encapsulation in Ca-alginate beads. *Biomolecules.* 11 (2): 225.

- Ghadiri, K., Raofie, F., Qomi, M., and Davoodi, A. 2020. Response surface methodology for optimization of supercritical fluid extraction of orange peel essential oil. *Pharm. Biomed. Res.* 6 (4): 303-312.
- Ghafoor, K., Choi, Y. H., Jeon, J. Y., and Jo, I. H. 2009. Optimization of ultrasound-assisted extraction of phenolic compounds, antioxidants, and anthocyanins from grape (*Vitis vinifera*) seeds. *J. Agric. Food Chem.* 57 (11): 4988-4994.
- Gligor, O., Mocan, A., Moldovan, C., Locatelli, M., Crișan, G., and Ferreira, I. C. 2019. Enzyme-assisted extractions of polyphenols -A comprehensive review. *Trends Food Sci. Technol.* 88: 302-315.
- Golmohamadi, A., Möller, G., Powers, J., and Nindo, C. 2013. Effect of ultrasound frequency on antioxidant activity, total phenolic, and anthocyanin content of red raspberry puree. *Ultrason. Sonochem.* 20 (5): 1316-1323.
- Grover, R., Attkan, A. K., Kumar, S., and Raleng, A. 2024. Physical characterization and mass modelling of wood apple (*Aegle marmelos* L.). *Food Phys.* 1 (1): 100013.
- Gulcin, İ., and Alwasel, S. H. 2023. DPPH radical scavenging assay. *Processes.* 11 (8): 2248.
- Gustinelli, G., Eliasson, L., Svelander, C., Andlid, T., Lundin, L., Ahrné, L., and Alminger, M. 2018. Supercritical fluid extraction of berry seeds: Chemical composition and antioxidant activity. *J. Food Qual.* 2018 (1): 6046074.
- Hamidon, A., Shah, R. M., Razali, R. M., and Lob, S. 2020. Effect of different types and concentration of rooting hormones on *Momordica cochinchinensis* (Gac fruit) root vine cuttings. *Malays. Appl. Biol.* 49 (4): 127-132.
- Hayrapetyan, G., Trchounian, K., Buon, L., Noret, L., Pinel, B., Lagrue, J., and Assifaoui, A. 2023. Sequential extraction of high-value-added molecules from grape pomaces using supercritical fluids with water as a co-solvent. *RSC Sustain.* 1 (8): 2014-2023.

- He, Z., Wang, Z., Zhao, Z., Yi, S., Mu, J., and Wang, X. 2017. Influence of ultrasound pretreatment on wood physiochemical structure. *Ultrason. Sonochem.* 34: 136–141.
- Hedayati, A., and Ghoreishi, S. M. 2015. Supercritical carbon dioxide extraction of glycyrrhetic acid from licorice plant root using binary entrainer: Experimental optimization via response surface methodology. *J. Supercrit. Fluids.* 100: 209–217.
- Herrero, M., Mendiola, J. A., Cifuentes, A., and Ibáñez, E. 2010. Supercritical fluid extraction: Recent advances and applications. *J. Chromatogr. A* 1217 (16): 2495-2511.
- Heydari, M., Carbone, K., Gervasi, F., Parandi, E., Rouhi, M., Rostami, O., and Mohammadi, R. 2023. Cold plasma-assisted extraction of phytochemicals: a review. *Foods.* 12 (17): 3181.
- Horžić, D., Jambrak, A. R., Belščak-Cvitanović, A., Komes, D., and Lelas, V. 2012. Comparison of conventional and ultrasound-assisted extraction techniques of yellow tea and bioactive composition of obtained extracts. *Food Bioproc. Technol.* 5: 2858-2870.
- Hosseini, S., Gharachorloo, M., Tarzi, B. G., Ghavami, M., and Bakhoda, H. 2015. Effects of ultrasound amplitude on the physicochemical properties of some edible oils. *J. Am. Oil Chem. Soc.* 92 (11-12): 1717-1724.
- Islam, M. K., Khan, M. Z. H., Sarkar, M. A. R., Absar, N., and Sarkar, S. K. 2013. Changes in acidity, TSS, and sugar content at different storage periods of postharvest mango (*Mangifera indica* L.) influenced by Bavistin DF. *Int. J. Food Sci.* 2013 (1): 939385.
- Ivanovic, J., Ristic, M., and Skala, D. 2011. Supercritical CO₂ extraction of *Helichrysum italicum*: Influence of CO₂ density and moisture content of plant material. *J. Supercrit. Fluids.* 57 (2): 129-136.
- Jahanbakhshi, A., Abbaspour-Gilandeh, Y., and Gundoshmian, T. M. 2018. Determination of physical and mechanical properties of carrot in order to

- reduce waste during harvesting and post-harvesting. *Food Sci. Nutr.* 6 (7): 1898-1903.
- Ji, J. B., Lu, X. H., Cai, M. Q., and Xu, Z. C. 2006. Improvement of leaching process of geniposide with ultrasound. *Ultrason. Sonochem.* 13 (5): 455-462.
- Jiang, Y., Ye, J., Hu, Y., Zhang, J., Li, W., Zhou, X., and Hu, Y. 2024. Extraction and synthesis of typical carotenoids: Lycopene, β -carotene, and astaxanthin. *Molecules*. 29 (19): 4549.
- Jideani, A. I., Silungwe, H., Takalani, T., Omolola, A. O., Udeh, H. O., and Anyasi, T. A. 2021. Antioxidant-rich natural fruit and vegetable products and human health. *Int. J. Food Prop.* 24 (1): 41-67.
- John, I., Olugbenga, O. S., and Kayode, Q. 2014. Determination of thermal conductivity and thermal diffusivity of three varieties of melon. *J. Emerg. Trends Eng. Appl. Sci.* 5 (2): 123–128.
- Joshi, D. R., and Adhikari, N. 2019. An overview on common organic solvents and their toxicity. *J. Pharm. Res. Int.* 28 (3): 1-18.
- Jun, X. 2013. High-pressure processing as emergent technology for the extraction of bioactive ingredients from plant materials. *Crit. Rev. Food Sci. Nutr.* 53 (8): 837-852.
- Júnior, D. S., Krug, F. J., Pereira, M. D. G., and Korn, M. 2006. Currents on ultrasound-assisted extraction for sample preparation and spectroscopic analytes determination. *Appl. Spectrosc. Rev.* 41 (3): 305-321.
- Junyusen, T., Chatchavanthatri, N., Liplap, P., Junyusen, P., Phan, V. M., and Nawong, S. 2022. Effects of extraction processes on the oxidative stability, bioactive phytochemicals, and antioxidant activity of crude rice bran oil. *Foods*. 11 (8): 1143.
- Jurić, S., Ferrari, G., Velikov, K. P., and Donsì, F. 2019. High-pressure homogenization treatment to recover bioactive compounds from tomato peels. *J. Food Eng.* 262: 170-180.

- Kad, V. P., Patil, A. P., and Nalawade, S. M. 2017. Studies on engineering properties of custard apple (*Annona squamosa* L.). *J. Agric. Res. Technol.* 42 (3): 197.
- Kehili, M., Kammlott, M., Choura, S., Zammel, A., Zetzl, C., Smirnova, I., and Sayadi, S. 2017. Supercritical CO₂ extraction and antioxidant activity of lycopene- and β-carotene-enriched oleoresin from tomato (*Lycopersicum esculentum* L.) peels by-product of a Tunisian industry. *Food Bioprod. Process.* 102: 340-349.
- Kenari, R. E., and Nemati, A. 2020. The effectiveness of ultrasound bath and probe treatments on the quality of baking and shelf life of cupcakes. *Food Sci. Nutr.* 8 (6): 2929-2939.
- Kha, T. C., Nguyen, M. H., Roach, P. D., Parks, S. E., and Stathopoulos, C. 2013. Gac fruit: nutrient and phytochemical composition, and options for processing. *Food Rev. Int.* 29 (1): 92-106.
- Khaire, R. A., Thorat, B. N., and Gogate, P. R. 2022. Applications of ultrasound for food preservation and disinfection: A critical review. *J. Food Process. Preserv.* 46 (10): e16091.
- Khalil, A. A., Khan, A. A., Khalid, A., Abid, Z., Proestos, C., Bhat, Z. F., and Aadil, R. M. 2023. Comparing the antioxidant properties and volatile compounds of carrot-orange juice blend processed through varied chemical, pasteurization, and ultrasound conditions. *Ultrason. Sonochem.* 98: 106534.
- Khanam, S. 2018. Influence of operating parameters on supercritical fluid extraction of essential oil from turmeric root. *J. Clean. Prod.* 188: 816–824.
- Khanbarad, S. C., and Bakane, P. H. 2020. Physical and mechanical properties of custard apple fruit (*Annona squamosa* L.). *Int. J. Curr. Microbiol. Appl. Sci.* 9 (9): 2338–2347.
- Khodabakhshian, R., and Emadi, B. 2016. Mass model of date fruit (cv. Mazafati) based on its physiological properties. *Int. Food Res. J.* 23 (5): 2070-2075.

- Khor, B. K., Clear, N. J. Y., Azizi, J., and Khaw, K. Y. 2021. Chemical composition, antioxidant, and cytoprotective potentials of *Carica papaya* leaf extracts: A comparison of supercritical fluid and conventional extraction methods. *Molecules*. 26 (5): 1489.
- Kochadai, N., Khasherao, B. Y., and Siniya, V. R. N. 2022. Effect of radiofrequency pre-treatment on the extraction of bioactives from *Clitoria ternatea* and *Hibiscus rosa sinensis* and insights to enzyme inhibitory activities. *Food Bioprocess Technol.* 15 (3): 571-589.
- Kubola, J., and Siriamornpun, S. 2011. Phytochemicals and antioxidant activity of different fruit fractions (peel, pulp, aril, and seed) of Thai Gac (*Momordica cochinchinensis* Spreng). *Food Chem.* 127 (3): 1138-1145.
- Kulkarni, V. M., and Rathod, V. K. 2014. Mapping of an ultrasonic bath for ultrasound-assisted extraction of mangiferin from *Mangifera indica* leaves. *Ultrason. Sonochem.* 21 (2): 606-611.
- Kultys, E., and Kurek, M. A. 2022. Green extraction of carotenoids from fruit and vegetable byproducts: A review. *Molecules*. 27 (2): 518.
- Kumar, R., Srivastava, K., Kumar, V., Saroj, S. K., Sharma, S. K., and Singh, R. K. 2019. Heterosis analysis in tomato (*Solanum lycopersicum* L.) for lycopene, TSS, titrable acidity, and ascorbic acid. *Electron. J. Plant Breed.* 10: 1547–1553.
- Kumar, K., Srivastav, S., and Sharanagat, V. S. 2021. Ultrasound-assisted extraction (UAE) of bioactive compounds from fruit and vegetable processing by-products: A review. *Ultrason. Sonochem.* 70: 105325.
- Lalel, H. J., Singh, Z., and Tan, S. C. 2003. Aroma volatiles production during fruit ripening of ‘Kensington Pride’ mango. *Postharvest Biol. Technol.* 27 (3): 323-336.
- Lei, Z., Li, C., and Chen, B. 2003. Extractive distillation: A review. *Sep. Purif. Rev.* 32 (2): 121-213.

- Leong, T., Juliano, P., and Knoerzer, K. 2017. Advances in ultrasonic and megasonic processing of foods. *Food Eng. Rev.* 9 (3): 237-256.
- Li, N., Yan, B., and Xiao, X. M. 2015. A review of laboratory-scale research on upgrading heavy oil in supercritical water. *Energies.* 8 (8): 8962-8989.
- Liu, X., Ou, H., Xiang, Z., and Gregersen, H. 2020. Ultrasound pretreatment combined with supercritical CO₂ extraction of *Iberis amara* seed oil. *J. Appl. Res. Med. Aromat. Plants.* 18: 100265.
- Liu, X. Y., Ou, H., and Gregersen, H. 2020. Ultrasound-assisted supercritical CO₂ extraction of cucurbitacin E from *Iberis amara* seeds. *Ind. Crops Prod.* 145: 112093.
- Lorestani, A. N., and Tabatabaeefar, A. 2006. Modelling the mass of kiwi fruit by geometrical attributes. *Int. Agrophysics.* 20 (2).
- Ma, S., Yang, X., Wang, C., and Guo, M. 2018. Effect of ultrasound treatment on antioxidant activity and structure of β-Lactoglobulin using the Box–Behnken design. *CyTA-J. Food.* 16 (1): 596-606.
- Macías-Sánchez, M. D., Mantell, C., Rodriguez, M. D. L., De La Ossa, E. M., Lubián, L. M., and Montero, O. 2009. Comparison of supercritical fluid and ultrasound-assisted extraction of carotenoids and chlorophyll a from *Dunaliella salina*. *Talanta.* 77 (3): 948-952.
- Majid, A., Phull, A. R., Khaskheli, A. H., Abbasi, S., Sirohi, M. H., Ahmed, I., and Ahmed, W. 2019. Applications and opportunities of supercritical fluid extraction in food processing technologies: A review. *Int. J. Adv. Appl. Sci.* 6 (7): 99-103.
- Malaterre, A. S., Remize, F., and Poucheret, P. 2018. Fruits and vegetables, as a source of nutritional compounds and phytochemicals: Changes in bioactive compounds during lactic fermentation. *Food Res. Int.* 104: 86-99.

- Mao, Y., Robinson, J., and Binner, E. 2021. Understanding heat and mass transfer processes during microwave-assisted and conventional solvent extraction. *Chem. Eng. Sci.* 233: 116418.
- Marcillo-Parra, V., Tupuna-Yerovi, D. S., González, Z., and Ruales, J. 2021. Encapsulation of bioactive compounds from fruit and vegetable by-products for food application—A review. *Trends Food Sci. Technol.* 116: 11-23.
- Marzorati, S., Schievano, A., Idà, A., and Verotta, L. 2020. Carotenoids, chlorophylls, and phycocyanin from *Spirulina*: Supercritical CO₂ and water extraction methods for added value products cascade. *Green Chem.* 22 (1): 187–196.
- Masghati, S., and Ghoreishi, S. M. 2018. Supercritical CO₂ extraction of cinnamaldehyde and eugenol from cinnamon bark: Optimization of operating conditions via response surface methodology. *J. Supercrit. Fluids* 140: 62–71.
- Meléndez-Martínez, A. J., Mandić, A. I., Bantis, F., Böhm, V., Borge, G. I. A., Brnčić, M., and O'Brien, N. 2022. A comprehensive review on carotenoids in foods and feeds: Status quo, applications, patents, and research needs. *Crit. Rev. Food Sci. Nutr.* 62 (8): 1999-2049.
- Menzio, J., Binello, A., Barge, A., and Cravotto, G. 2020. Highly efficient caffeine recovery from green coffee beans under ultrasound-assisted SC-CO₂ extraction. *Processes.* 8 (9): 1062.
- Mihalcea, L., Păcularu-Burada, B., Milea, ř. A., Aprodu, I., Condurache, N. N., Cucolea, E. I., and Nicoleta, S. 2023. CO₂ supercritical extraction and microencapsulation of oleoresins from rosehip fruits for getting powders with multiple applications. *Curr. Res. Food Sci.* 6: 100449.
- Mirzabe, A. H., Khazaei, J., Chegini, G. R., and Nejad, M. H. A. P. R. 2013. Determination of some physical properties of virgin olive fruits. *Agric. Eng. Int.: CIGR J.* 15 (1): 201-210.

- Mohammadi, M. A., Safavizadeh, V., Yousefi, M., and Hosseini, S. M. 2024. A short review of supercritical fluid extraction of plant extracts. *J. Food Meas. Charact.* 1–14.
- Mohammadpour, H., Sadrameli, S. M., Eslami, F., and Asoodeh, A. 2019. Optimization of ultrasound-assisted extraction of *Moringa peregrina* oil with response surface methodology and comparison with Soxhlet method. *Ind. Crops Prod.* 131: 106-116.
- Moghimi, M., Honarvar, M., Ghavami, M., and Ahmadi Chenarbon, H. 2023. Betalain extraction from beetroot using supercritical carbon dioxide and microwave pretreatment by response surface method (RSM). *Iran. J. Chem. Chem. Eng.* (Articles in Press).
- Molino, A., Larocca, V., Di Sanzo, G., Martino, M., Casella, P., Marino, T., and Musmarra, D. 2019. Extraction of bioactive compounds using supercritical carbon dioxide. *Molecules.* 24 (4): 782.
- Montañés, F., Catchpole, O. J., Tallon, S., Mitchell, K. A., Scott, D., and Webby, R. F. 2018. Extraction of apple seed oil by supercritical carbon dioxide at pressures up to 1300 bar. *J. Supercrit. Fluids.* 141: 128-136.
- Moreira, S. A., Alexandre, E. M., Pintado, M., and Saraiva, J. A. 2019. Effect of emergent non-thermal extraction technologies on bioactive individual compounds profile from different plant materials. *Food Res. Int.* 115: 177-190.
- Morón-Ortiz, Á., Mapelli-Brahm, P., and Meléndez-Martínez, A. J. 2024. Sustainable green extraction of carotenoid pigments: Innovative technologies and bio-based solvents. *Antioxidants.* 13 (2): 239.
- Mukama, M., Ambaw, A., and Opara, U.L. 2019. Thermal properties of whole and tissue parts of pomegranate (*Punica granatum*) fruit. *J. Food Meas. Charact.* 13: 901–910.

- Mukama, M., Ambaw, A., and Opara, U. L. 2020. Thermophysical properties of fruit—a review with reference to postharvest handling. *J. Food Meas. Charact.* 14: 2917–2937.
- Müller-Maatsch, J., Sprenger, J., Hempel, J., Kreiser, F., Carle, R., and Schweiggert, R. M. 2017. Carotenoids from Gac fruit aril (*Momordica cochinchinensis* [Lour.] Spreng.) are more bioaccessible than those from carrot root and tomato fruit. *Food Res. Int.* 99: 928-935.
- Muñiz-Márquez, D. B., Martínez-Ávila, G. C., Wong-Paz, J. E., Belmares-Cerda, R., Rodríguez-Herrera, R., and Aguilar, C. N. 2013. Ultrasound-assisted extraction of phenolic compounds from *Laurus nobilis* L. and their antioxidant activity. *Ultrason. Sonochem.* 20 (5): 1149-1154.
- Munteanu, I. G., and Apetrei, C. 2021. Analytical methods used in determining antioxidant activity: A review. *Int. J. Mol. Sci.* 22 (7): 3380.
- Murakonda, S., Patel, G., and Dwivedi, M. 2022. Characterization of engineering properties and modeling mass and fruit fraction of wood apple (*Limonia acidissima*) fruit for post-harvest processing. *J. Saudi Soc. Agric. Sci.* 21 (4): 267-277.
- Murga, R., Ruiz, R., Beltran, S., and Cabezas, J. L. 2000. Extraction of natural complex phenols and tannins from grape seeds by using supercritical mixtures of carbon dioxide and alcohol. *J. Agric. Food Chem.* 48 (8): 3408–3412.
- Mushtaq, A., Roobab, U., Denoya, G. I., Inam-Ur-Raheem, M., Gullón, B., Lorenzo, J. M., and Aadil, R. M. 2020. Advances in green processing of seed oils using ultrasound-assisted extraction: A review. *J. Food Process. Preserv.* 44 (10): e14740.
- Musielak, G., Mierzwa, D., and Kroehnke, J. 2016. Food drying enhancement by ultrasound – A review. *Trends Food Sci. Technol.* 56: 126-141.

- Mussagy, C. U., Winterburn, J., Santos-Ebinuma, V. C., and Pereira, J. F. B. 2019. Production and extraction of carotenoids produced by microorganisms. *Appl. Microbiol. Biotechnol.* 103: 1095-1114.
- Muzzaffar, S., Baba, W.N., Nazir, N., Masoodi, F.A., Bhat, M.M., and Bazaz, R. 2016. Effect of storage on physicochemical, microbial, and antioxidant properties of pumpkin (*Cucurbita moschata*) candy. *Cogent Food Agric.* 2 (1): 1163650.
- MY, M., and AP, S. 2019. Development of supercritical fluid extraction for the recovery of betacyanins from red pitaya fruit (*Hylocereus polyrhizus*) peel: a source of natural red pigment with potential antioxidant properties. *Int. Food Res. J.* 26 (3).
- Mylykbayeva, Z., Mussabayeva, B., Ongarbayev, Y., Imanbayev, Y., and Muktaly, D. (2024). Ultrasonic technology for hydrocarbon raw recovery and processing. *Processes.* 12 (10): 2162.
- Nabi, B. G., Mukhtar, K., Ansar, S., Hassan, S. A., Hafeez, M. A., Bhat, Z. F., and Aadil, R. M. 2024. Application of ultrasound technology for the effective management of waste from fruit and vegetable. *Ultrason. Sonochem.* 102: 106744.
- Nadeeshani, H., Samarasinghe, G., Silva, R., Hunter, D., and Madhujith, T. 2021. Proximate composition, fatty acid profile, vitamin, and mineral content of selected banana varieties grown in Sri Lanka. *J. Food Compos. Anal.* 100: 103887.
- Nagy, B., and Simádi, B. 2008. Effects of particle size distribution, moisture content, and initial oil content on the supercritical fluid extraction of paprika. *J. Supercrit. Fluids.* 46 (3): 293-298.
- Naviglio, D., Scarano, P., Ciaravolo, M., and Gallo, M. 2019. Rapid solid-liquid dynamic extraction (RSLDE): A powerful and greener alternative to the latest solid-liquid extraction techniques. *Foods.* 8 (7): 245.

- Nhung, D. T. T., Bung, P. N., Ha, N. T., and Phong, T. K. 2010. Changes in lycopene and beta carotene contents in aril and oil of Gac fruit during storage. *Food Chem.* 121 (2): 326-331.
- Nguyen, N. T., Chen, P. R., Ye, R. H., Chuang, K. J., Chang, C. T., and Hong, G. B. 2024. Optimization of extraction conditions from Gac fruit and utilization of peel-derived biochar for crystal violet dye removal. *Molecules.* 29 (14): 3435.
- Oroian, M., Ursachi, F., and Dranca, F. 2020. Influence of ultrasonic amplitude, temperature, time, and solvent concentration on bioactive compounds extraction from propolis. *Ultrason. Sonochem.* 64: 105021.
- Owolarafe, O.K., Olabige, M.T., and Faborode, M.O. 2007. Physical and mechanical properties of two varieties of fresh oil palm fruit. *J. Food Eng.* 78 (4): 1228–1232.
- Panda, G., Vivek, K., and Mishra, S. 2020. Physical characterization and mass modeling of Kendu (*Diospyros melanoxylon Roxb.*) fruit. *Int. J. Fruit Sci.* 20 (sup3): S2005-S2017.
- Panda, T. C., Thota, N., Dwivedi, M., Pradhan, R. C., and Seth, D. 2022. Mass modeling of engineering properties and characterization of Kadamb fruit (*Neolamarckia cadamba*): An underutilized fruit. *J. Food Process Eng.* 45 (11): e14160.
- Panadare, D., Dialani, G., and Rathod, V. 2021. Extraction of volatile and non-volatile components from custard apple seed powder using supercritical CO₂ extraction system and its inventory analysis. *Process Biochem.* 100: 224–230.
- Pardo, F. A. E., Martinez, J., and Correa, H. A. M. 2014. Extraction of bioactive compounds from peach palm pulp (*Bactris gasipaes*) using supercritical CO₂. *J. Supercrit. Fluids.* 93: 2-6.

- Pathak, S. S., Pradhan, R. C., and Mishra, S. 2019. Physical characterization and mass modeling of dried *Terminalia chebula* fruit. *J. Food Process Eng.* 42 (3): e12992.
- Pathare, P.B., and Al-Dairi, M. 2022. Effect of mechanical damage on the quality characteristics of banana fruits during short-term storage. *Discover Food.* 2 (1): 4.
- Pavić, V., Jakovljević, M., Molnar, M., and Jokić, S. 2019. Extraction of carnosic acid and carnosol from sage (*Salvia officinalis* L.) leaves by supercritical fluid extraction and their antioxidant and antibacterial activity. *Plants* 8 (1): 16.
- Pereira, A. G., Otero, P., Echave, J., Carreira-Casais, A., Chamorro, F., Collazo, N., et al. 2021. Xanthophylls from the sea: algae as source of bioactive carotenoids. *Mar. Drugs.* 19 (4): 188.
- Perez-Vazquez, A., Barciela, P., Carpeta, M., Donn, P., Seyyedi-Mansour, S., Cao, H., ... and Cassani, L. 2023. Supercritical fluid extraction as a potential extraction technique for the food industry. *Eng. Proc.* 37 (1): 115.
- Perva-Uzunalić, A., Škerget, M., Weinreich, B., and Knez, Ž. 2004. Extraction of chilli pepper (var. Byedige) with supercritical CO₂: Effect of pressure and temperature on capsaicinoid and colour extraction efficiency. *Food Chem.* 87 (1): 51–58.
- Phan-Thi, H., and Waché, Y. 2019. Behind the myth of the fruit of heaven, a critical review on Gac (*Momordica cochinchinensis* Spreng.) contribution to nutrition. *Curr. Med. Chem.* 26 (24): 4585-4605.
- Pico, Y. 2013. Ultrasound-assisted extraction for food and environmental samples. *TrAC Trends Anal. Chem.* 43: 84-99.
- Popescu, M., Iancu, P., Plesu, V., and Bildea, C.S. 2022. Carotenoids recovery enhancement by supercritical CO₂ extraction from tomato using seed oils as modifiers. *Processes.* 10 (12): 2656.

- Prokopov, T., Nicolova, M., and Taneva, D. 2017. Improved carotenoid extraction from Bulgarian tomato peels using ultrasonication. *Ann. Univ. Dunarea de Jos Galati, Fasc. VI-Food Technol.* 41(1): 41-49.
- Putra, N. R., Rizkiyah, D. N., Zaini, A. S., Yunus, M. A. C., Machmudah, S., Idham, Z. B., and Hazwan Ruslan, M. S. 2018. Effect of particle size on yield extract and antioxidant activity of peanut skin using modified supercritical carbon dioxide and Soxhlet extraction. *J. Food Process. Preserv.* 42 (8): e13689.
- Puri, M., Sharma, D., and Barrow, C. J. 2012. Enzyme-assisted extraction of bioactives from plants. *Trends Biotechnol.* 30 (1): 37-44.
- Quijano-Ortega, N., Fuenmayor, C. A., Zuluaga-Dominguez, C., Diaz-Moreno, C., Ortiz-Grisales, S., García-Mahecha, M., and Grassi, S. 2020. FTIR-ATR spectroscopy combined with multivariate regression modeling as a preliminary approach for carotenoids determination in *Cucurbita* spp. *Appl. Sci.* 10 (11): 3722.
- Rahman, M. N. A., Ismail, A., Azlan, A., Abdul Aziz, A. F., Hassim, M. D., and Muhammad, N. H. 2024. Physicochemical properties, proximate composition, and carotenoid content of *Momordica cochinchinensis* L. Spreng (Gac) fruit. *Pertanika J. Trop. Agric. Sci.* 47 (2): 461–479.
- Ranganna, S. 1986. Hand book of analysis and quality control for fruit and vegetable products (2nd Ed.). Tata McGraw-Hill, New Delhi, India
- Rasul, M. G. 2018. Conventional extraction methods used in medicinal plants, their advantages and disadvantages. *Int. J. Basic Sci. Appl. Comput.* 2: 10-14.
- Reátegui, J. L. P., da Fonseca Machado, A. P., Barbero, G. F., Rezende, C. A., and Martínez, J. 2014. Extraction of antioxidant compounds from blackberry (*Rubus* sp.) bagasse using supercritical CO₂ assisted by ultrasound. *J. Supercrit. Fluids.* 94: 223-233.

- Reguengo, L. M., Salgaço, M. K., Sivieri, K., and Júnior, M. R. M. 2022. Agro-industrial by-products: Valuable sources of bioactive compounds. *Food Res. Int.* 152: 110871.
- Resende, L.M., Oliveira, L.S., and Franca, A.S. 2020. Characterization of jabuticaba (*Plinia cauliflora*) peel flours and prediction of compounds by FTIR analysis. *LWT* 133: 110135.
- Riera, E., Golás, Y., Blanco, A., Gallego, J.A., Blasco, M., and Mulet, A. 2004. Mass transfer enhancement in supercritical fluids extraction by means of power ultrasound. *Ultrason. Sonochem.* 11 (3–4): 241–244.
- Rodrigues, V. H., de Melo, M. M., Portugal, I., and Silva, C. M. 2021. Extraction of added-value triterpenoids from *Acacia dealbata* leaves using supercritical fluid extraction. *Processes.* 9 (7): 1159.
- Rohilla, S., Chutia, H., Marboh, V., and Mahanta, C.L. 2022. Ultrasound and supercritical fluid extraction of phytochemicals from purple tamarillo: Optimization, comparison, kinetics, and thermodynamics studies. *Appl. Food Res.* 2 (2): 100210.
- Roohani, R., EinAfshar, S., and Ahmadzadeh Ghavidel, R. 2016. Effect of time and ultrasonic amplitude on extraction of carotenoid compounds from saffron stamen. *Agric. Eng. Int.: CIGR J.* 18 (4): 171–176.
- Sahena, F., Zaidul, I. S. M., Jinap, S., Karim, A. A., Abbas, K. A., Norulaini, N. A. N., and Omar, A. K. M. 2009. Application of supercritical CO₂ in lipid extraction—A review. *J. Food Eng.* 95 (2): 240–253.
- Saini, R. K., and Keum, Y. S. 2018. Carotenoid extraction methods: A review of recent developments. *Food Chem.* 240: 90–103.
- Saini, R. K., Nile, S. H., and Park, S. W. 2015. Carotenoids from fruits and vegetables: Chemistry, analysis, occurrence, bioavailability and biological activities. *Food Res. Int.* 76: 735–750.

- Saini, R. K., Prasad, P., Lokesh, V., Shang, X., Shin, J., Keum, Y. S., and Lee, J. H. 2022. Carotenoids: Dietary sources, extraction, encapsulation, bioavailability, and health benefits—A review of recent advancements. *Antioxidants.* 11 (4): 795.
- Salgado-Ramos, M., Martí-Quijal, F. J., Huertas-Alonso, A. J., Sánchez-Verdú, M. P., Moreno, A., and Barba, F. J. 2023. Winemaking-derived by-products: In-depth characterization and sustainable, advanced pulsed electric field (PEF) processing to a zero-waste-based approach. *J. Environ. Chem. Eng.* 11 (5): 110535.
- Santos, P., Aguiar, A. C., Barbero, G. F., Rezende, C. A., and Martínez, J. 2015. Supercritical carbon dioxide extraction of capsaicinoids from malagueta pepper (*Capsicum frutescens* L.) assisted by ultrasound. *Ultrason. Sonochem.* 22: 78-88.
- Santos, P. H., Kammers, J. C., Silva, A. P., Oliveira, J. V., and Hense, H. 2021. Antioxidant and antibacterial compounds from feijoa leaf extracts obtained by pressurized liquid extraction and supercritical fluid extraction. *Food Chem.* 344: 128620.
- Schmitt, J., and Flemming, H. C. 1998. FTIR-spectroscopy in microbial and material analysis. *Int. Biodeterior. Biodegrad.* 41 (1): 1-11.
- Schulze, K., Nagle, M., Spreer, W., Mahayothee, B., and Müller, J. 2015. Development and assessment of different modeling approaches for size-mass estimation of mango fruits (*Mangifera indica* L., cv. ‘Nam Dokmai’). *Comput. Electron. Agric.* 114: 269-276.
- Senrayan, J., and Venkatachalam, S. 2019. Optimization of ultrasound-assisted solvent extraction (UASE) based on oil yield, antioxidant activity, and evaluation of fatty acid composition and thermal stability of *Coriandrum sativum* L. seed oil. *Food Sci. Biotechnol.* 28: 377–386.

- Shahbazi, F., and Rahmati, S. 2014. Mass modelling of plum (*Prunus domestica* L.) fruit with some physical characteristics. *Qual. Assur. Saf. Crops Foods.* 6 (2): 215-219.
- Shamsudin, R., Che-Man, H., Ariffin, S.H., Mohd-Ghani, S.N.A., and Azmi, N.S. 2023. Some engineering properties of pineapple fruit. *Eurasia Proc. Sci. Technol. Eng. Math.* 23: 269–281.
- Silva, R. P. D., Rocha-Santos, T. A., and Duarte, A. C. 2016. Supercritical fluid extraction of bioactive compounds. *TrAC Trends Anal. Chem.* 76: 40-51.
- Singh, A., Ahmad, S., and Ahmad, A. 2015. Green extraction methods and environmental applications of carotenoids—a review. *RSC Adv.* 5 (77): 62358-62393.
- Singh, S. S., Abdullah, S., Pradhan, R. C., and Mishra, S. 2019. Physical, chemical, textural, and thermal properties of cashew apple fruit. *J. Food Process Eng.* 42 (5): e13094.
- Singla, M., and Sit, N. 2021. Application of ultrasound in combination with other technologies in food processing: A review. *Ultrason. Sonochem.* 73: 105506.
- Skolik, P., McAinsh, M.R., and Martin, F.L. 2019. ATR-FTIR spectroscopy non-destructively detects damage-induced sour rot infection in whole tomato fruit. *Planta.* 249: 925–939.
- Sonawane, A., Pathak, S. S., and Pradhan, R. C. 2020. Physical, thermal, and mechanical properties of bael fruit. *J. Food Process Eng.* 43 (6): e13393.
- Soquette, M, B., Schmaltz, S., Wesz Righes, F., Salvalaggio, R., and de Marsillac Terra, L. 2018. Effects of pretreatment ultrasound bath and ultrasonic probe in osmotic dehydration, in the kinetics of oven drying, and the physicochemical properties of beet snacks. *J. Food Process Preserv.* 42 (1): e13393.
- Staicu, V., Calinescu, I., Vinatoru, M., Ghimpeteanu, D., Popa, I., and Mason, T.J. 2024. The efficient extraction of β -carotene from sea buckthorn berries

- using a novel solvent, fatty acid ethyl esters, and a combination of ultrasound and microwave. *Agronomy*. 14 (3): 416.
- Strati, I. F., and Oreopoulou, V. 2011. Effect of extraction parameters on the carotenoid recovery from tomato waste. *Int. J. Food Sci. Technol.* 46 (1): 23-29.
- Strieder, M. M., Silva, E. K., and Meireles, M. A. A. 2019. Specific energy: A new approach to ultrasound-assisted extraction of natural colorants. *Probe (Adelaide)*. 23: 30.
- Sun, T., Yuan, H., Cao, H., Yazdani, M., Tadmor, Y., and Li, L. 2018. Carotenoid metabolism in plants: The role of plastids. *Mol. Plant*. 11 (1): 58-74.
- Supanivatin, P., Thipayarat, A., Siriwanayotin, S., Ekkaphan, P., Deepatana, A., and Wongwiwat, J. 2023. A comparative analysis of phenolic content, antioxidant activity, antimicrobial activity, and chemical profile of *Coffea robusta* extracts using subcritical fluid extraction and supercritical carbon dioxide extraction. *Foods*. 12 (18): 3443.
- Swartz, M. 2010. HPLC detectors: A brief review. *J. Liq. Chromatogr. Relat. Technol.* 33 (9-12): 1130-1150.
- Tai, H. P., and Kim, K. P. T. 2014. Supercritical carbon dioxide extraction of Gac oil. *J. Supercrit. Fluids*. 95: 567-571.
- Tambun, R., Alexander, V., and Ginting, Y. 2021. Performance comparison of maceration method, soxhletation method, and microwave-assisted extraction in extracting active compounds from soursop leaves (*Annona muricata*): A review. In *IOP Conference Series: Mater. Sci. Eng.* 1122 (1): 012095.
- Tan, C.X., Tan, S.S., Ghazali, H.M., and Tan, S.T. 2022. Physical properties and proximate composition of Thompson red avocado fruit. *Br. Food J.* 124 (5): 1421–1429.

- Tontul, I., and Topuz, A. 2017. Spray-drying of fruit and vegetable juices: Effect of drying conditions on the product yield and physical properties. *Trends Food Sci. Technol.* 63: 91–102.
- Thilakarathna, R.C.N., Siow, L.F., Tang, T.K., and Lee, Y.Y. 2023. A review on application of ultrasound and ultrasound-assisted technology for seed oil extraction. *J. Food Sci. Technol.* 60 (4): 1222–1236.
- Tiwari, B. K. 2015. Ultrasound: A clean, green extraction technology. *TrAC Trends Anal. Chem.* 71: 100-109.
- Tiwari, S., Yawale, P., and Upadhyay, N. 2022. Carotenoids: Extraction strategies and potential applications for valorization of under-utilized waste biomass. *Food Biosci.* 48: 101812.
- Torres-Montilla, S., and Rodriguez-Concepcion, M. 2021. Making extra room for carotenoids in plant cells: New opportunities for biofortification. *Prog. Lipid Res.* 84: 101128.
- Tran, T. H., Nguyen, M. H., Zabaras, D., and Vu, L. T. 2008. Process development of Gac powder by using different enzymes and drying techniques. *J. Food Eng.* 85 (3): 359-365.
- Tran, X. T., Parks, S. E., Roach, P. D., Golding, J. B., and Nguyen, M. H. 2016. Effects of maturity on physicochemical properties of Gac fruit (*Momordica cochinchinensis* Spreng.). *Food Sci. Nutr.* 4: 305–314.
- Tran, X. T., Parks, S. E., Nguyen, M. H., Roach, P. D., and Kha, T. C. 2017. Changes in physicochemical properties of Gac fruit ('*Momordica cochinchinensis*' Spreng.) during storage. *Aust. J. Crop Sci.* 11(4): 447-452.
- Tribst, A. A., Franchi, M. A., and Cristianini, M. 2008. Ultra-high pressure homogenization treatment combined with lysozyme for controlling *Lactobacillus brevis* contamination in model system. *Innov. Food Sci. Emerg. Technol.* 9 (3): 265-271.

- Trirattanapikul, W., and Phoungchandang, S. 2016. Influence of different drying methods on drying characteristics, carotenoids, chemical and physical properties of Gac fruit pulp (*Momordica cochinchinensis* L.). *Int. J. Food Eng.* 12 (4): 395-409.
- Turgut, S.S., Küçüköner, E., and Karacabey, E. 2018. Improvements in drying characteristics and quality parameters of tomato by carbonic maceration pretreatment. *J. Food Process. Preserv.* 42 (2): e13282.
- Tuyen, C.K., Nguyen, M.H., Roach, P.D., and Stathopoulos, C.E. 2013. Effects of Gac aril microwave processing conditions on oil extraction efficiency, and β -carotene and lycopene contents. *J. Food Eng.* 117 (4): 486–491.
- Tuyen, C. K., Phan-Tai, H., and Nguyen, M. H. 2014. Effects of pre-treatments on the yield and carotenoid content of Gac oil using supercritical carbon dioxide extraction. *J. Food Eng.* 120: 44-49.
- Tyl, C., and Sadler, G.D. 2017. pH and titratable acidity. In: *Food Anal.* 389–406.
- Uba, F., Esandoh, E. O., Zogho, D., and Anokye, E. G. 2020. Physical and mechanical properties of locally cultivated tomatoes in Sunyani, Ghana. *Sci. Afr.* 10: e00616.
- Umair, M., Jabbar, S., Nasiru, M. M., Lu, Z., Zhang, J., Abid, M., et al. 2021. Ultrasound-assisted extraction of carotenoids from carrot pomace and their optimization through response surface methodology. *Molecules.* 26 (22): 6763.
- Ural, N. 2021. The significance of scanning electron microscopy (SEM) analysis on the microstructure of improved clay: An overview. *Open Geosci.* 13 (1): 197-218.
- Valencia, J., Peralta, E., Yaptenco, K., and Esguerra, E. 2022. Rheological properties of purple avocado (*Persea americana* Mill.) fruits at different ripening stages. *Philipp. J. Agric. Biosyst. Eng.* 18 (1): 26–40.

- Vietnam Trade Promotion Agency (VTPA) 2023. Vietnam Food expo takes Gac fruits to the world market. Available: <https://foodexpo.vn/en/vietnam-foodexpo-dua-Gac-viet-vuon-xa.html> [14 August 2023].
- Vilkhu, K., Mawson, R., Simons, L., and Bates, D. 2008. Applications and opportunities for ultrasound-assisted extraction in the food industry—A review. *Innov. Food Sci. Emerg. Technol.* 9 (2): 161-169.
- Villacís-Chiriboga, J., Voorspoels, S., Uyttebroek, M., Ruales, J., Van Camp, J., Vera, E., and Elst, K. 2021. Supercritical CO₂ extraction of bioactive compounds from mango (*Mangifera indica* L.) peel and pulp. *Foods*. 10 (9): 2201.
- Villanueva-Bermejo, D., Vázquez, E., Villalva, M., Santoyo, S., Fornari, T., Reglero, G., and Rodriguez Garcia-Risco, M. 2019. Simultaneous supercritical fluid extraction of Heather (*Calluna vulgaris* L.) and Marigold (*Calendula officinalis* L.) and anti-inflammatory activity of the extracts. *Appl. Sci.* 9 (11): 2245.
- Viñas-Ospino, A., López-Malo, D., Esteve, M. J., Frígola, A., and Blesa, J. 2023. Green solvents: emerging alternatives for carotenoid extraction from fruit and vegetable by-products. *Foods*. 12 (4): 863.
- Vincente, A.R., Manganaris, G.A., Ortiz, C.M., Sozzi, G.O., and Crisosto, C.H. 2014. Nutritional quality of fruits and vegetables. In: *Postharvest Handling*. Academic Press, pp. 69–122.
- Vivek, K., Mishra, S., and Pradhan, R. C. 2018. Physicochemical characterization and mass modeling of Sohiong (*Prunus nepalensis* L.) fruit. *J. Food Meas. Charact.* 12: 923–936.
- Vladić, J., Duarte, A. R. C., Radman, S., Simić, S., and Jerković, I. 2021. Enzymatic and microwave pretreatments and supercritical CO₂ extraction for improving extraction efficiency and quality of *Origanum vulgare* L. spp. hirtum extracts. *Plants*. 11 (1): 54.

- Vuong, L. T., and King, J. C. 2003. A method of preserving and testing the acceptability of Gac fruit oil, a good source of β -carotene and essential fatty acids. *Food Nutr. Bull.* 24 (2): 224-230.
- Wang, Y., Ma, J., Ma, C., Li, Z., Yin, S., Dai, J., and Ren, D. 2024. Antioxidant, antimicrobial, and cytotoxic properties of *Diospyros lotus* L. essential oil with supercritical fluid extraction. *J. Food Meas. Charact.* 1–8.
- Wen, C., Zhang, J., Zhang, H., Dzah, C. S., Zandile, M., Duan, Y., et al. 2018. Advances in ultrasound-assisted extraction of bioactive compounds from cash crops—A review. *Ultrason. Sonochem.* 48: 538-549.
- Win, S., Kanlayanarat, S., Buanong, M., and Wongs-Aree, C. 2013. Changes in quality and antioxidant activity of Gac fruit (*Momordica cochinchinensis* Spreng) under low-temperature storage. *II Southeast Asia Symp. Qual. Manag. Postharvest Syst.* 1088: 231–236.
- Wrona, O., Rafińska, K., Możeński, C., and Buszewski, B. 2017. Supercritical fluid extraction of bioactive compounds from plant materials. *J. AOAC Int.* 100 (6): 1624-1635.
- Xi, J., Wang, Y., Zhou, X., Wei, S., and Zhang, D. 2024. Cold plasma pretreatment technology for enhancing the extraction of bioactive ingredients from plant materials: A review. *Ind. Crops Prod.* 209: 117963.
- Xia, D., Maurice, A., Leybros, A., Lee, J.M., Grandjean, A., and Gabriel, J.C.P. 2021. On-line spectroscopic study of brominated flame retardant extraction in supercritical CO₂. *Chemosphere.* 263: 128282.
- Xu, Y., and Pan, S. 2013. Effects of various factors of ultrasonic treatment on the extraction yield of all-trans-lycopene from red grapefruit (*Citrus paradise* Macf.). *Ultrason. Sonochem.* 20 (4): 1026-1032.
- Yan, F., Fan, K., He, J., and Gao, M. 2015. Ultrasonic-assisted solvent extraction of carotenoids from rapeseed meal: optimization using response surface methodology. *J. Food Qual.* 38 (6):377-386.

- Yan, L. G., He, L., and Xi, J. 2017. High intensity pulsed electric field as an innovative technique for extraction of bioactive compounds—A review. *Crit. Rev. Food Sci. Nutr.* 57 (13): 2877-2888.
- Yandamuri, N., Srinivas Nagabattula, K. R., Kurra, S. S., Bathula, S., Nainesha Allada, L. P. S., and Bandam, P. 2013. Comparative study of new trends in HPLC: a review. *Int. J. Pharm. Sci. Rev. Res.* 23 (2): 52-57.
- Yang, Y. C., Wei, M. C., and Hong, S. J. 2014. Ultrasound-assisted extraction and quantitation of oils from *Syzygium aromaticum* flower bud (clove) with supercritical carbon dioxide. *J. Chromatogr. A.* 1323: 18-27.
- Yerena-Prieto, B. J., Gonzalez-Gonzalez, M., García-Alvarado, M. Á., Casas, L., Palma, M., Rodríguez-Jimenes, G. D. C., et al. 2022. Evaluation of the effect of different co-solvent mixtures on the supercritical CO₂ extraction of the phenolic compounds present in *Moringa oleifera* Lam. leaves. *Agronomy*. 12 (6): 1450.
- Yıldırım, M., Erşatır, M., Poyraz, S., Amangeldinova, M., Kudrina, N.O., and Terletskaya, N.V. 2024. Green extraction of plant materials using supercritical CO₂: Insights into methods, analysis, and bioactivity. *Plants* 13 (16): 2295.
- Yong, S. X. M., Song, C. P., and Choo, W. S. 2021. Impact of high-pressure homogenization on the extractability and stability of phytochemicals. *Front. Sustain. Food Syst.* 4: 593259.
- Yoshida, N., Matsugami, M., Harano, Y., Nishikawa, K., and Hirata, F. 2021. Structure and properties of supercritical water: Experimental and theoretical characterizations. *J.* 4 (4): 698-726.
- Zare, D., Salmanizade, F., and Safiyari, H. 2012. Some physical and mechanical properties of Russian olive fruit. *World Acad. Sci. Eng. Technol. Int. J. Biol. Biomol. Agric. Food Biotechnol. Eng.* 6 (9): 668-671.

- Zhang, X., Heinonen, S., and Levänen, E. 2014. Applications of supercritical carbon dioxide in materials processing and synthesis. *RSC Adv.* 4 (105): 61137–61152.
- Zhao, F., Wang, Z., and Huang, H. 2024. Physical cell disruption technologies for intracellular compound extraction from microorganisms. *Processes* 12 (10): 2059.