

References

REFERENCES

- Abad, A. M., Ramos, M., Hamzaoui, M., Kohnen, S., Jimenez, A., and Garrigos, M. C. 2020. Optimisation of Sequential Microwave-Assisted Extraction of Essential Oil and Pigment from Lemon Peels Waste. *Foods*. 9: 1493.
- Abbas, M., Ahmed, D., Qamar, M. T., Ihsan, S., and Noor, Z. I. 2021. Optimization of ultrasound-assisted, microwave-assisted and Soxhlet extraction of bioactive compounds from *Lagenaria siceraria*: A comparative analysis. *Bioresour. Technol. Rep.* 15, 100746.
- Abdurahman, N. H. and Sundarajan, S. 2019. *Characterization of bioactive compounds extracted from patchouli: Comparing microwave-assisted hydrodistillation and hydrodistillation methods*. IOP Conference Series: Materials Science and Energy. 70: 012042.
- Adiani, V., Gupta, S., Chatterjee, S., Variyar, P. S., and Sharma, A. 2015. Activity guided characterization of antioxidant components from essential oil of Nutmeg (*Myristica fragrans*). *J. Food Sci. Technol.* 52, 221–230.
- Adiletta, G., Petriccione, M., Liguori, L., Pizzolongo, F., Romano, R., and Matteo, D. M. 2018. Study of pomological traits and physico-chemical quality of pomegranate (*Punica granatum* L.) genotypes grown in Italy. *Eur. Food Res. Technol.* 244(8): 1427-1438.
- Ahmed, T., Rana, M.R., Hossain, M.A., Ullah, S. and Suzauddula, M. 2023. Optimization of ultrasound-assisted extraction using response surface methodology for total anthocyanin content, total phenolic content, and antioxidant activities of Roselle (*Hibiscus sabdariffa* L.) calyces and comparison with conventional Soxhlet extraction. *Biomass Conv. Bioref.* pp.1-15.
- Akhbari, M., Masoum, S., Aghababaei, F., and Hamedim, S. 2018. Optimization of microwave assisted extraction of essential oils from Iranian *Rosmarinus officinalis* L. using RSM. *J. Food Sci. Technol.* 55(6): 2197-2207.

- Alam, P., Siddiqui, N. A., Rehman, M. T., Hussain, A., Akhtar, A., Mir, S. R., and Alajmi, M. F. 2021. Box–Behnken Design (BBD)-Based Optimization of Microwave-Assisted Extraction of Parthenolide from the Stems of *Tarconanthus camphoratus* and Cytotoxic Analysis. *Molecules* 26: 1876.
- Alessandro, L.G., Kriaa, K., Nikov, I. and Dimitrov, K., 2012. Ultrasound assisted extraction of polyphenols from black chokeberry. *Sep. Purif. Technol.* 93: 42-47.
- Almeida, C. P., Nascimento, T. G., de Almeida, L. M., de Moraes Porto, I.C.C., Basílio-Júnior, I. D., de Freitas, J. D., de Freitas, J. M. D., Neto, A. B. L., das Neves, J. D. S., de Barros, R.P., and Dornelas, C.B. 2024. Preparation and characterization of hybrid polymeric coating films of chitosan–clay loaded with açai extract (*Euterpe oleracea*) for application in food and pharmaceutical areas. *J. Therm. Anal. Calorim.* pp.1-19.
- Ananingsih, V.K., Soedarini, B., and Karina, E. 2020. Separation of oleoresin from nutmeg using ultrasound assisted extraction and hexane as solvent. In: *IOP Conference Series: Materials Science and Engineering*. 18-22 May 2020, Canada. [On-line]. Available: 10.1088/1757-899X/854/1/012029 [10-09-2022]
- AOAC [Association of Official Analytical Chemistry]. 2000. Official Methods of Analysis (17th Ed.). Association of Official Analytical Chemistry, Gaithersburg, Washington. DC, 320p.
- Araujo, R. G., Jasso, R. M. R., Ruiza, H. A., Salas, M. G., Pintado, M. E., and Aguilar, C. N. 2020. Process optimization of microwave-assisted extraction of bioactive molecules from avocado seeds. *Ind. Crops Prod.* 154, 112623
- Arruda, H.S., Silva, E.K., Pereira, G.A., Angolini, C.F.F., Eberlin, M.N., Meireles, M.A.A., and Pastore, G.M. 2019. Effects of high-intensity ultrasound process parameters on the phenolic compounds recovery from araticum peel. *Ultrasonics Sonochem.* 50: 82-95.

- Arya K. R., Sheetu W., Sachin K. S., and Jithu N. V. 2023. *Myristica fragrans* (Houtt.). in: Augustine *et al.* (eds) *Herbs, Spices and Their Roles in Nutraceuticals and Functional Foods*. Elsevier. United Kingdom. 279p.
- Asbahani, A. E., Miladi, K., Badri, W., Sala, M., Addi, E. H. A., Casabianca, H., Mousadik, A. E., Hartmann, D., Jilale, A., Renaud, F. N. R., and Elaissari, A. 2015. Essential oils: From extraction to encapsulation. *Int. J. Pharm.* 483: 220–243.
- Ashokkumar, M. 2015. Applications of ultrasound in food and bioprocessing. *Ultrason. Sonochem.* 25: 17–23.
- Awad A. M, Kumar P, Ismail, F. M. R, Jusoh S, Aziz A. M. F., and Sazili A. Q. Green Extraction of Bioactive Compounds from Plant Biomass and Their Application in Meat as Natural Antioxidant. *Antioxidants (Basel)*. 2021. 10(9): 1465.
- Azmir, J., Zaidul, I. S. M., Rahman, M. M., Sharif, K. M., Mohamed, A., Sahena, F., Jahurul, M. H. A., Ghafoor, K., Norulaini, N. A. N., and Omar, A. K. M. 2013. Techniques for extraction of bioactive compounds from plant materials: A review. *J. Food Eng.* 11: 426–436.
- Bagade, S. B. and Patil, M. 2021. Recent Advances in Microwave Assisted Extraction of Bioactive Compounds from Complex Herbal Samples: A Review. *Crit. Rev. Anal. Chem.* 51: 138–149.
- Bai, J. W., Chen, X. R., Tnag, Y., Cui, W. Q., Li, D. L., Godspower, B. O. and Yang, Y. 2019. Study on microwave assisted extraction of chrysophanol and its intervention in biofilm formation of *Streptococcus suis*. *RSC Adv.* 50 (9): 28996-29004.
- Bernad, D. C., Baixinho, J. P., Fernandez, N. and Frutos, M. J. 2022. Evaluation of Microwave assisted extraction as a potential green technology for the isolation of bioactive compounds from Safron floral by-products. *Foods*. 11(15): 2335.

- Bitwell, C., Indra, S.S., Luke, C., and Kakoma, M. K. 2023. A review of modern and conventional extraction techniques and their applications for extracting phytochemicals from plants. *Sci. Afr.* 19: 2468-2276.
- Bouras, M., Chadni, M., Barbaa, F. J., Grimi, N., Bals, O., and Vorobiev, E. 2015. Optimization of microwave-assisted extraction of polyphenols from Quercus bark. *Ind. Crops Prod.* 77: 590-601.
- Capaldi, G., Binello, A., Aimone, C., Mantegna, S., Grillo, G., and Cravotto, G. 2024. New trends in extraction-process intensification: Hybrid and sequential green technologies. *Ind. Crops Prod.* 209, 117906.
- Carrera, C., Rodríguez, A. R., Palma, M., and Barroso, C. G. 2012. Ultrasound assisted extraction of phenolic compounds from grapes. *Anal. Chim. Acta* 732: 100–104.
- Chan, C. H., Yusoff, R., Ngoh, G. C., and Kung, F. W. L., 2011. Microwave-assisted extractions of active ingredients from plants. *J. Chromatogr. A.* 1218, 6213–6225.
- Chanioti, S. and Tzia, C. 2017. Optimization of ultrasound-assisted extraction of oil from olive pomace using response surface technology: Oil recovery, unsaponifiable matter, total phenol content and antioxidant activity. *LWT - Food Sci. Technol.* 79: 178–189.
- Chemat, F., Vian, M. A., and Cravotto, G. 2012. Green Extraction of Natural Products: Concept and Principles. *Int. J. Mol. Sci.* 13: 8615–8627.
- Chemat, F. and Cravotto, G. 2013. *Microwave-assisted Extraction for Bioactive Compounds: Theory and Practice.* Springer, New York. pp.1-15.
- Chemat, F., Rombaut, N., Sicaire, A. G., Meullemiestre, A., Tixier, F. A. S., and Vian, A. M. 2017. Ultrasound assisted extraction of food and natural products. Mechanisms, techniques, combinations, protocols and applications. A review. *Ultrason. Sonochem.* 34: 540–560.

- Chen, F., Guo, Y., Kang, J., Yang, X., Zhao, Z., Liu, S., Ma, Y., Gao, W., and Luo, D. 2020. Insight into the essential oil isolation from *Foeniculum vulgare* Mill. fruits using double-condensed microwave-assisted hydrodistillation and evaluation of its antioxidant, antifungal and cytotoxic activity. *Ind. Crops Prod.* 144: 112052.
- Cheung, Y. C. and Wu, J. Y. 2013. Kinetic models and process parameters for ultrasound-assisted extraction of water-soluble components and polysaccharides from a medicinal fungus. *Biochem. Eng. J.* 79: 214–220.
- Choo, L. C., Wong, S. M., and Liew, K. Y. 1999. Essential oil of nutmeg pericarp. *J. Sci. Food Agric.* 79: 1954–1957.
- Chutia, H. and Mahanta, C.L. 2021. Green ultrasound and microwave extraction of carotenoids from passion fruit peel using vegetable oils as a solvent: Optimization, comparison, kinetics, and thermodynamic studies. *Innov. Food Sci. Emerg. Technol.* 67: 102547.
- Claudia, K. L. 2017. Studies on microwave steam distillation process for extraction of lemongrass essential oil. M.Tech (Agrl. Engg.) thesis, Kerala Agricultural University, Thrissur, 43p.
- Coulibaly, A., Hema, D. M., Sawadogo, I., Toe, M., Kiendrebeogo, M., and Nèbie, R. C. H. 2023. Physico-chemical properties of *Ocimum americanum* L. essential oil from Burkina Faso. *Int. J. Biol. Chem. Sci.* 17(2): 701-709.
- Dar, I. H., Junaid, P. M. and Ahmad, S. 2024. Optimization of ultrasound-assisted extraction of *Nigella sativa* seed oil for enhancement of yield and antioxidant activity. *Discov. Appl. Sci.* 6: 104.
- Datta and Davidson. 2000. Microwave and Radiofrequency Processing. *J. Food Sci.* 65: 32–41.
- Dash, D. R., Pathak, S. S., and Pradhan, R. C. 2021. Extraction of oil from *Terminalia chebula* kernel by using ultrasound technology: Influence of process parameters on extraction kinetics. *Ind. Crops Prod.* 171: 113893.

- Desai, M. A. and Parikh, J. 2012. Microwave Assisted Extraction of Essential Oil From *Cymbopogon Flexuosus* (Steud.) Wats.: A Parametric and Comparative Study. *Sep. Sci. Technol.* 47: 1963–1970.
- Directorate of Arecanut and Spices Development (DASD). 2022. Area and production of spices. <http://www.dasd.gov.in>
- Drinic, Z., Pljevljakusi, D., Zivkovi, J., Bigovic, D., and Savikin, K. 2020. Microwave-assisted extraction of *O. vulgare* L. spp. hirtum essential oil: Comparison with conventional hydro-distillation. *Food Bioprod. Process.* 120: 158-165.
- Elyemni, M., Louaste, B., Nechad, I., Elkamli, T., Bouia, A., Taleb, M., Chaouch, M., and Eloutassi, N. 2019. Extraction of Essential Oils of *Rosmarinus officinalis* L. by Two Different Methods: Hydrodistillation and Microwave Assisted Hydrodistillation. *Sci. World J.* 2019: 1–6.
- Eskilsson, C. S. and Björklund, E. 2000. Analytical-scale microwave-assisted extraction. *J. Chromatogr. A.* 902: 227–250. [https://doi.org/10.1016/S0021-9673\(00\)00921-3](https://doi.org/10.1016/S0021-9673(00)00921-3)
- FCC (Food Chemical Codex). 1996. (4th Ed.). Washington DC: National Academic Press, pp. 413-414.
- Ferhat, A. M., Meklati, Y. M., Smadja, J., and Chemat. F. 2006. An improved microwave Clevenger apparatus for distillation of essential oils from orange peel. *J. Chromatogr. A.* 1112: 121-126.
- Florez, N., Conde, E., and Domínguez, H. 2014. Microwaveassistedwaterextraction of plant compounds. *J. Chem. Technol. Biotechnol.* 1002: 4519.
- Frohlich, P. C, Santos, K. A, Hasan, S. D. M., and Silva, E. A. D. 2022. Evaluation of the ethanolic ultrasound-assisted extraction from clove (*Syzygium aromaticum*) leaves and chemical characterization of the extracts. *Food Chem.* 373: 131351.

- Galanakis, C. M. 2017. Chapter 1 - Introduction, in: Galanakis, C.M. (Ed.), *Nutraceutical and Functional Food Components*. Academic Press, pp. 1–14.
- Ghasemzadeh, A., Jaafar, H.Z., Karimi, E. and Rahmat, A., 2014. Optimization of ultrasound-assisted extraction of flavonoid compounds and their pharmaceutical activity from curry leaf (*Murraya koenigii* L.) using response surface methodology. *BMC Complement Altern Med*. 14: 1-10.
- Ghazanfari, N., Mortazavi, S. A., Yazdi, F. T. and Mohammadi, M. 2020. Microwave-assisted hydrodistillation extraction of essential oil from coriander seeds and evaluation of their composition, antioxidant and antimicrobial activity. *Heliyon*. 04893
- Gils, V. C. and Cox, P. A. 1994. Ethnobotany of nutmeg in the Spice Islands. *J. Ethnopharmacol*. 42: 117–124.
- Golmakani, M. T. and Rezaei, K. 2008. Comparison of microwave-assisted hydrodistillation with the traditional hydrodistillation method in the extraction of essential oils from *Thymus vulgaris* L. *Food Chem*. 109, 925–930.
- Gomez, L., Tiwari, B., and Vaquero, M. G. 2020. Emerging extraction techniques: Microwave-assisted extraction. *Sustain. Seaweed Technol*. 978: 1-4.
- Gonzalez, G. M., Prieto, Y. B. J., Carrera, C., Espinosa, V. M., Peredo, G. A. V., Alvarado, G. M. A., Palma, M., Jimenes, R. G. C., Barbero G. F. 2023. Optimization of an Ultrasound-Assisted Extraction Method for the Extraction of Gingerols and Shogaols from Ginger (*Zingiber officinale*). *Agronomy*. 13(7): 1787.
- Gopika, T. and Ghuman, B. S. 2014. Optimization of microwave assisted process for extraction of celery seed essential oil. *J. Agric. Eng*. 51(2): 9-18.
- Gorgani, L., Mohammadi, M., Najafpour, G. D., and Nikzad, M. 2017. Sequential microwave-ultrasound-assisted extraction for isolation of piperine from

- black pepper (*Piper nigrum* L.). *Food Bioprocess Technol.* 10(12): 2199–2207.
- Gotz, M. E., Sachse, B., Schäfer, B., and Eisenreich, A. 2022. Myristicin and Elemicin: Potentially Toxic Alkenylbenzenes in Food. *Foods (Basel, Switzerland)*. 11(13): 1988.
- Goula, A. M. 2013. Ultrasound assisted extraction of pomegranate seed oil – Kinetic modeling. *J. Food Eng.* 117: 492–498.
- Grassino, A. N., Brnčić, M., Topić, D. M., Roca, S., Dent, M., and Brncic, S. R. 2016. Ultrasound assisted extraction and characterization of pectin from tomato waste. *Food Chem.* 198: 93–100.
- Gupta, A. D., Bansal, V. K., Babu, V., and Maithil, N. 2013. Chemistry, antioxidant and antimicrobial potential of nutmeg (*Myristica fragrans* Houtt). *J. Genet. Eng. Biotechnol.* 11:25–31.
- Guo, Q., Sun, D. W., Cheng, J. H., and Han, Z. 2017. Microwave processing techniques and their recent applications in the food industry. *Trends Food Sci. Technol.* 67: 236-247.
- Hao, J., Wang, Z., Jia, Y., Sun, L., Fu, Z., Zhao, M., Li, Y., Yuan, N., Cong, B., Zhao, L. and Ge, G. 2023. Optimization of ultrasonic-assisted extraction of flavonoids from *Lactuca indica* L. c.v Mengzao and their antioxidant properties. *Front. Nutr.* 10:1065662.
- He, Q., Tang, G., Hu, Y., Liu, H., Tang, H., Zhou, Y., Deng, X., Peng, D., Qian, Y., Guo, W. and Chen, D., 2024. Green and highly effective extraction of bioactive flavonoids from *Fructus aurantii* employing deep eutectic solvents-based ultrasonic-assisted extraction protocol. *Ultrasonics Sonochemistry*, 102, p.106761.
- Horikoshi, S. and Serpone, N. 2020. *RF Power Semiconductor Generator Application in Heating and Energy Utilization*. Springer Singapore. pp: 978-981.

- Hossain, M. B., Brunton, N. P., Patras, A., Tiwari, B., O'Donnell, C. P., Diana, A. B. M., and Ryan, C. B. 2012. Optimization of ultrasound assisted extraction of antioxidant compounds from marjoram (*Origanum majorana* L.) using response surface methodology. *Ultrason. Sonochem.* 19: 582–590.
- Hundie, K., Bullo, A. T., Bayisa, M. Y., Akuma, A. D., and Bultum, S. M., 2023. Optimization of microwave-assisted hydro-distillation essential oil extracted from Rumex Crispus leaves using definitive screening design. *Arab. J. Chem.* 16: 104665.
- Iftikhar, M., Zhang, H., Iftikhar, A., Raza, A., Begum, N., Tahamina, A., Syed, H., Khan, M., and Wang, J. 2020. Study on optimization of ultrasonic assisted extraction of phenolic compounds from rye bran. *LWT* 134: 110243.
- Isa, M. N. C., Ajita, A., Nailaa, A., and Sulaiman, A. Z. 2018. Effect of microwave assisted hydrodistillation extraction on extracts of Ficus deltoidea. In: *The 3rd International Conference on Green Chemical Engineering Technology: Materials Science*. 7-8 Nov. 2017, Pahang [On-line]. Available: <https://doi.org/10.1016/j.matpr.2018.07.031>[12-10-2023].
- Jalili, F., Jafari, S. M., Djomeh, Z. E, Malekjani, N., and Farzaneh, V. 2018. Optimization of Ultrasound Assisted Extraction of Oil from Canola Seeds with the Use of Response Surface Methodology. *Food Anal. Methods* 11: 598–612.
- Joy, P. 2023. Economic feasibility of nutmeg cultivation in Kerala. *J. Emerg. Technol. Innov. Res.* 10(7): 2349-5162.
- Kaderides, K., Papaoikonomou, L., Serafim, M., and Goula, A.M. 2019. Microwave-assisted extraction of phenolics from pomegranate peels: Optimization, kinetics, and comparison with ultrasounds extraction. *Chem. Eng. Process.* 137: 1-11.
- Kapoor, I. P. S., Singh, B., Singh, G., Heluani, D. C. S., Lampasona, D. M. P., and Catalan, C. A. N. 2013. Chemical Composition and Antioxidant Activity of

- Essential Oil and Oleoresins of Nutmeg (*Myristica fragrans* Houtt.) Fruits. *Int. J. Food Prop.* 16: 1059–1070.
- Khadhraoui, B., Ummat, V., Tiwari, B.K., Tixier, F. A. S., and Chemat, F. 2021. Review of ultrasound combinations with hybrid and innovative techniques for extraction and processing of food and natural products. *Ultrason. Sonochem.* 76: 105625.
- Khan, M.H., Dar, N. A., Alie, B. A., Dar, S. A., Lone, A. A., Mir, G. H., Fayaz, U., Ali, S., Tyagi, A., El-Sheikh, M. A., and Alansi, S. 2023. Unraveling the Variability of Essential Oil Composition in Different Accessions of *Bunium persicum* Collected from Different Temperate Micro-Climates. *Molecules.* 28(5): 2404.
- Kharraf, E. S., Farah, A., Miguel, M. G., Guendouz, E. S., and Hadrami, E. E. M., 2020. Two Extraction Methods of Essential Oils: Conventional and Non-conventional Hydrodistillation. *J. Essent. Oil-Bear. Plants* 23: 870–889.
- Kosar, M., Ozek, T., Goger, F., KurkcUoglu, M., and Baser, K. M. 2005. Comparison of Microwave-Assisted Hydrodistillation and Hydrodistillation Methods for the Analysis of Volatile Secondary Metabolites. *Pharm. Biol.* 43(6): 491-495.
- Kumar, K., Srivastav, S., and Sharanagat, V.S. 2021. Ultrasound assisted extraction (UAE) of bioactive compounds from fruit and vegetable processing by-products: A review. *Ultrason. Sonochem.* 70: 105325.
- Latha, P. G., Sindhu, P. G., Suja, S. R., Geetha, B. S., Pushpangadan, P., and Rajasekharan, S. 2004. Pharmacology and chemistry of *Myristica fragrans* Houtt. *J. Spices Aromat. Crops.* 14 (2): 94-101.
- Leonelli, C., Veronesi, P., and Cravotto, G. 2012. *Microwave-Assisted Extraction: An Introduction to Dielectric Heating.* Springer. New York. pp:1-3.
- Li, G., Liu, S., Zhou, Q., Han, J., Qian, C., Li, Y., Meng, X., Gao, X., Zhou, T., Li, P. and Gu, Q., 2022. Effect of response surface methodology-optimized

ultrasound-assisted pretreatment extraction on the composition of essential oil released from tribute citrus peels. *Nutrition*, 9: 840780.

- Li, Z., Wang, H., Pan, X. D., Guo, Y., Gao, W. B., Wang, J., Dong, B. J., Duan, M. Y., Yin, H. Y., Zhang, Q., and Chen, F. L. 2022. Enzyme-deep eutectic solvent pre-treatment for extraction of essential oil from *Mentha haplocalyx* Briq. leaves: kinetic, chemical composition and inhibitory enzyme activity. *Ind. Crops Prod.* 177: 114429.
- Liao, J., Qu, B., and Zheng, N. 2016. Effects of Process Parameters on the Extraction of Quercetin and Rutin from the Stalks of *Euonymus Alatus* (Thumb.) Sieb and Predictive Model Based on Least Squares Support Vector Machine Optimized by an Improved Fruit Fly Optimization Algorithm. *Appli. Sci.* 6: 340.
- Liu, B., Fu, J., Zhu, Y., and Chen, P. 2018. Optimization of Microwave-assisted Extraction of Essential Oil from Lavender Using Response Surface Methodology. *J. Oleo Sci.* 67(10): 1327-1337.
- Liu, Z., Li, H., Zhu, Z., Huang, D., Qi, Y., Ma, C., Zou, Z., and Ni, H. 2022. Cinnamomum camphora fruit peel as a source of essential oil extracted using the solvent-free microwave-assisted method compared with conventional hydrodistillation, *LWT.* 153: 112549.
- Mahboubi, M., Kazempour, N., and Nazar, B. A. R. 2013. Total phenolic, total flavonoids, antioxidant and antimicrobial activities of *Scrophularia striata* boiss extracts. *Jundishapur J Nat Pharm Prod.* Winter;8(1):15-9.
- Mai, Y. H., Zhuang, Q. G., Li, Q. H., Du, K., Wu, D. T., Li, H. B., Xia, Y., Zhu, F., and Gan, R. Y. 2022. Ultrasound-Assisted Extraction, Identification, and Quantification of Antioxidants from 'Jinfeng' Kiwifruit. *Foods.* 11: 827.
- Mandal, V., Mohan, Y., and Hemalatha, S. 2007. Microwave Assisted Extraction – An Innovative and Promising Extraction Tool for Medicinal Plant Research. *Phcog. rev.* 1: 1.

- Maran, J. P., Manikandan, S., Thirugnanasambandham, K., Nivetha, C.V., and Dinesh, R. 2013. Box–Behnken design based statistical modeling for ultrasound-assisted extraction of corn silk polysaccharide. *Carbohydr. Polym.* 92(1): 604-611.
- Maran, J. P., and Priya, B. 2014. Ultrasound-assisted extraction of polysaccharide from *Nephelium lappaceum* L. fruit peel. *Int. J. Biol. Macromol.* 70: 530–536.
- Maran, J. P., Sivakumar, V., Thirugnanasambandhama, K., and Sridhar, R. 2014. Microwave assisted extraction of pectin from waste *Citrullus lanatus* fruit rinds. *Carbohydr. Polym.* 101: 786-791.
- Marquez, D. B. M, Ávila, G. C. M, Paz, J. E. W, Cerda, R. B., Herrera, R. R., and Aguilar, C. N. 2013. Ultrasound assisted extraction of phenolic compounds from *Laurus nobilis* L. and their antioxidant activity. *Ultrason. Sonochem.* 20: 1149–1154.
- Megawati, Fardhyanti, D. S., Sediawan, W. B., and Hisyam, A., 2019. Kinetics of mace (*Myristicae arillus*) essential oil extraction using microwave assisted hydrodistillation: Effect of microwave power. *Ind. Crops Prod.* 131: 315–322.
- Mohammadpour, H., Sadrameli, S. M., Eslami, F., and Asoodeh, A. 2019. Optimization of ultrasound assisted extraction of *Moringa peregrina* oil with response surface methodology and comparison with Soxhlet method. *Ind. Crops Prod.* 131: 106–116.
- Moradi, S., Fazlali, A., and Hamed, H. 2018. Microwave-Assisted Hydro-Distillation of Essential Oil from Rosemary: Comparison with Traditional Distillation. *Avicenna J. Med. Biotechnol.* 10(1): 22-28.
- Muhammad, D. R. A., Tuenter, E., Patria, G. D., Foubert, K., Pieters, L., and Dewettinck, K. 2021. Phytochemical composition and antioxidant activity of *Cinnamomum burmannii* Blume extracts and their potential application in white chocolate. *Food Chem.* 340: 127983.

- Nayak, C. A. and Rastogi, N. K. 2013. Optimization of solid–liquid extraction of phytochemicals from *Garcinia indica* Choisy by response surface methodology. *Food Res Int.* 50: 550–556.
- Nour, A. H., Oluwaseun, A. R., Nour, A. H., Omer, M. S., and Ahmed, N. 2021. Microwave-Assisted Extraction of Bioactive Compounds. *Intechopen.* 5772: 96092.
- Nour A. H., Modather, R. H., Yunus, R. M., Elnour, A. A. M., and Isamil, N. A. 2024. Characterization of bioactive compounds in patchouli oil using microwave-assisted and traditional hydrodistillation methods. *Ind. Crops Prod.* 208, 117901.
- Nurhadi, B., Saputra, R. A., Setiawati, T.A., Husein, S. N., Faressi, F. R., Utari, C. D., Sukri, N., Kayaputri, I. L., and Setiasih, I. S. 2020. Comparison of *Curcuma domestica* and *Curcuma xanthorrhiza* oleoresins extracted using maceration, Soxhlet, and ultrasound-assisted extraction (UAE). In: *IOP Conf. Ser. Earth and Environmental Science*, 29-31 July, Indonesia [Online]. Available: <https://doi.org/10.1088/1755-1315/443/1/012074> [18-09-2024]
- Ozdemir, M., Gungor, V., Melikoglu, M., Aydiner, C., 2024. Solvent selection and effect of extraction conditions on ultrasound-assisted extraction of phenolic compounds from galangal (*Alpinia officinarum*). *J. Appl. Res. Med. Aromat. Plants* 38: 100525.
- Patra, A., Abdullah, S., and Pradhan, R. C. 2022. Review on the extraction of bioactive compounds and characterization of fruit industry by-products. *Bioresour. Bioprocess.* 9: 14.
- Patra, A., Pradhan, R., and Abdulla, S. 2021. Microwave-assisted extraction of bioactive compounds from cashew apple (*Anacardium occidentale* L.) bagasse: modeling and optimization of the process using response surface methodology. *J. Food Meas. Charact.* 15(5): 1-13.

- Pandey, R., Rameshkumar, K. B., and Kumar, B. 2015. Ultra high performance liquid chromatography tandem mass spectrometry method for the simultaneous determination of multiple bioactive constituents in fruit extracts of *Myristica fragrans* and its marketed polyherbal formulations using a polarity switching technique. *J. Sep. Sci.* 38: 1277–1285.
- Parikh, J. K. and Desai, M. A. 2011. Hydrodistillation of Essential Oil from *Cymbopogon flexuosus*. *Int. J. Food Eng.* 7(1).
- Paz, W. J. E., Márquez, M. D. B., Ávila, G. C. G., Cerda, R. E. B., and Aguilar, C. N. 2015. Ultrasound-assisted extraction of polyphenols from native plants in the Mexican desert. *Ultrason. Sonochem.* 22, 474–481.
- Peng, X., Liu, N., Wang, M., Liang, B., Feng, C., Zhang, R., Wang, X., Hu, X., Gu, H. and Xing, D. 2022. Recent advances of kinetic model in the separation of essential oils by microwave-assisted hydrodistillation. *Ind. Crops Prod.* 187: 115418.
- Peng, S., Zhu, M., Li, S., Ma, X., and Hu, F. 2023. Ultrasound-assisted extraction of polyphenols from Chinese propolis. *Front. Sustain. Food Syst.* 7: 1131959.
- Peng, W., Wang, X., Wang, W., Wang, Y., Huang, J., Zhou, R., Bo, R., Liu, M., Yin, S. and Li, J., 2024. Comparison, optimization and antioxidant activity of ultrasound-assisted natural deep eutectic solvents extraction and traditional method: A greener route for extraction of flavonoid from *Moringa oleifera* Lam. leaves. *Ultrason. Sonochem.* 109: 107003.
- Periasamy, G., Karim, A., Gibrelibanos, M., Gebremedhin, G., and Gilani, A. H. 2016. Nutmeg (*Myristica fragrans* Houtt.) Oils, In: Victor, R. P. (ed.) *Essential Oils in Food Preservation, Flavor and Safety*. Academic Press, Cambridge. pp. 607–616.
- Piombino, P., Pittari, E., Genovese, A., Bellincontro, A. and Moio, L. 2024. Postharvest dehydration of red grapes: impact of temperature and water-loss conditions on free and glycosylated volatile metabolites of exocarp and

- epicarp of Nebbiolo and Aleatico varieties. *J. Sci. Food Agric.* 1(105): 123-131.
- Porto, C. D, Porretto, E. and Decorti, D. 2013. Comparison of ultrasound-assisted extraction with conventional extraction methods of oil and polyphenols from grape (*Vitis vinifera* L.) seeds. *Ultrason. Sonochem.* 20: 1076–1080.
- Pra, V. D, Lunelli, F. C., Vendruscolo, R. G., Martins, R., Wagner, R., Lazzaretti, A. P., Freire, D. M. G., Alexandri, M., Koutinas, A., Mazutti, M. A., and Rosa, M. B. D. 2017. Ultrasound-assisted extraction of bioactive compounds from palm pressed fiber with high antioxidant and photoprotective activities. *Ultrason. Sonochem.* 36: 362–366.
- Prakash, E., K. and Gupta, D. 2013. Cytotoxic Activity of Ethanolic Extract of *Myristica Fragrans* (Houtt) Against Seven Human Cancer Cell Lines. *Univ. J. Food Nutr. Sci.* 1: 1–3.
- Procopio, F. R., Ferraz, M. C., Paulino, B. N., Sobral, D. A. P. J., Hubinger, M. D., 2022. Spice oleoresins as value-added ingredient for food industry: Recent advances and perspectives. *Trends Food Sci. Technol.* 122: 123–139.
- Putra, N. R., Aziz, A. H. A., Mamat, H., Rizkiyah, D. N., Yunus, M. A. C., Irianto, I., and Qomariyah, L. 2024. "Green extraction of nutmeg (*Myristica fragrans*) phytochemicals: Prospective strategies and roadblocks" *Open Agric.* 9: 1.
- Raal, A., Arak, E., and Orav, A. 2012. The content and composition of the essential oil Found in *Carum carvi* L. commercial fruits obtained from different countries, *J. Essential Oil Res.* 24(1): 53-59.
- Radivojac, A., Beraa, O., Micic, D., Durovic, S., Zekovic, Z., Blagojevic, S., and Pavlic, B. 2020. Conventional versus microwave-assisted hydrodistillation of sage herbal dust: Kinetics modeling and physico-chemical properties of essential oil. *Food Bioprod. Process.* 123: 90-101.

- Rao, M. V., Sengar, A. S., Sunil, C. K., and Rawson, A. 2021. Ultrasonication - A green technology extraction technique for spices: A review. *Trends Food Sci. Technol.* 116: 975–991.
- Rema. J. and B. Krishnamoorthy. 2012. Nutmeg and mace. In: Peter, K. V. (ed) *Handbook of herbs and spices*. Woodhead Publishing Limited, Cambridge. 400 p.
- Rostagno, A. and Prado, M. J. 2013. *Natural Product Extraction: Principles and Applications*. RSC Publishing. UK. pp: 113-117.
- Rutkowska, M., Namieśnik, J., and Konieczka, P. 2017. Ultrasound Assisted Extraction. In: Francisco, P. P. and Marek, T. (eds.) *The Application of Green Solvents in Separation Processes*. Elsevier. pp. 301–324.
- Sagarika, N., Prince, M. V., Kothakota, A., Pandiselvam, R., Sreeja, R., and Mathew, S. M. 2018. Characterization and Optimization of Microwave Assisted Process for Extraction of Nutmeg (*Myristica fragrans* Houtt.) Mace Essential Oil. *J. Essent. Oil-Bear. Plants.* 21: 895–904.
- Salehi, B., Upadhyay, S., Orhan, I. E., Jugran, A. K., Jayaweera, S. L. D., Dias, D. A., Sharopov, F., Taheri, Y., Martins, N., Baghalpour, N., Cho, W. C., and Rad, J. S. 2019. Therapeutic Potential of α - and β -Pinene: A Miracle Gift of Nature. *Biomolecules.* 9(11): 738.
- Samaram, S., Mirhosseini, H., Tan, C. P., Ghazali, H. M., Bordbar, S., and Serjouie, A. 2014. Optimisation of ultrasound-assisted extraction of oil from papaya seed by response surface methodology: oil recovery, radical scavenging antioxidant activity, and oxidation stability. *Food Cchem.* 172: 7–17.
- Sandhu, K. H., Sinha, P., Emanuel, N., Kumar, N., Sami, R., Khojah, E. and Al-Mushhin, A. M. A. 2021. Effect of Ultrasound-Assisted Pretreatment on Extraction Efficiency of Essential Oil and Bioactive Compounds from Citrus Waste By-products. *Separations.* 8(12): 244.

- Santos, T. R. J. and Santana, L. C. L. D. A. 2022. Conventional and emerging techniques for extraction of bioactive compounds from fruit waste. *Braz. J. Food Technol.* 25: 1130.
- Seneme, E. F., Dos Santos, D. C., Silva, E. M. R., Franco, Y. E.M., and Longato, G. B. 2021. Pharmacological and Therapeutic Potential of Myristicin: A Literature Review. *Molecules* 26: 5914.
- Sengar, A. S., Rawson, A., Muthiah, M., and Kumar, K. S. 2019. Comparison of different ultrasound assisted extraction techniques for pectin from tomato processing waste. *Ultrason. Sonochem.* 104812.
- Shang, A., Gan, R. Y., Zhang, J. R., Xu, X. Y., Luo, M., Liu, H. Y., and Li, H. B., 2020. Optimization and Characterization of Microwave-Assisted Hydro-Distillation Extraction of Essential Oils from *Cinnamomum camphora* Leaf and Recovery of Polyphenols from Extract Fluid. *Molecules* 25: 3213.
- Shen, L., Pang, S., Zhong, M., Sun, Y., Qayum, A., Liu, Y., Rashid, A., Xu, B., Liang, Q., Ma, H., and Xiaofeng Ren. 2023. A comprehensive review of ultrasonic assisted extraction (UAE) for bioactive components: Principles, advantages, equipment, and combined technologies, *Ultrason. Sonochem.* 101:106646.
- Simic, V. M., Rajkovic, K. M., Stojicevic, S. S., Velickovic, D. T., Nikolic, N. K., Lazic, M. L., and Karabegovic, I. T. 2016. Optimization of microwave-assisted extraction of total polyphenolic compounds from chokeberries by response surface methodology and artificial neural network. *Sep. Purif. Technol.* 160: 89-87.
- Singla, M. and Sit, N., 2021. Application of ultrasound in combination with other technologies in food processing: A review. *Ultrason. Sonochem.* 73: 105506.
- Singleton, V. and Rossi, J. 1965. Colorimetry of Total Phenolic Compounds with Phosphomolybdic-Phosphotungstic Acid Reagents. *Am. J. Enol. Vitic.* 16: 144-158.

- Sipahelut, S. G., Patty, J.A., Patty, Z., Kastanja, A.Y. and Lekahena, V. N. J. 2019. The antibacterial and antifungal activity of essential oil derived from the flesh of nutmeg fruit. *Eurasia J. Biosci.* 13: 93-98.
- Sipahelut, S.G., Kastanja, A.Y., Patty, Z., 2020. Antioxidant activity of nutmeg fruit flesh-derived essential oil obtained through multiple drying methods. *Eurasia J. Biosci.* 14: 21-26.
- Solmaz, I., Kaplan, O., Çelebier, M., Lay, İ., and Anlar, B. A. 2022. Combination of Q-TOF LC/MS and LC-MS/MS based metabolomics in pediatric-onset multiple sclerosis demonstrates potential biomarkers for unclassified patients. *Turk J Med Sci.* 52(4): 1299-1310
- Soria, A.C. and Villamiel, M., 2010. Effect of ultrasound on the technological properties and bioactivity of food: a review. *Trends Food Sci. Technol.* 21: 323–331.
- Sulaiman, S. F. and Ooi, K. L. 2012. Antioxidant and anti food-borne bacterial activities of extracts from leaf and different fruit parts of *Myristica fragrans* Houtt. *Food Control.* 25: 533-536.
- Suwarda, R., Suneth, R. F., Wahid, and Sondari, D. 2021. Potential and opportunities of nutmeg pericarp as functional foods. In: *E3S Web of Conferences*.6-7 July 2021, Indonesia [On-line] 306: 04007. Available: <https://doi.org/10.1051/e3sconf/202130604007> [14-11-2024].
- Toan, T, Q., Truc, T, T., Le, X, T., Quyen, N, T, C., and Tran, T, H. 2020. Study on extraction process and analysis of components in essential oils of Vietnamese orange peel (*Citrus sinensis*) by microwave assisted hydrodistillation extraction. In: *IOP Conf. Series: Materials Science and Engineering.* 18-25 May 2025, Canada [On-line] Available: <http://dx.doi.org/10.1088/1757-899X/991/1/012125> [10-07-2023]
- Tomsik, A., Pavlič, B., Vladić, J., Ramić, M., Brindza, J. and Vidović, S., 2016. Optimization of ultrasound-assisted extraction of bioactive compounds from wild garlic (*Allium ursinum* L.). *Ultrasonics Sonochem.* 29: 502-511.

- Tongkham, N., Juntasalay, B., Lasunon, P., and Sengkhampan. N. 2017. Dragon fruit peel pectin: Microwave assisted extraction and fuzzy assessment. *Agric. Nat. Resour.* 51: 26-267.
- Tran, H. T., Ho, V. T. T., Nhan, N. P. T., and Bach, L. G. 2018. Optimizing the pomelo oils extraction process by microwave assisted hydrodistillation using soft computing approaches. *Solid State Phenom.* 279: 217-221.
- Turk, M., Mathe, C., Tixier, A. S. F., Carnarogolio, D. and Chemat, F. 2018. Parameter optimization in microwave-assisted distillation of frankincense essential oil. *C. r., Chim.* 21: 622-627.
- Ugarte, G.A., Becerra, J. G. P., Morales, S. M. E., and Malo, L. A. 2013. Microwave-assisted Extraction of Essential Oils from Herbs. *J. Microw. Power Electromagn. Energy.* 47: 63–72.
- Usman, I., Hussain, M., Imran, A., Afzaal, M., Saeed, F., Javed, M., Afzal, A., Ashfaq, I., Al Jbawi, E. A., and Saewan, S., 2022. Traditional and innovative approaches for the extraction of bioactive compounds. *Int. J. Food Prop.* 25: 1215–1233.
- Veggi, P. C., Martinez, J. and Meireles, M. A. A. 2013. Fundamentals of Microwave Extraction. In: Cravotto, G., and Chemat, F. (eds), *Microwave-assisted Extraction for Bioactive Compounds: Theory and Practice* (12th Ed.). Springer, New York, pp. 15-52.
- Vo, T. P., Nguyen, N. T. U., Le, V. H., Phan, T. H., Nguyen, T.H.Y., and Nguyen, D. Q. 2023. Optimizing ultrasonic-assisted and microwave-assisted extraction processes to recover phenolics and flavonoids from passion fruit peels. *ACS omega*, 8(37): 33870-33882.
- Wang, D., Dong, Y., Wang, Q., Wang, X., and Fan, W. 2020. Limonene, the compound in essential oil of nutmeg displayed antioxidant effect in sunflower oil during the deep-frying of Chinese Maye. *Food Sci Nutr.* 11;8(1): 511-520.

- Wang, H. W., Liu, Y. Q., Wei, S. L., Yan, Z.J., and Lu, K. 2010. Comparison of microwave-assisted and conventional hydrodistillation in the extraction of essential oils from mango (*Mangifera indica* L.) flowers. *Molecules*. 15(11): 7715-23.
- Wang, L. and Weller, C.L. 2006. Recent advances in extraction of nutraceuticals from plants. *Trends Food Sci. Technol.* 17: 300–312.
- Wallis, T. E. (1985). *Text book of pharmacognosy* (5th Ed.). CBS Publishers and Distributors, New Delhi. 652 p.
- Xu, D.P., Zheng, J., Zhou, Y., Li, Y., Li, S., and Li, H.B. 2017. Ultrasound-assisted extraction of natural antioxidants from the flower of *Limonium sinuatum*: Optimization and comparison with conventional methods. *Food Chem.* 217: 552-559.
- Yeasmin, M. S., Uddin, M. J., Dey, S. S., Barmon, J., Ema, N.T., Rana, G.M.M., Rahman, M. M., Begum, M., Ferdousi, L., Ahmed, S., Khan, M. S., Khatun, M. H., and Muzahid, A. A. 2024. Optimization of green microwave-assisted extraction of essential oil from lemon (*Citrus limon*) leaves: Bioactive, antioxidant and antimicrobial potential. *Curr. Res. Green Sustain. Chem.* 8: 100413.
- Ying, Z., Han, X., and Li, J. 2011. Ultrasound-assisted extraction of polysaccharides from mulberry leaves. *Food Chem.* 127(3), 1273–1279.
- Zhang, C. R., Jayashree, E., Kumar, P. S., and Nair, M. G. 2015. Antioxidant and Anti-inflammatory Compounds in Nutmeg (*Myristica Fragrans*) Pericarp as Determined by *in vitro* Assays. *Nat. Prod. Commun.* 10(8): 1399-402.
- Zia, S., Khan, M. R., Shabbir, M. A., Maan, A. A., Khan, M. K. I., Nadeem, M., Khalil, A. A., Din, A., and Aadil, R.M. 2022. An Inclusive Overview of Advanced Thermal and Nonthermal Extraction Techniques for Bioactive Compounds in Food and Food-related Matrices. *Food Rev. Int.* 38: 1166–1196.