

CHAPTER VI

REFERENCE

- Aadil, R.M., Zeng, X.A., Han, Z. and Sun, D.W. 2013. Effects of ultrasound treatments on quality of grapefruit juice. *Food Chem.* 141(3):3201-3206.
- Abd Hashib, S., Abd Rahman, N., Suzihaque, M.U.H., Ibrahim, U.K. and Hanif, N.E. 2015. Effect of slurry concentration and inlet temperature towards glass temperature of spray dried pineapple powder. *Procedia-Social and Behavioral Sci.* 195:2660-2667.
- Adelia, F., Marcella, C., and Mercadante, Z. 2011. Identification of Bioactive Compounds from Jambolao (*Syzygium cumini*) and Antioxidant Capacity Evaluation in Different pH Conditions. *Food Chem.* 126(4): 1571-1578.
- Abid, M., Jabbar, S., Wu, T., Hashim, M. M., Hu, B., Lei, S., Zhang, X., and Zeng, X. 2013. Effect of ultrasound on different quality parameters of apple juice. *Ultrason. Sono Chem.* 20(5):1182–1187.
- Adnan, A., Mushtaq, M. and ul Islam, T., 2018. Fruit juice concentrates. *Fruit Juices*. pp. 217-240.
- Agarwala, P., Gaurb, P.K., Tyagia, N., Purib, D., Kumarc, N. and Kumard, S.S. 2019. An overview of phytochemical, therapeutic, pharmacological and traditional importance of *Syzygium cumini*. *Asian J. Pharmacogn*, 3(1):5-17.
- Akhavan Mahdavi, S., Jafari, S. M., Assadpoor, E., and Dehnad, D. 2016. Microencapsulation optimization of natural anthocyanins with maltodextrin, gum Arabic and gelatin. *Int.J. Biological Macromolecules*, 85:379–385.
- Al-Juboori, R.A., Yusaf, T. and Bowtell, L. 2015. Energy conversion efficiency of pulsed ultrasound. *Energy Procedia*, 75:1560-1568.
- Álvarez, R., Carvalho, C.P., Sierra, J., Lara, O., Cardona, D. and Londoño-Londoño, J. 2012. Citrus juice extraction systems: effect on chemical composition and antioxidant activity of clementine juice. *J.Agric. Food Chem.* 60(3):774-781.

- Alvarenga, P.D.L., Cavatti, L.S., Valiati, B.S., Machado, B.G., Capucho, L.C., Domingos, M.M., Silva, M.N., Vieira, M.D.S. and São José, J.F.B.D. 2021. Aplicação do ultrassom no processamento de frutas e hortaliças. *Brazilian J. Food Technol.* 24: 2020274.
- Allwin, J., Jebitta, R., Ushama, A., kumar, D., and Moorthy, S. 2020. Optimization of spray drying condition for production of aloe vera and sugarcane juice flavoured with cocoa. *Int.J. Innovative Sci. Eng.Technol.* 7
- Anandharamakrishnan, P. C. and Ishwarya, S. 2015. Spray drying techniques for food ingredient encapsulation (1st Ed.). John Wiley & Sons, Ltd and the Institute of Food Technologists.
- Anonymous. 2007. National network project on underutilized fruits- Annual Progress Report, Central Institute of Subtropical Horticulture, Lucknow, p.10
- AOAC 1980. Official Methods of Analysis (13th edition). Washington, DC; Association of Official Analytical Chemists, Method 31, 111, p.521
- AOAC. 1990. Official methods of analysis. Association of Official Analytical Chemists. 15th Edition. Washington D.C.
- AOAC. 2005. Official Methods of Analysis. Association of Official Analytical Chemists. 18th edn. Gaithersburg, MD, USA.
- Aqil, F., Munagala, R., Jeyabalan, J., Joshi, T., Gupta, R.C. and Singh, I.P. 2014. The Indian blackberry (Jamun), antioxidant capacity, and cancer protection. *Cancer*.101-113.
- Arango-Torres, M.I., Cortés-Rodríguez, M., Largo-Ávila, E., Gallón-Bedoya, M. and Ortega-Toro, R. 2024. Yacon powder mix: Effects of the composition and the process of microencapsulation by spray drying. *Heliyon*, 10(13).
- Arepally, D., Ravula, S.R. and Goswami, T.K. 2019. Applications of Probiotics in Dairy Food Products. *Eng. Practices for Milk Products*. 351-363.
- Asik, S., T. A. Kalkan and A. Topuz. 2021. Optimization of spray drying condition and wall material composition for myrtle extract powder using response surface methodology. *Dry. Technol.* 1–14.

- Assadpour, E. and Jafari, S.M., 2019. Advances in spray-drying encapsulation of food bioactive ingredients: From microcapsules to nanocapsules. *Annual review of food sci. technol.* 10(1):103-131.
- Athmaselvi, K.A., Jenney, P., Pavithra, C., and Roy, I. 2014. Physical and biochemical properties of selected tropical fruits. *Int. Agrophysics*, 28(3).
- Avila, L.E., Cortes Rodríguez, M. and Ciro Velásquez, H.J., 2015. Influence of maltodextrin and spray drying process conditions on sugarcane juice powder quality. *Revista Facultad Nacional de Agronomía Medellín*, 68(1):7509-7520.
- Ayyanar, M. and Subash-Babu, P. 2012. *Syzygium cumini* (L.) Skeels: A review of its phytochemical constituents and traditional uses. *Asian Pacific J.tropical biomedicine*, 2(3):240-246.
- Azmir, J., Zaidul, I. S. M., Rahman, M. M., Sharif, K. M., Mohamed, A., Sahena, F., Jahurul, M. H. A., Ghafoor, K., Norulaini, N. A. N., and Omar, A. K. M. 2013. Techniques for extraction of bioactive compounds from plant materials: A review. *J. Food Eng.* 117(4): 426–436.
- Babu, P., Raghavendra, S., and Tamadaddi, B.L. 2019. Physico-chemical characterization of Jamun (*Syzygium cumini* Skeels) seedling genotypes. *J. Pharmacol. Phyto Chem.* 8(4): 300-303.
- Bakane, P.H., Gajabe, M., Khedkar, M.B., and Khakare, M. 2016. Physical Properties of Jamun Fruit (*Syzygium cumini* L.) *J. Food Res.* 402: 52-56.
- Baliga, M.S., Bhat, H.P., Baliga, B.R.V., Wilson, R. and Palatty, P.L. 2011. Phytochemistry, traditional uses and pharmacology of *Eugenia jambolana* Lam. (black plum): a review. *Food Res. Int.* 44(7):1776-1789.
- Barbosa, J., Borges, S., Amorim, M., Pereira, M.J., Oliveira, A., Pintado, M.E. and Teixeira, P. 2015. Comparison of spray drying, freeze drying and convective hot air drying for the production of a probiotic orange powder. *J. Funct. Foods*, 17:340-351.

- Bednarska, M.A. and Janiszewska-Turak, E.2020. The influence of spray drying parameters and carrier material on the physico-chemical properties and quality of chokeberry juice powder. *J.Food Sci. Technol.* 57(2):564-577.
- Bernardi, S., Lupatini-Menegotto, A.L., Kalschne, D.L., Moraes Flores, É.L., Bittencourt, P.R.S., Colla, E. and Canan, C.2021. Ultrasound: A suitable technology to improve the extraction and techno-functional properties of vegetable food proteins. *Plant Foods for Human Nutr.* 76:1-11.
- Bhargava, N., Mor, R.S., Kumar, K. and Sharanagat, V.S. 2021. Advances in application of ultrasound in food processing: A review. *Ultrasonics sono Chem.* 70:105293.
- Bhat, R., Kamaruddin, N.S.B.C., Min-Tze, L. and Karim, A.A. 2011. Sonication improves kasturi lime (*Citrus microcarpa*) juice quality. *Ultrasonics sono Chem.* 18(6):1295-1300.
- Bhat, S., C. S. Saini, V. Kumar and H. K. Sharma. 2021. Spray drying of bottle gourd juice: effect of different carrier agents on physical, antioxidant capacity, reconstitution, and morphological properties. *Food Sci. Technol*, 1(2):282–291.
- Bhusari, S.N., Muzaffar, K., and Kumar, P. 2014. Effect of carrier agents on physical and microstructural properties of spray dried tamarind pulp powder. *Powder technol.* 266: 354-364.
- Bicudo, M.O.P., J6, J., Oliveira, G.A.D., Chaimsohn, F.P., Sierakowski, M.R., Freitas, R.A.D. and Ribani, R.H. 2015. Microencapsulation of juçara (*Euterpe edulis M.*) pulp by spray drying using different carriers and drying temperatures. *Drying Technol.* 33(2):153-161.
- Bose T K, Mitra S K, Gosh R S and Sanyal D. 2001. *Fruits: Tropical and Subtropical.* 3, 643-56p.
- Caliskan, G. and Dirim, S.N. 2013. The effects of the different drying conditions and the amounts of maltodextrin addition during spray drying of sumac extract. *Food and bioproducts Proces.* 91(4):539-548.

- Camara, H.W., Doan, H. and Lohi, A. 2020. In-situ ultrasound-assisted control of polymeric membrane fouling. *Ultrasonics*, 108:106206.
- Carcel, J.A., Castillo, D., Simal, S. and Mulet, A. 2019. Influence of temperature and ultrasound on drying kinetics and antioxidant properties of red pepper. *Drying Technol.* 37(4):486-493.
- Chakraborty, S.K., Singh, D.S., Kumbhar, B.K. and Chakraborty, S. 2011. Process optimization with respect to the expansion ratios of millet-and legume (pigeon pea)-based extruded snacks. *J. Food Process Eng.* 34(3):777-791.
- Chakraborty, S., Uppaluri, R. and Das, C., 2020. Optimization of ultrasound-assisted extraction (UAE) process for the recovery of bioactive compounds from bitter gourd using response surface methodology (RSM). *Food and Bioproducts Processing*, 120, pp.114-122.
- Chandralekha, A., Tavanandi, A.H., Amrutha, N., Hebbar, H.U., Raghavarao, K.S.M.S. and Gadre, R., 2016. Encapsulation of yeast (*Saccharomyces cerevisiae*) by spray drying for extension of shelf life. *Drying technol.* 34(11), pp.1307-1318.
- Chavan, P., Sharma, P., Sharma, S.R., Mittal, T.C. and Jaiswal, A.K. 2022. Application of high-intensity ultrasound to improve food processing efficiency: A review. *Foods*, 11(1):122.
- Chemat, F., Rombaut, N., Sicaire, A. G., Meullemiestre, A., Fabiano-Tixier, A. S., and AbertVian, M. 2017. Ultrasound assisted extraction of food and natural products. Mechanisms, techniques, combinations, protocols and applications. A review. *Ultrason. Sono Chem.* 34: 540–560.
- Ciechanowska, A. M, Majerska, J., Brzezowska, J., Wojdyło, A. and Figiel, A. 2020. The influence of maltodextrin and inulin on the physico-chemical properties of cranberry juice powders. *Chem. Eng.* 4(1):12.
- Cynthia, S.J., Bosco, J.D. and Bhol, S. 2015. Physical and structural properties of spray dried tamarind (*Tamarindus indica* L.) pulp extract powder with encapsulating hydrocolloids. *Int. J. Food Properties*, 18(8):1793-1800.

- Dagadkhair, A.C., Pakhare, K.N., Todmal, A.D., Andhale, R.R., Todmal, A.D. and Andhale, R.R. 2017. Jamun (*Syzygium cumini*) Skeels: a traditional therapeutic tree and its processed food products. *Int. J. Pure & Applied Bio Sci.* 5(5):1202-1209.
- Das, G., Nath, R., Das Talukdar, A., Ağagündüz, D., Yilmaz, B., Capasso, R., Shin, H.S. and Patra, J.K. 2023. Major bioactive compounds from java plum seeds: An investigation of its extraction procedures and clinical effects. *Plants*, 12(6):1214.
- Dash, A.K., Pradhan, R.C., Das, L.M., and Naik, S.N. 2008. Some physical properties of simarouba fruit and kernel. *Int. J. Agrophysics*, 22(1): 111-116.
- Davoodi, S., Olfati, J., Rabiei, B. and Sabouri, A. 2021. Investigation of gene effects on fruit shape index and seed size in generations resulting from the crossing of Zucchini and hull-less seed Pumpkin. *Euphytica*, 217: 1-9.
- Deshmukh, Y., Sharma, H.K. and Kumar, N. 2017. Modeling of physicochemical and functional parameters of pumpkin (*Cucurbita pepo*) powder using response surface methodology. *Int. Food Res. J.* 24(5).
- Dhabi, N.A., Ponnuragan, K. and Jeganathan, P.M. 2017. Development and validation of ultrasound-assisted solid-liquid extraction of phenolic compounds from waste spent coffee grounds. *Ultrasonics sono Chem.* 34:206-213.
- Domínguez-Niño, A., Cantú-Lozano, D., Ragazzo-Sanchez, J.A., Andrade-González, I. and Luna-Solano, G. 2018. Energy requirements and production cost of the spray drying process of cheese whey. *Drying Technol.* 36(5):597-608.
- Du, J., Ge, Z.Z., Xu, Z., Zou, B., Zhang, Y., and Li, C.M. 2014. Comparison of the efficiency of five different drying carriers on the spray drying of persimmon pulp powders. *Drying Technol.* 32(10): 1157-1166.
- Dutta, S.K., Nema, V.K. and Bhardwaj, R.K. 1988. Physical properties of gram. *J. Agric. Eng. Res.* 39(4):259-268.
- Ephrem, E., Najjar, A., Charcosset, C. and Greige-Gerges, H. 2018. Encapsulation of natural active compounds, enzymes, and probiotics for fruit juice fortification, preservation, and processing: An overview. *J. Funct. Foods*, 48:65-84.

- Eswarappa, G. and Somashekar, R.K. 2020. Jamun (*Syzygium cumini* L.), an underutilized fruit crop of India: an overview. *Ecology, Environ. Conserv.* 26(4):1760-1767.
- Eliasson, L., Oliveira, G., Ehrnell, M., Höglund, E. and Alminger, M. 2019. Tailoring bilberry powder functionality through preprocessing and drying. *Food sci. Nutr.* 7(4):1379-1386.
- Fan, K., Zhang, M. and Mujumdar, A.S. 2019. Recent developments in high efficient freeze-drying of fruits and vegetables assisted by microwave: A review. *Critical reviews in food Sci. Nutr.* 59(8):1357-1366.
- Fortes, A., Y., Robaina-Morales, L.M. and Pino, J.A., 2019. Optimization of the spray-drying parameters for developing guava powder. *J. Food Process Eng.* 42(6), p.e13230.
- FSSAI [Food Safety and Standards Authority of India]. 2011. *Food Safety and Standards: Food Product Standards and Food Additives regulation (Part II)*. pp.496-503.
- FSSAI [Food Safety and Standards Authority of India]. 2012. *Manual of methods of analysis of foods. Microbiological testing (Lab manual 14)*. Govt. of India, New Delhi, pp. 1-4.
- Furtado, C. N.A.D.E.O., Sampaio, T.O., Xavier, M.A., Medeiros, A.D.D.E. and Pereira, J.V. 2015. Phytochemical profile and determination of antimicrobial activity of *Syzygium cumini* (L.) Skeels (Myrtaceae) against oral microorganisms. *Revista Brasileira de Plantas Medicinai*s, 17:1091-1096.
- Furuta, M., Yamaguchi, M., Tsukamoto, T., Yim, B., Stavarache, C.E., Hasiba, K. and Maeda, Y. 2004. Inactivation of *Escherichia coli* by ultrasonic irradiation. *Ultrasonics Sono Chem.* 11(2):57-60.
- Gabriel, A.A. 2012. Microbial inactivation in cloudy apple juice by multi-frequency Dynashock power ultrasound. *Ultrasonics Sono. Chem.* 19(2):346-351.
- Gallo, M., Ferrara, L. and Naviglio, D. 2018. Application of ultrasound in food science and technology: A perspective. *Foods*, 7(10), p.164.
- Garcia-Castello, E.M., Rodriguez-Lopez, A.D., Mayor, L., Ballesteros, R., Conidi, C. and Cassano, A. 2015. Optimization of conventional and ultrasound assisted extraction of

flavonoids from grapefruit (*Citrus paradisi* L.) solid wastes. *LWT-Food Sci. Technol.* 64(2):1114-1122.

George, S., Thomas, A., Kumar, M.V.P., Kamdod, A.S., Rajput, A. and Abdullah, S., 2023. Impact of processing parameters on the quality attributes of spray-dried powders: a review. *European Food Res. Technol.* 249(2):241-257.

Gharsallaoui, A., Roudaut, G., Chambin, O., Voilley, A., and Saurel, R. 2007. Applications of spray-drying in microencapsulation of food ingredients: An overview. *Food Res. Int.* 40(9): 1107–1121.

Ghosh, P., PRadhaN, R.C., Mishra, S., Patel, A.S., and Kar, A. 2017. Physicochemical and nutritional characterization of jamun (*Syzygium cuminii*). *Curr. Res. Nutr. Food Sci. J.* 5(1): 25-35.

GEA Niro. 1978. Milk powder technology evaporation and spray drying. In: Sorensen, I.H., Krag, J., Pisecky, J., and Westergaard, V. (eds.), *GEA Niro Research Laboratory Procees Engineering*. (4th Ed.). Denmark, 199-219.

Gisbert, M., Barcala, M., Rosell, C.M., Sineiro, J. and Moreira, R. 2021. Aqueous extracts characteristics obtained by ultrasound-assisted extraction from *Ascophyllum nodosum* seaweeds: Effect of operation conditions. *J. Appl. Phycology*, 33(5):3297-3308.

Gopalan, C., Sastri, B.V.R. and Balasubramanian, S.C. 1989. Nutritive value of Indian Foods. National Institute of Nutrition, Hyderabad, 161p.

Gomes, W.F., Tiwari, B.K., Rodriguez, Ó., de Brito, E.S., Fernandes, F.A.N. and Rodrigues, S. 2017. Effect of ultrasound followed by high pressure processing on prebiotic cranberry juice. *Food Chem.* 218:261-268.

Gómez-Gaete, C., Avendaño-Godoy, J., Escobar-Avello, D., Campos-Requena, V.H., Rogel-Castillo, C., Estevinho, L.M., Martorell, M., Sharifi-Rad, J. and Calina, D., 2024. Revolutionizing fruit juice: Exploring encapsulation techniques for bioactive compounds and their impact on nutrition, flavour and shelf life. *Food Prod. Processing and Nutr.* 6(1):8.

- Guerin, J., Petit, J., Burgain, J., Borges, F., Bhandari, B., Perroud, C., Desobry, S., Scher, J. and Gaiani, C. 2017. Lactobacillus rhamnosus GG encapsulation by spray-drying: Milk proteins clotting control to produce innovative matrices. *J. Food Eng.* 193:10-19.
- Hasan, M.U., Malik, A.U., Ali, S., Imtiaz, A., Munir, A., Amjad, W. and Anwar, R. 2019. Modern drying techniques in fruits and vegetables to overcome postharvest losses: A review. *J. Food Processing and Preservation*, 43(12):14280.
- Halahlah, A., Abik, F., Suhonen, H., Rääkkönen, H., Piironen, V., Mikkonen, K.S. and Ho, T.M. 2024. Combination of carboxymethylcellulose and wood hemicelluloses to enhance encapsulation efficiency and microcapsule wall thickness. *Future Foods*, 9:100366.
- Igual, M., Ramires, S., Mosquera, L.H. and Martínez-Navarrete, N., 2014. Optimization of spray drying conditions for lulo (*Solanum quitoense* L.) pulp. *Powder Technol.* 256:233-238.
- ISI (Indian Standard Institution). 1980. ISI Handbook of Food Analysis, Part I, General Methods SP:18, Bureau of Indian Standards, Manak Bhavan, New Delhi. Pp. 3-4.
- Işıklı, N.D. and Yılmaz, İ. 2014. Some physical properties of sun-dried Berberis fruit (*Berberis crataegina*). *J. Food Sci. Technol.* 51: 104-110.
- Jabbar, S., Abid, M., Hu, B., Wu, T., Hashim, M.M., Lei, S., Zhu, X. and Zeng, X. 2014. Quality of carrot juice as influenced by blanching and sonication treatments. *LWT-Food Sci. Technol.* 55(1):16-21.
- Jafari, S., Jafari, S.M., Ebrahimi, M., Kijpatanasilp, I. and Assatarakul, K. 2023. A decade overview and prospect of spray drying encapsulation of bioactives from fruit products: Characterization, food application and in vitro gastrointestinal digestion. *Food hydrocolloids*, 134:108068.
- Jantra, C., Slaughter, D.C., Roach, J., and Pathaveerat, S. 2018. Development of a handheld precision penetrometer system for fruit firmness measurement. *Postharvest Bio. Technol.* 144 :1-8.

- Jagetia, G.C. 2017. Phytochemical composition and pleotropic pharmacological properties of jamun, *Syzygium cumini* skeels. *J. exploratory Res. in pharmacol.*2(2):54-66.
- Jagetia, G.C. 2024. Bioactive phytoconstituents and medicinal properties of Jamun (*Syzygium cumini*). *J. Exploratory Res. Pharmacol.* 9(3):180-212.
- Jin, H., Sun, S., Sun, Z., Wang, Q., Jin, Y., and Sheng, L. 2022. Ultrasonic-assisted spray drying as a tool for improving the instant properties of egg white powder. *Food Structure*, 33.
- José S. D, J.F.B., de Andrade, N.J., Ramos, A.M., Vanetti, M.C.D., Stringheta, P.C. and Chaves, J.B.P. 2014. Decontamination by ultrasound application in fresh fruits and vegetables. *Food Control*, 45:36-50.
- Joy, P. P., Surya, S., and Aswathy, C. 2015. Laboratory manual of biochemistry. *Pineapple research station, Kerala Agricultural University, Vazhakkulam*, 91- 133p.
- Kadam, S.U., Tiwari, B.K., Álvarez, C. and O'Donnell, C.P. 2015. Ultrasound applications for the extraction, identification and delivery of food proteins and bioactive peptides. *Trends in Food Sci. Technol.*46(1):60-67.
- Karadbhajne, S.V., Thakare, V.M., Kardile, N.B. and Thakre, S.M., 2019. Refractance window drying: An innovative drying technique for heat sensitive product. *Int. J. Recent Technol. Eng.* 8:1765-1771.
- Kapoor, S., Ranote, P.S. and Sharma, S. 2015. Bioactive components and quality assessment of jamun (*Syzygium cumini* L.) powder supplemented chapatti. *Indian J. Sci. Technol.*8(3):287-295.
- Karam, M.C., Petit, J., Zimmer, D., Djantou, E.B. and Scher, J. 2016. Effects of drying and grinding in production of fruit and vegetable powders: A review. *J.Food Eng.* 188:32-49.
- Kaur D, Yousuf B.,and Qadri OS. 2024. *Syzygium cumini* anthocyanins: recent advances in biological activities, extraction, stability, characterisation and utilisation in food systems. *Food Prod. Processing and Nutr.* 6(1).

- Kha, T. C., Nguyen, M. H., and Roach, P. D. 2010. Effects of spray drying conditions on the physicochemical and antioxidant properties of the gac (*Momordica cochinchinensis*) fruit aril powder. *J. Food Eng.* 98: 385–392
- Khatri, B., Hamid, Shams, R., Dash, K.K., Shaikh, A.M. and Béla, K. 2024. Sustainable drying techniques for liquid foods and foam mat drying. *Discover Food*, 4(1):166
- Khandpur, P. and Gogate, P.R. 2015. Understanding the effect of novel approaches based on ultrasound on sensory profile of orange juice. *Ultrasonics Sono Chem.* 27:87-95.
- Khatkar, A.B., Kaur, A., Khatkar, S.K. and Mehta, N. 2018. Characterization of heat-stable whey protein: Impact of ultrasound on rheological, thermal, structural and morphological properties. *Ultrasonics sono Chem.* 49:333-342.
- Kim, J.H., Kim, J.H. and Eun, J.B., 2021. Optimization of spray drying process parameters for production of Japanese apricot (*Prunus mume Sieb. et Zucc.*) juice powder. *Food Sci. Bio. Technol.* 30(8):1075-1086.
- Kingwatee, N., Apichartsrangkoon, A., Chaikham, P., Worametrachanon, S., Techarung, J. and Pankasemsuk, T. 2015. Spray drying *Lactobacillus casei* in lychee juice varied carrier materials. *LWT-Food Sci. Technol.* 62(1):847-853.
- Koç, C.G. and Nur Dirim, S. 2017. Spray drying of spinach juice: characterization, chemical composition, and storage. *J. Food Sci.* 82(12):2873-2884.
- Krishnaiah, D., Bono, A., Sarbatly, R., Nithyanandam, R. and Anisuzzaman, S.M., 2015. Optimisation of spray drying operating conditions of *Morinda citrifolia* L. fruit extract using response surface methodology. *J. King Saud University-Eng. Sci* 27(1):26-36.
- Kumar, K., Srivastav, S. and Sharanagat, V.S. 2021. Ultrasound assisted extraction (UAE) of bioactive compounds from fruit and vegetable processing by-products: A review. *Ultrason. Sono Chem.* 70.105325.
- Kumar, S., Sharma, S., Kumar, V., Sharma, A., Kaur, R. and Saini, R. 2023. Jamun (*Syzygium cumini* (L.) Skeels): The conventional underutilized multifunctional plant-an exotic gleam into its food and functional significance. *Ind. Crops and Products*, 191:115873.

- Lago, C.C. and Noreña, C.P.Z., 2016. Polydextrose as wall material for microencapsulation of yacon juice by spray drying. *Food and Bioprocess Technol.* 9: 2103-2113.
- Lago-Vanzela, E.S., Santos, G.V.D., Lima, F.A.D., Gomes, E. and da Silva, R. 2011. Physical-chemical, caloric and sensory characterization of light jambolan (*Syzygium cumini Lamarck*) jelly. *Food Sci. Technol.* 31:666-673.
- Lepaus, B. M., Valiati, B. S., Machado, B. G., Domingos, M. M., Silva, M. N., Faria-Silva, L., Bernardes, P. C., Oliveira, D. da S., and de São José, J. F. B. 2023. Impact of ultrasound processing on the nutritional components of fruit and vegetable juices. *Trends in Food Sci. Technol.* 138: 752–765.
- Li, P., Jin, Y. and Sheng, L. 2020. Impact of microwave assisted phosphorylation on the physicochemistry and rehydration behaviour of egg white powder. *Food Hydrocolloids*, 100. 105380.
- Liu, Y., F. Chen and H. Guo. 2017. Optimization of bayberry juice spray drying process using response surface methodology. *Food Sci. Biotechnol. The Kore. Soci. Food. Sci Technol.* 26(5):1235–1244.
- Maynard, A.J. 1970. *Methods in Food Analysis*. Academic Press New York, London, 176p.
- Madani, B., Mirshekari, A., Yahia, E.M., Golding, J.B., Hajivand, S. and Dastjerdy, A.M. 2021. Jamun (*Syzygium cumini L. Skeels*): A promising fruit for the future. *Hortic. Reviews*, 48. 275-306.
- Mahdi, A. A., J. K. Mohammed, W. Al-Ansi, A. D. S. Ghaleb, Q. A. Al-Maqtari, M. Ma, M. I. Ahmed and Wang, H. 2020. Microencapsulation of fingered citron extract with gum arabic, modified starch, whey protein, and maltodextrin using spray drying. *Int. J. Biol. Macromol*, 152:1125–1134.
- Majid, I., Nayik, G.A. and Nanda, V. 2015. Ultrasonication and food technology: A review. *Cogent Food & Agriculture*, 1(1):1071022.
- Mehta, N., S, J., Kumar, P., Verma, A. K., Umaraw, P., Khatkar, S. K., Khatkar, A. B., Pathak, D., Kaka, U., and Sazili, A. Q. 2022. Ultrasound-Assisted Extraction and the Encapsulation of Bioactive Components for Food Applications. *Foods*. 11(19):2973

- Mohsenin, N.N. 1980. Structure, physical characteristics and mechanical properties of plant and animal materials. *Gordon and Breach Science*, New York.
- Moghaddam, A.D., Pero, M. and Askari, G.R. 2017. Optimizing spray drying conditions of sour cherry juice based on physicochemical properties, using response surface methodology (RSM). *J. food Sci. Technol.* 54:174-184.
- Mohanty, S. and Cock, I.E. 2010. Bioactivity of *Syzygium jambos* methanolic extracts: Antibacterial activity and toxicity. *Pharmacognosy Res.* 2(1):4.
- Montgomery, D. C. 2001. Design and analysis of experiments. John Wiley and Sons Inc. New York, 416-419p.
- Moshfegh, N., Niakousary, M., Hosseini, S.M.H., Mazloomi, S.M. and Abbasi, A. 2025. Effect of maltodextrin and Persian gum as wall materials and tannic acid as copigment on some properties of encapsulated sour cherry anthocyanin microcapsules. *Food Chem.* 463:141165.
- Murugan, D., Suresh, A., Thakur, G. and Singh, B.N. 2023. Fabrication and evaluation of poly (ϵ -caprolactone) based nanofibrous scaffolds loaded with homoeopathic mother tincture of *Syzygium cumini* for wound healing applications. *Open Nano.* 14:100189.
- Mushtaq, M. 2018. Extraction of fruit juice: An overview. *Fruit juices*,131-159p.
- Nguyen, C.L. and Nguyen, H.V. 2018. Ultrasonic effects on the quality of mulberry juice. *Beverages*, 4(3):56.
- Nguyen, Q.D., Dang, T.T., Nguyen, T.V.L., Nguyen, T.T.D. and Nguyen, N.N. 2022. Microencapsulation of roselle (*Hibiscus sabdariffa* L.) anthocyanins: Effects of different carriers on selected physicochemical properties and antioxidant activities of spray-dried and freeze-dried powder. *Int. J. Food Properties*, 25(1):359-374.
- Nithya, C., Sunena, T.P., and Drishya, M. 2014. Standardization of process protocol for the production of banana pseudostem juice. B.Tech thesis, Kerala Agricultural University, Thrissur.

- Nonglait, D.L. and Gokhale, J.S. 2024. Review insights on the demand for natural pigments and their recovery by emerging microwave-assisted extraction (MAE). *Food and Bioprocess Technol.* 17(7):1681-1705.
- Nowacka, M. and Wedzik, M. 2016. Effect of ultrasound treatment on microstructure, colour and carotenoid content in fresh and dried carrot tissue. *Applied Acoustics*, 103:163-171.
- Oliveira, P.A., Baesso, R.M., Morais, G.C., Alvarenga, A.V. and Costa-Félix, R.P. 2021. Ultrasound-assisted transesterification of soybean oil using low power and high frequency and no external heating source. *Ultrasonics Sono chem.* 78:105709.
- Oliveira, R. C. D., Docê, R. C., and Barros, S. T. D. D. 2012. Clarification of passion fruit juice by microfiltration: analyses of operating parameters, study of membrane fouling and juice quality. *J. Food Eng.* 111: 432–439.
- Ordóñez-Santos, L.E., Martínez-Girón, J. and Arias-Jaramillo, M.E. 2017. Effect of ultrasound treatment on visual color, vitamin C, total phenols, and carotenoids content in Cape gooseberry juice. *Food Chem.* 233:96-100.
- Osaë, R., Zhou, C., Xu, B., Tchabo, W., Tahir, H.E., Mustapha, A.T. and Ma, H. 2019. Effects of ultrasound, osmotic dehydration, and osmosonication pretreatments on bioactive compounds, chemical characterization, enzyme inactivation, color, and antioxidant activity of dried ginger slices. *J. Food bio Chem.* 43(5):12832.
- Palanisami, K.C., Paulraj, C and Ali, A.M 1997. National short-term training on irrigation in agricultural planning and budgeting. Water Technology Center, Tamil Nadu Agricultural University, Coimbatore.
- Pandey, S., Poonia, A., and Rai, S. 2019. Optimization of spray drying conditions for the production of quality ber (*Zizyphus mauritiana Lamk.*) fruit powder. *Nutr. Food Sci.* 49(6), 1088–1098.
- Patel, S. and Goyal, A. 2015. Applications of natural polymer gum arabic: a review. *Int. J. Food Properties*, 18(5):986-998.
- Patil, B.D., Chavan, K.D., Desale, R.J. and Khupse, S.M. 2018. Physico-chemical study of fresh jamun (*Syzygium cumini L.*) yoghurt. *IJCS*, 6(6):2224-2227.

- Payel, G., Rama Chandra, P., Sabyasachi, M., Avinash Singh, P. and Abhijit, K., 2018. Physicochemical and nutritional characterization of jamun (*Syzygium cuminii*). *Current Opinion in Food Sci. Nutr.* 5(1):25-35.
- Periyathambi, R. 2007. Jamun-the potential untapped. *Hortic.* 1:30-32.
- Pharate, K., Shubham, B., Holkar, K., Katariya, T., and Pharata, M. (2018). A review on *Syzygium cumini*—A valuable fruit. *J. Ready to Eat Food*, 7(9):527–534.
- Phisut, N. 2012. Spray drying technique of fruit juice powder: some factors influencing the properties of product. *Int. food Res.J.*19(4):1297.
- Piecko, J., Mieszczakowska-Frać, M., Celejewska, K. and Szwejda-Grzybowska, J. 2024. Impact of ultrasound pretreatment on juice yield and bioactive content in juice produced from selected berries fruit. *Foods*, 13(8):1231.
- Phoungchandang, S. and Sertwasana, A. 2010. Spray-drying of ginger juice and physicochemical properties of ginger powders. *Science Asia*, 36(1):40-45.
- Prakash, J., Maurya, A.N. and Singh, S.P. 2010. Studies on variability in fruit characters of Jamun. *Indian J. Hortic.* 67(4):63-66.
- Qamar, M., Akhtar, S., Ismail, T., Wahid, M., Abbas, M.W., Mubarak, M.S., Yuan, Y., Barnard, R.T., Ziora, Z.M. and Esatbeyoglu, T. 2022. Phytochemical profile, biological properties, and food applications of the medicinal plant *Syzygium cumini*. *Foods*, 11(3):378.
- Quoc, L. P. T. 2020. Effect of different carrier agents on physicochemical properties of spray-dried pineapple (*Ananas comosus Merr.*) powder. *J. Korean Chemical Society*, 64(5):259–266.
- Ramya, S., Neethirajan, K. and Jayakumararaj, R. 2012. Profile of bioactive compounds in *Syzygium cumini*-a review. *J. Pharm. Res*, 5(8):4548-4553.
- Ranganna, S. 1986. *Manual of Analysis of Fruits and Vegetables Products*. Tata Mc Grew Hill Publishing Co. Ltd, New Delhi, 1-3p.
- Rannou, C., Queveau, D., Beaumal, V., David-Briand, E., Le Borgne, C., Meynier, A., Anton, M., Prost, C., Schuck, P. and Loisel, C. 2015. Effect of spray-drying and storage

conditions on the physical and functional properties of standard and n- 3 enriched egg yolk powders. *J. Food Eng.* 154:58-68.

Rasheed, H.U. 2024. Adaptation and Agricultural Significance of *Syzygium cumini* L. Saline Environments: A Global Perspective on Jamun Cultivation and Salt Stress Resilience. *Haya Saudi J Life Sci.* 9(5):172-187.

Rashidi, M. and Seyfi, K. (2007). Classification of fruit shape in cantaloupe using the analysis of geometrical attributes. *World J. Agricultural Sci.* 396:735-740

Raza, A., Ali, M.U., Nisar, T., Qasrani, S.A., Hussain, R. and Sharif, M.N. 2015. Proximate composition of Jamun (*Syzygium cumini*) fruit and seed. *digestion*, 2(4).

Raza, A., Saif-ul-Malook, N.S., Qasrani, S.A., Sharif, M.N., Akram, M.N. and Ali, M.U. 2015. Extraction of bioactive components from the fruit and seed of jamun (*Syzygium cumini*) through conventional solvent extraction method. *American-Eurasian J. Agric. Environ. Sci.* 15(6):991-996.

Reddy, R. S., Ramachandras, C. T., Hiregoudara, S., Nidonia, U., Jagjiwan., Ramb., and Kammar, M. 2014. Influence of processing conditions on functional and reconstitution properties of milk powder made from osmanabadi goat milk by spray drying. *Small Ruminant Res.* 119:130-137.

Sadasivam, S. and Balasubramanian, T. 1987. Practical manual in biochemistry. *Tamil Nadu Agricultural University, Coimbatore, India, 14p.*

Sadasivam, S. and Manickam, C. 1992. Biochemical methods for Agricultural Science (1st Ed.). Wiley Eastern Limited, New Delhi. 780p.

Sadawarte, P.D., Pujari, K.H., Sonawane, S.K. and Arya, S.S. 2016. Potential food applications and health benefits of jambhul (*Syzygium cumini* L.). *Indian J. Nutr. Dietetics*, 53(3):5340.

Saeeduddin, M., Abid, M., Jabbar, S., Hu, B., Hashim, M.M., Khan, M.A., Xie, M., Wu, T. and Zeng, X. 2016. Physicochemical parameters, bioactive compounds and microbial quality of sonicated pear juice. *Int. J. Food Sci. Technol.* 51(7):1552- 1559.

- Sagong, H.G., Lee, S.Y., Chang, P.S., Heu, S., Ryu, S., Choi, Y.J. and Kang, D.H., 2011. Combined effect of ultrasound and organic acids to reduce *Escherichia coli* O157: H7, *Salmonella* Typhimurium, and *Listeria monocytogenes* on organic fresh lettuce. *International journal of food microbiology*, 145(1):287-292.
- Saha, A. and Jindal, N. 2018. Process optimization for the preparation of bael (*Aegle marmelos correa*) fruit powder by spray drying. *Int.J. Food Sci. Nutr.* 3(4):44-51.
- Sahay, K.M. and Singh, K.K. 2019. *Unit operations of agricultural processing*, Vikas publishing house.
- Sahu, I., Mohapatra, M., Panda, M.K., Nayak, R., Pal, U.S., Rayaguru, K. and Dash, S.K. 2023. Foam mat drying of Indian blackberry (*Syzygium cuminii* L.) fruit pulp: Optimization of process parameters and its powder characteristics.
- Said, K.A.M. and Amin, M.A.M., 2015. Overview on the response surface methodology (RSM) in extraction processes. *J. Applied Sci. Process Eng.* 2(1):8-17.
- Samaram, S., Mirhosseini, H., Tan, C.P., Ghazali, H.M., Bordbar, S. and Serjouie, A. 2015. Optimisation of ultrasound-assisted extraction of oil from papaya seed by response surface methodology: Oil recovery, radical scavenging antioxidant activity, and oxidation stability. *Food Chem.* 172:7-1
- Samborska, K., Poozesh, S., Barańska, A., Sobulska, M., Jedlińska, A., Arpagaus, C., Malekjani, N. and Jafari, S.M., 2022. Innovations in spray drying process for food and pharma industries. *J. Food Eng.* 321:110960.
- Santhalakshmy, S., Bosco, S.J.D., Francis, S. and Sabeena, M. 2015. Effect of inlet temperature on physicochemical properties of spray-dried jamun fruit juice powder. *Powder Technol.* 274:37-43.
- Sarabandi, K., Mahoonak, A.S., Hamishekar, H., Ghorbani, M. and Jafari, S.M., 2018. Microencapsulation of casein hydrolysates: Physicochemical, antioxidant and microstructure properties. *J. Food Eng.* 237:86-95.

- Saranya, S., Sudheer, K.P., Ranasalva, N. and Nithya, C. 2016. Effect of process parameters on physical properties of spray dried banana pseudostem juice powder. *Advances in Life Sci.* 5(17):6768-6773
- Sarvade, S., Gautam, D.S., Bhalawe, S. and Bisen, P.K. 2016. An overview of potential multipurpose agroforestry tree species, *Syzygium cuminii* (L.) Skeels in India. *J. Appl. Natural Science*, 8(3):1714-1719.
- Sasikumar, R., Vivek, K., Kadirvel, G., and Jaiswal, A.K. 2024. Analysis of physicochemical and phytonutrients properties of bastard oleaster fruits and its mass prediction using artificial neural network model. *J. Agric. Food Res.* 101224.
- Shahama, K., 2018. *Response surface optimisation of process variables for encapsulation of cumin oil by spray drying* (Doctoral dissertation, Department of Processing and Food Engineering, Kelappaji College of Agricultural Engineering and Technology, Tavanur).
- Shahnawaz, M. and Shiekh, S.A., 2011. Analysis of viscosity of jamun fruit juice, squash and jam at different compositions to ensure the suitability of processing applications. *International Journal of plant physiology and Biochemistry*, 3(5), pp.89-94.
- Sharifi, A., Niakousari, M., Maskooki, A. and Mortazavi, S.A. 2015. Effect of spray drying conditions on the physicochemical properties of barberry (*Berberis vulgaris*) extract powder. *Int. Food Res. J.* 22(6):2364.
- Shelke, G., Kad, V., Pandiselvam, R., Yenge, G., Kakade, S., Desai, S., Kukde, R. and Singh, P. 2023. Physical and functional stability of spray-dried jamun (*Syzygium cumini* L.) juice powder produced with different carrier agents. *J. Texture Studies*, 54(4):560-570.
- Shende, D. and Datta, A.K. 2019. Refractance window drying of fruits and vegetables: A review. *J. Sci. Food and Agric.* 99(4):1449-1456.
- Shi, Y., Chen, X., Gao, Q., Zou, Y., Xing, D., Chen, R., He, X. and Li, Q. 2024. Preparation and chemical properties of microencapsulation developed with mulberry anthocyanins and silk fibroin. *Industrial Crops and Products*, 212:118383.

- Shishir, M. R. I., and Chen, W. 2017. Trends of spray drying: A critical review on drying of fruit and vegetable juices. In *Trends in Food Sci. Technol.* 6(5):49–67.
- Shishir, M.R.I., Taip, F.S., Saifullah, M., Aziz, N.A. and Talib, R.A., 2017. Effect of packaging materials and storage temperature on the retention of physicochemical properties of vacuum-packed pink guava powder. *Food Packaging and Shelf Life*, 12:83-90.
- Shrivastava, A., Tripathi, A.D., Paul, V. and Rai, D.C. 2021. Optimization of spray drying parameters for custard apple (*Annona squamosa L.*) pulp powder development using response surface methodology (RSM) with improved physicochemical attributes and phytonutrients. *LWT. Food. Sci.Tech.*151.112091.
- Shousha, E.R., Tayel, S.A., and Ghanem, T.H. 2024. Pomegranate fruit mass modeling with some physical properties. *Al-Azhar J. Agric. Eng.* 6(1).
- Shiby, V.K., Jayashree, V., Sanchita, S. and Pandey, M.C., 2017. Effect of packaging materials and storage on quality attributes of freeze dried pineapple Lassi powder for defence applications. *Defence Life Sci. J*, 2(2), pp.193-198.
- Singh, S. and Singh, A.K. 2006. Standardization of method and time of propagation in Jammu (*Syzygizun cuminii*) under semi arid environment of western India. *The Indian J. Agric. Sci.* 76(4).
- Singh, S.P., Singh, S., Singh, P., Tiwari, A. and Meena, R., 2015. Effect of sowing time on seed germination and seedling growth of jamun (*Syzyuim cumini* Skeels.). *Res. Environ. Life Sci.* 8(4):793-794.
- Singh, B., Singh, J.P., Kaur, A. and Singh, N., 2018. Insights into the phenolic compounds present in jambolan (*Syzygium cumini*) along with their health-promoting effects. *Int. J. Food Sci. Technol.*53(11):2431-2447.
- Singh, S., Singh, A.K., Saroj, P.L., and Mishra, S. 2019. Research status for technological development of jamun (*Syzygium cumini*) in India: A review. *Indian J. Agric. Sci.* 89(12): 1991-8.

- Singh, S., Singh, A.K., Singh, H.P., Bagle, B.C. and More, T.A. 2011. *Jamun*. New Delhi: Indian Council of Agricultural Research.
- Singh, S., Singh, A.K., Saroj, P.L. and Mishra, S. 2019. Research status for technological development of jamun (*Syzygium cumini*) in India: A review. *The Indian J.Agric. Sci.* 89(12):1991-8.
- Sobulska, M., Zbicinski, I. and Piatkowski, M. 2020. Mechanism of flame spray drying process: experimental and CFD analysis. *Drying Technol.*
- Sood, M., Bandral, J.D. and Kaur, M. 2018. Development and quality evaluation of jamun seed powder supplemented noodles. *J. Pharmacognosy and Phytochem.* 7(3):1411-1416.
- Soria, A.C. and Villamiel, M. 2010. Effect of ultrasound on the technological properties and bioactivity of food: a review. *Trends in food Sci. Technol.* 21(7):323-331.
- Sultana, A., Takashige, S. and Yoshii, H. 2024. Flavour powders formed by spray drying. *Handbook of Food Powders*, 543-556p.
- Swami, S.B., Thakor, N.S.J., Patil, M.M. and Haldankar, P.M. 2012. Jamun (*Syzygium cumini* (L.)): A review of its food and medicinal uses. *Food and Nutr. Sci.*, 3(8):1100-1117.
- Tan, C.X., Lim, S.W., Tan, S.S. and Tan, S.T. 2023. Characterization of juice extracted from ultrasonic-treated red pitaya flesh. *Hortic.* 9(1):92.
- Tavares de, C., I.M., Lago-Vanzela, E.S., Rebello, L.P.G., Ramos, A.M., Gomez-Alonso, S., Garcia-Romero, E., Da-Silva, R. and Hermosin-Gutierrez, I. 2016. Comprehensive study of the phenolic composition of the edible parts of jambolan fruit (*Syzygium cumini* (L.) Skeels). *Food Res. Int.* 82:1-13.
- Tomadoni, B., Cassani, L., Viacava, G., Moreira, M.D.R. and Ponce, A. 2017. Effect of ultrasound and storage time on quality attributes of strawberry juice. *J. Food Process Eng.* 40(5):12533.
- Tonon, R.V., Brabet, C. and Hubinger, M.D., 2008. Influence of process conditions on the physicochemical properties of açai (*Euterpe oleraceae* Mart.) powder produced by spray drying. *J. Food Engg.* 88(3):411-418.

- Tontul, I. and Topuz, A., 2017. Spray-drying of fruit and vegetable juices: Effect of drying conditions on the product yield and physical properties. *Trends in Food Sci. Technol.* 63:91-102.
- Turak, J.E., Sak, A. and Witrowa-Rajchert, D. 2019. Influence of the carrier material on the stability of chokeberry juice microcapsules. *Int. Agrophysics*, 33(4).
- Tuyen, C.K., Nguyen, M.H., and Roach, P.D. 2010. Effects of spray drying conditions on the physicochemical and antioxidant properties of the Gac (*Momordica cochinchinensis*) fruit aril powder. *J. Food Eng.* 98(3): 385-392.
- Tze, N.L., Han, C.P., Yusof, Y.A., Ling, C.N., Talib, R.A., Taip, F.S. and Aziz, M.G. 2012. Physicochemical and nutritional properties of spray-dried pitaya fruit powder as natural colorant. *Food Sci. and Bio.Technol.* 21:675-682.
- Vega-Castro, O., Diego, V.M., Santiago, C.T., Laura, V.M., Valentina, V.A., Daniel, H.G. and Faver, G.N. 2025. Exploring the Potential of Spray-Dried Blackberry Powder Enriched with Zinc and Folic Acid as a Nutritional Alternative for Children and Pregnant Women. *Food Biophysics*, 20(1).11.
- Verma, A. and Singh, S.V., 2015. Spray drying of fruit and vegetable juices—a review. *Critical reviews in food Sci. Nutr.* 55(5):701-719.
- Vivek, K., Mishra, S. and Pradhan, R.C. 2021. Optimization of spray drying conditions for developing nondairy based probiotic sohiong fruit powder. *Int.J. Fruit Sci.* 21(1):193-204.
- Wadibhasme, U., Athmaselvi, K.A., Hemke, J. and Kalkote, S. 2020. Development and evaluation of Jamun (*Syzygium cumini*) fortified “Instant drink mix” by utilizing the spray drying technique. *The Pharma Innovation J.* 9(4):03-110.
- Wang, Zhenbin, Pan, Zhongli, Ma, Haile, Atungulu, and Griffiths. 2011. Extract of Phenolics From Pomegranate Peels. *The Open Food Sci. J.* 5,17-25.
- Wang, Z., Pan, Z., Ma, H., and Atungulu, G. 2011. Extract of phenolics from pomegranate peels. *open food sci. j.* 5(1): 17-25.

- Wijayanti, N., Widyaningsih, T.D., Wulan, S.N. and Rifai, M. 2024. Influence of spray drying inlet temperature on the physical properties and antioxidant activity of black garlic extract powder. *Trends in Sci.* 21(2):7247-7247.
- Wong, C.W. and Lim, W.T., 2016. Storage stability of spray-dried papaya (*Carica papaya* L.) powder packaged in aluminium laminated polyethylene (ALP) and polyethylene terephthalate (PET). *Int. Food Res. J.* 23(5):1887.
- Xu, S., Yang, Z., Zhang, E., Jiang, Y., Pan, L., Chen, Q., Xie, Z. and Xu, C., 2014. Nucleotide diversity of maize ZmBT1 gene and Association with starch physicochemical properties. *PLoS One*, 9(8):03627.
- Yahia, E.M., Maldonado Celis, M.E. and Svendsen, M., 2017. The contribution of fruit and vegetable consumption to human health. *Fruit and Vegetable Phytochemicals: Chem. Human Health*, 2:1-52.
- Yao, Y., 2016. Enhancement of mass transfer by ultrasound: Application to adsorbent regeneration and food drying/dehydration. *Ultrasonics sono Chem.* 31:512-531.
- Yao, Y., Pan, Y. and Liu, S., 2020. Power ultrasound and its applications: A state-of-the-art review. *Ultrason. Sonochem.* 62:104722.
- Yian, L.Y. and Phing, P.L., 2020. Storage stability of kuini powder in two packaging aluminum laminated polyethylene and polyethylene terephthalate. *Malaysian J. Analytical Sci.* 24(5):657-669.
- Yousefi, S., Z. Emam-Djomeh and S. M. Mousavi. 2011. Effect of carrier type and spray drying on the physicochemical properties of powdered and reconstituted pomegranate juice (*Punica Granatum* L.). *J. Food Sci. Technol*, 48(6):677–684.
- Yusaf, T. and Al-Juboori, R.A., 2014. Alternative methods of microorganism disruption for agricultural applications. *Applied energy*, 114, pp.909-923.
- Yusoff, I.M., Taher, Z.M., Rahmat, Z. and Chua, L.S. 2022. A review of ultrasound-assisted extraction for plant bioactive compounds: Phenolics, flavonoids, thymols, saponins and proteins. *Food Res. Int.* 157, p111268.

- Zeng, D., Xiao, G., Xu, Y., Zou, B., Wu, J., and Yu, Y. 2019. Protein and polyphenols involved in sediment formation in cloudy litchi juice. *Food Sci. Bio Technol.* 28(4): 945-953.
- Zhan, Y., Qin, S., Zeng, Y., Xu, Q., McClements, D.J. and Hu, K. 2024. Pickering emulsions stabilized by egg white protein-alginate nanoparticles: Freeze-thaw stability after heating. *Food Hydrocolloids*, 150:109675.
- Zhu, H.G., Wang, Y., Cheng, Y.Q., Li, Z.G. and Tong, L.T. 2020. Optimization of the powder state to enhance the enrichment of functional mung bean protein concentrates obtained by dry separation. *Powder Technol.* 373:681-688.
- Zou, X., Hu, J., Pan, Y., Zhang, K., Lu, J., Guo, X., Lin, Y. and Liu, W. 2024. Composite enzymatic hydrolysis for producing Harlikar apple juice with increased dietary fiber content and antioxidant capacity. *Food Bio Sci.* 62:105508.