

References

REFERENCES

- Ajraoui, Y. 2019. Experimental characterization of electric motors and jet engines for blended wing body flight test models. Thesis [M.Sc]. Instituto Superior Tecnico, Lisboa, Portugal. 110p. Available: https://fenix.tecnico.ulisboa.pt/downloadFile/563345090418966/Thesis_YAHI_YA_AJRAOUI.pdf [23 April 2023].
- Anantheswaran, R.C. and Law, S.E. 1979. Electrostatic spraying of turf grass. *VSGA, Green Section Project Rec.*, pp. 1-4.
- Appah, S., Wang, P., Ou, M., Gong, C., and Jia, W. 2019. Review of electrostatic system parameters, charged droplets characteristics and substrate impact behavior from pesticides spraying. *Int. J. Agric. Biol. Eng.* 12(2): 1-9. Available: <https://doi.org/10.25165/j.ijabe.20191202.4673> [02 March 2023].
- Arnold, A.J., Cayley, G.R., Dunne, Y., Etheridge, P., Griffiths, D.C., Phillips, F.T., Pye, B.J., Scott, G.C., and Vojvodic, P.R. 1984. Biological effectiveness of electrostatically charged rotary atomisers. *Ann. Appl. Biol.* 105(2):353–359. Available: <https://doi.org/10.1111/j.1744-7348.1984.tb03059.x> [23 November 2023].
- Arunachalam, V. 2012. Coconut. In *Genomics of cultivated palms*, Elsevier, pp. 13–27. Available: <https://doi.org/10.1016/B978-0-12-387736-9.00002-9> [18 June 2023].
- Asano, K. 1986. Electrostatic spraying of liquid pesticide. *J. Electrostat.* 18(1): 63–81. Available: [https://doi.org/10.1016/0304-3886\(86\)90016-1](https://doi.org/10.1016/0304-3886(86)90016-1) [10 October 2021].
- Assunção, H.H.T.D., Cunha, J.P.A.R.D., Silva, S.M., Alves, G.S., and Lemes, E.M. 2020. Spray deposition on maize using an electrostatic sprayer. *Eng. Agrícola.* 40(4): 503–510. Available: <https://doi.org/10.1590/1809-4430-eng.agric.v40n4p503-510/2020> [06 August 2022].
- Attwood, S.S. 1932. *Electric and Magnetic Fields*. Dover Publications Inc., New York. Available: <http://archive.org/details/dli.ernet.19321> [15 March 2024].

- Bai, Y., and Bai, Q. 2019. Hydraulics. In Bai, Y. and Bai, Q. (Eds.), Subsea engineering handbook (second edition). Gulf Professional Publishing. pp. 315–361. Available: <https://doi.org/10.1016/B978-0-12-812622-6.00013-0> [15 March 2024].
- Barbosa, R.N., Griffin, J.L., and Hollier, C.A. 2009. Technical note: effect of spray rate and method of application in spray deposition. *Appl. Eng. Agric.* 25(2): 181–184. Available: <https://doi.org/10.13031/2013.26327> [03 March 2023].
- Balsari, P., Marucco, P., and Tamagnone, M. 2007. A test bench for the classification of boom sprayers according to drift risk. *Crop Prot.* 26(10): 1482–1489. Available: <https://doi.org/10.1016/j.cropro.2006.12.012> [12 July 2022].
- Boopathi, T., Sankari Meena, K., Ravi, M., and Thirunavukarasu, K. 2017. Impact of insecticides on spiralling whitefly, *Aleurodicus dispersus* (Hemiptera: Aleyrodidae) and its natural enemy complex in cassava under open field conditions. *Crop Prot.* 94: 137–143. Available: <https://doi.org/10.1016/j.cropro.2016.12.021> [05 June 2024].
- Benson, T. n.d. General thrust equation [online]. Glenn Research Centre, NASA. Available: [https://www.grc.nasa.gov/www/k-12/VirtualAero/BottleRocket/airplane/thrsteq.html#:~:text=The%20force%20\(thrust\)%20is%20equal,times%20the%20free%20stream%20velocity](https://www.grc.nasa.gov/www/k-12/VirtualAero/BottleRocket/airplane/thrsteq.html#:~:text=The%20force%20(thrust)%20is%20equal,times%20the%20free%20stream%20velocity) [03 May 2024].
- Bhonde, K., Fulzele, R., Walke, G., and Panse, M. 2017. Design, Simulation and implementation of generation of high DC voltage by using cockcroft walton multiplier. *Int. J. Sci. Technol. Eng.* 3(9): 35–41. Available: <https://www.ijste.org/articles/IJSTEV3I9028.pdf> [09 August 2022].
- Bowker, G.E., and Crenshaw, H.C. 2007. Electrostatic forces in wind-pollination-part 2: simulations of pollen capture. *Atmos. Environ.* 41(8): 1596–1603. Available: <https://doi.org/10.1016/j.atmosenv.2006.10.048> [23 March 2024].
- Bueno, M.R., Cunha, J.P.A.R.D., and De Santana, D.G. 2017. Assessment of spray drift from pesticide applications in soybean crops. *Biosyst. Eng.* 154, 35–45.

- Available: <https://doi.org/10.1016/j.biosystemseng.2016.10.017> [23 June 2022].
- CDB [Coconut Development Board]. 2024. State/District/Block wise area, production & productivity of coconut. Ministry of Agriculture and Farmers Welfare, Government of India. Available: <https://coconutboard.gov.in/Statistics.aspx> [20 May 2024].
- Celen, I.H., Durgut, M.R., Avci, G.G., and Kilic, E. 2009. Effect of air assistance on deposition distribution on spraying by tunnel-type electrostatic sprayer. *Afr. J. Agric. Res.* 4(12):1392-1397.
- Chambers, J.E., Greim, H., Kendall, R.J., Segner, H., Sharpe, R.M., and Van Der Kraak, G. 2014. Human and ecological risk assessment of a crop protection chemical: A case study with the azole fungicide epoxiconazole. *Critical Reviews in Toxicology*, 44(2): 176-210. Available: <https://pubmed.ncbi.nlm.nih.gov/24274332/> [18 July 2023].
- Chan, E., and Elevitch, C.R. 2006. *Cocos nucifera* (coconut). *Species profiles for Pacific Island agroforestry*. Permanent Agriculture Resources (PAR), Holualoa, Hawaii, USA.
- Chigier, N. 2006. Challenges for future research in atomization and spray technology: Aarthur Lefebvre memorial lecture. *At. Sprays*. 16(7): 727–736. Available: <https://doi.org/10.1615/AtomizSpr.v16.i7.10> [19 January 2023].
- Chowdappa, P., Hedge, V., Mohan, C., Josephraj Kumar, A., and Babu, M. 2018. Pest and disease-free coconut. *Indian Coconut J.* 2: 24-28.
- Clarke, D., Morley, E., and Robert, D. 2017. The bee, the flower, and the electric field: Electric ecology and aerial electroreception. *J. Comp. Physiol. A*, 203(9): 737–748. Available: <https://doi.org/10.1007/s00359-017-1176-6> [23 March 2024].
- Dai, S., Zhang, J., Jia, W., Ou, M., Zhou, H., Dong, X., Chen, H., Wang, M., Chen, Y., and Yang, S. 2022. Experimental study on the droplet size and charge-to-mass ratio of an air-assisted electrostatic nozzle. *Agric.* 12(6): 889. Available: <https://doi.org/10.3390/agriculture12060889> [14 September 2022].

- Delele, M.A., De Moor, A., Sonck, B., Ramon, H., Nicolaï, B.M., and Verboven, P. 2005. Modelling and validation of the air flow generated by a cross flow air sprayer as affected by travel speed and fan speed. *Biosyst. Eng.* 92(2): 165–174. Available: <https://doi.org/10.1016/j.biosystemseng.2005.05.018> [05 May 2023].
- Doddamani, A., Tayeebulla, M.H., Kolhar, A., and Jhalegar, M.J. 2019. Economical way of applying pesticides through electrostatic sprayer. *Int. Arch. App. Sci. Technol.* 10(1): 1-9.
- Dwivedi, C.K. and Daigvane, M.B. 2010. Multi-purpose low-cost dc high voltage generator (60kv output), using cockcroft-walton voltage multiplier circuit. *3rd International Conference on Emerging Trends in Engineering and Technology*, Narkanda, India. 241–246. Available: <https://doi.org/10.1109/ICETET.2010.150> [09 August 2022].
- Elango, K., Nelson, S.J., and Aravind, A. 2020. Rugose spiralling whitefly, *Aleurodicus rugioperculatus* Martin (Hemiptera, Aleyrodidae): An invasive foe of coconut. *J. Entomological Res.* 44(2): 261. <https://doi.org/10.5958/0974-4576.2020.00046.8>
- FAO [Food and Agriculture Organization]. 2024. FAOSTAT. Crops and livestock products. Available: <https://www.fao.org/faostat/en/#data/QCL> [21 May 2024].
- Fritz, B.K., Parker, C., López Jr., J.D., Hoffmann W.C., and Schleider, P. 2009. Technical note: deposition and droplet sizing characterization of a laboratory spray table. *Appl. Eng. Agric.* 25(2): 175–180. Available: <https://doi.org/10.13031/2013.26326> [22 November 2023].
- Gan-Mor, S., and Matthews, G.A. 2003. Recent developments in Sprayers for application of biopesticides—an overview. *Biosyst. Eng.* 84(2): 119–125. Available: [https://doi.org/10.1016/S1537-5110\(02\)00277-5](https://doi.org/10.1016/S1537-5110(02)00277-5) [17 July 2024].
- George, D.A., Broadley, R., Hutton, D., Redpath, S., Bignell, G., Nissen, B., Bruun, D., and Waite, G. 2011. Pesticide application methods. In *Integrated pest and*

- disease management (3rd ed.). Queensland Department of Agriculture and Fisheries, Maroochy Research Facility, pp. 229–243.
- George, G. P. and Kuruvila, A. 2022. Coconut sector in Kerala-trends and challenges. *J. Agric. Dev. Policy*. 32(1): 133-139.
- Gil, E., Balsari, P., Gallart, M., Llorens, J., Marucco, P., Andersen, P.G., Fàbregas, X., and Llop, J. 2014. Determination of drift potential of different flat fan nozzles on a boom sprayer using a test bench. *Crop Prot.* 56: 58–68. Available: <https://doi.org/10.1016/j.cropro.2013.10.018> [15 November 2023].
- Gilman, E.F. and Watson, D.G. 1993. *Cocos nucifera coconut palm*. fact sheet ST-177, Environmental Horticulture Department, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida, 3p.
- GOK. 2021. Kerala development report: initiatives, achievements, and challenges. Government of Kerala. Retrieved from https://spb.kerala.gov.in/sites/default/files/2021-02/KDR_02_21.pdf [20 May 2022].
- Gomez, A. and Tang, K. 1994. Charge and fission of droplets in electrostatic sprays. *Phys. Fluids*. 6(1): 404–414. Available: <https://doi.org/10.1063/1.868037> [12 October 2022].
- Gu, W., Heil, P.E., Choi, H., and Kim, K. 2007. Comprehensive model for fine Coulomb fission of liquid droplets charged to Rayleigh limit. *Appl. Phys. Lett.* 91(6): 064104. Available: <https://doi.org/10.1063/1.2767774> [30 October 2022].
- Hanafi, A., Hindy, M., and Ghani, A.S. 2016. Effect of spray application techniques on spray deposits and residues of bifenthrin in peas under field conditions. *J. Pestic. Sci.* 41(2): 49–54. Available: <https://doi.org/10.1584/jpestics.D15-071> [23 June 2023].
- Hines, R.L. 1966. Electrostatic atomization and spray painting. *J. Appl. Phys.* 37(7): 2730–2736. Available: <https://doi.org/10.1063/1.1782112> [02 November 2022].

- Hislop, E.C., Cooke, B.K., and Harman, J.M.P. 1983. Deposition and biological efficacy of a fungicide applied in charged and uncharged sprays in cereal crops. *Crop Prot.* 2(3): 305–316. Available: [https://doi.org/10.1016/0261-2194\(83\)90004-2](https://doi.org/10.1016/0261-2194(83)90004-2) [23 November 2023].
- Ignacio, I.F. and Miguel, T.S. 2021. Research opportunities on the coconut (*Cocos nucifera* L.) using new technologies. *S. Afr. J. Bot.* 141: 414–420. Available: <https://doi.org/10.1016/j.sajb.2021.05.030> [18 May 2023].
- IS [Indian Standard]. 1979. Guide for estimating cost of farm machinery operation. IS:9164 -1979(Reaffirmed 2002). Bureau of Indian Standards [on line]. Available:<https://archive.org/details/gov.in.is.9164.1979/page/n7/mode/2up> [1 February 2025].
- Jahannama, M.R., Watkins, A.P., and Yule, A.J. 1999. Examination of electrostatically charged spray for agricultural spraying applications. *ILASS-Europe '99*, pp. 1-6.
- Jia, W., Xue, F., Qiu, B., and Wang, Z. 2013. Design and performance of inductive electrostatic sprayer. *Res. J. Appl. Sci. Eng. Technol.* 5(21): 5102–5106. Available: <https://doi.org/10.19026/rjaset.5.4404> [26 October 2021].
- Jin, Y., Qian, Y., Zhang, Y., and Zhuge, W. 2018. Modelling of ducted-fan and motor in an electric aircraft and a preliminary integrated design. *SAE Int. J. Aerospace.* 11(2): 115–126. Available: <https://doi.org/10.4271/01-11-02-0007> [05 May 2023].
- Junaidin, B., and Cahyono, M. A. 2019. Conceptual design of Electrical Ducted Fan (EDF). *Prosiding Seminar Nasional Teknologi Informasi dan Kedirgantaraan: Peran Teknologi untuk, Vol 5.* pp 3-8. Available: <https://doi.org/10.28989/senatik.v5i0.311> [03 May 2023].
- Kabashima, J., Giles, D., and Parrella, M. 1995. Electrostatic sprayers improve pesticide efficacy in greenhouses. *Calif. Agric.* 49(4): 31–35.
- Kelly, A.J. 1978. Electrostatic-spray theory. *J. Appl. Phys.* 49(5): 2621–2628. Available: <https://doi.org/10.1063/1.325154> [27 October 2022].

- Kenfack, P., Dandoussou, A., and Nkale, E.F. 2022. Comparative study of the design and simulation of an AC to high DC voltage generation circuit. *J. Electr. Syst. Inf. Technol.* 9(1): 10. Available: <https://doi.org/10.1186/s43067-022-00051-4> [09 August 2022].
- Kerala Agricultural University [KAU]. (2019). Coconut (*coconut nucifera*). KAU Agri-Infotech Portal, Centre for e-learning: Retrieved May 31, 2023. Available: <http://www.celkau.in/Crops/Plantation%20Crops/Coconut/Coconut.aspx> [02 March 2023].
- Khatawkar, D.S. 2019. *Development of a Battery Operated Electrostatic Sprayer*. Ph.D. (Agrl. Engg.) thesis, Kerala Agricultural University, Thrissur, 131P.
- Khatawkar, D.S., James, S.P., and Dhalin, D. 2021. Role of electrostatics in artificial pollination and future agriculture. *Curr. Sci.* 120(3): 484. Available: <https://doi.org/10.18520/cs/v120/i3/484-491> [27 October 2021].
- Khatawkar, D.S., Dhalin, D. and James, S.P. 2024. Knapsack air assisted electrostatic sprayer for agricultural formulations. *CABI Agric. Biosci.* 5:80 Available: <https://doi.org/10.1186/s43170-024-00286-3> [19 November 2024].
- Kumar, B.M. and Kunhamu, T.K. 2022. Nature-based solutions in agriculture: A review of the coconut (*Cocos nucifera* L.) based farming systems in Kerala, “The land of coconut trees.” *Nat. Based Solutions.* 2: 100012. Available: <https://doi.org/10.1016/j.nbsj.2022.100012> [18 June 2023].
- Kumar, V., Sinha, A.K., Bharti, N., and Ram, R.B. 2018. Performance evaluation of power tiller operated tall tree sprayer. *Int. J. Curr. Microbiol. Appl. Sci.* 7: 5277–5283.
- Kumar, S., Singh, M., and Narang, M.K. 2020. New efficient spray technology. *Indian Farm.* 70(05): 13–15. Available: <https://epubs.icar.org.in/index.php/IndFarm/article/download/105693/41418/73795> [18 June 2023].

- Laryea, G.N. and No, S.Y. 2003. Development of electrostatic pressure-swirl nozzle for agricultural applications. *J. Electrostat.* 57(2): 129–142. Available: [https://doi.org/10.1016/S0304-3886\(02\)00122-5](https://doi.org/10.1016/S0304-3886(02)00122-5) [09 August 2022].
- Law, S.E. 1978. Embedded-electrode electrostatic-induction spray-charging nozzle: theoretical and engineering design. *Trans. ASAE.* 21(6): 1096–1104. Available: <https://doi.org/10.13031/2013.35448> [09 August 2022].
- Law, S.E. 1983. Electrostatic pesticide spraying: concepts and practice. *IEEE Trans. Ind. Appl.* 19(2): 160–168. Available: <https://doi.org/10.1109/TIA.1983.4504176> [09 August 2022].
- Law, S.E. 2014. Electrostatically charged sprays. In: Matthews, G.A, Bateman, R., and Miller, P. (Eds.), *Pesticide Application Methods*. Wiley Publications. 1st Edition, pp. 275–298. doi: 10.1002/9781118351284.ch10.
- Llorens, J., Gil, E., Llop, J., and Escola, A. 2010. Variable rate dosing in precision viticulture: Use of electronic devices to improve application efficiency. *Crop Protect.* 29: 239-248. doi:10.1016/j.cropro.2009.12.022.
- Llop, J., Gil, E., Llorens, J., Gallart, M., and Balsari, P. 2015. Influence of air-assistance on spray application for tomato plants in greenhouses. *Crop Protect.* 78: 293–301. Available: <https://doi.org/10.1016/j.cropro.2015.09.026> [26 June 2024].
- Lu, H., Nkoh, J.N., Abdulaha-Al Baquy, M., Dong, G., Li, J., and Xu, R. 2020. Plants alter surface charge and functional groups of their roots to adapt to acidic soil conditions. *Environ. Pollut.* 267: 115590. Available: <https://doi.org/10.1016/j.envpol.2020.115590> [23 March 2024].
- Lukose, R., Dhalin, D., Khatawkar, D.S., Jayan, P.R., Vidhu, K.P., and Subhagan, S.R. 2021. Electrostatic pollen collector for tomato under greenhouse condition. *Agric. Mech. Asia Afr. Latin Am.* 51(1): 1079-1092.
- Mamidi, V.R., Ghanshyam, C., Kumar, M.P., and Kapur, P. 2013. Electrostatic hand pressure knapsack spray system with enhanced performance for small scale farms. *J. Electrostat.* 71(4): 785–790. Available: <https://doi.org/10.1016/j.elstat.2013.01.011> [09 August 2022].

- Manian, R., Senthilkumar, T., and Kathirvel, K. 2002. Development and evaluation of tractor operated coconut tree sprayer. *Agric. Mech. Asia Afr. Latin Am.* 33(3): 23-26.
- Manjula, C., Samsudeen, K., Rahman, S., and Rajesh, MK. 2014. Characterization of Kuttiyadi ecotype of coconut (*Cocos nucifera* L.) using morphological and microsatellite markers. *J. Plant. Crops.* 42(3): 301-315.
- Marchant, J.A., and Green, R. 1982. An electrostatic charging system for hydraulic spray nozzles. *J. Agric. Eng. Res.* 27(4): 309–319. Available: [https://doi.org/10.1016/0021-8634\(82\)90070-1](https://doi.org/10.1016/0021-8634(82)90070-1) [13 October 2022].
- Marchewicz, A., Sobczyk, A.T., Krupa, A., and Jaworek, A. 2019. Induction charging of water spray produced by pressure atomizer. *Int. J. Heat Mass Transf.* 135: 631–648. Available: <https://doi.org/10.1016/j.ijheatmasstransfer.2019.02.013> [13 November 2022].
- Martin, D.E. and Latheef, M.A. 2017. Aerial electrostatic spray deposition and canopy penetration in cotton. *J. Electrostat.* 90: 38–44. Available: <https://doi.org/10.1016/j.elstat.2017.08.005> [21 November 2023].
- Maski, D., and Durairaj, D. 2010. Effects of charging voltage, application speed, target height, and orientation upon charged spray deposition on leaf abaxial and adaxial surfaces. *Crop Prot.* 29(2): 134–141. Available: <https://doi.org/10.1016/j.cropro.2009.10.006> [21 August 2023].
- Matthews, G.A. 1989. Electrostatic spraying of pesticides: a review. *Crop Prot.* 8: 3-15.
- Maynagh, B.M., Ghobadian, B., Jahannama, M.R., and Hashjin, T.T. 2009. Effect of electrostatic induction parameters on droplets charging for agricultural application. *J. Agric. Res. Technol.* 11: 249-257.
- Miao, Y., Chen, X., Gong, Y., Liu, D., Chen, J., Wang, G., and Zhang, X. 2023. Design and test of powerful air-assisted sprayer for high stalk crops. *Front. Plant Sci.* 14: 1266791. Available: <https://doi.org/10.3389/fpls.2023.1266791> [20 June 2024].

- Michael, C., Gil, E., Gallart, M., and Stavriniades, M.C. 2021. Evaluation of the Effects of Spray Technology and Volume Rate on the Control of Grape Berry Moth in Mountain Viticulture. *Agric.* 11(2): 178. Available: <https://doi.org/10.3390/agriculture11020178> [13 May 2024].
- Miller, P. 2003. The measurement of spray drift. *Pestic. Outlook.* 14(5): 205. Available: <https://doi.org/10.1039/b311466j> [15 October 2022].
- Mishra, P.K., Singh, M., Sharma, A., Sharma, K., and Singh, B. 2014. Studies on effect of electrostatic spraying in orchards. *AMA.* 46(2): 17-22.
- Mohan, C., Josephraj Kumar, A., Babu, M., Prathibha, P.S., Krishnakumar, V., Hegde, V., and Chowdappa, P. 2017. Invasive Rugose Spiralling. ICAR-CPCRI Technical Bulletin, 117(60): 16.
- Narang, M.K., Mishra, A., Kumar, V., Thakur, S.S., and Singh, M. 2015. Comparative evaluation of spraying technology in cotton belt of Punjab (India). *Agric. Eng.* 11(1): 61–71.
- Niral, V., Samsudeen, K., Sudha, R., and Ranjini, T.N. 2019. *Genetic resource management and improved varieties of coconut*. Coconut Development Board. Available: <http://krishi.icar.gov.in/jspui/handle/123456789/53655> [03 March 2023].
- Nishanth, S., and Karpagavalli, P. 2019. Design and Analysis of Hybrid Converter for High Voltage Medical Applications. *Int. J. Modern Trends Sci. Technol.* 6(3): 24–28.
- O’Konski, C.T., and Thacher Jr, H.C. 1953. The distortion of aerosol droplets by an electric field. *J. Phys. Chem.* 57(9): 955–958. Available: <https://doi.org/10.1021/j150510a024> [01 Nov 2022].
- Omena, R.P.M, Guzzo, E.C., Ferreira, J.M.S., Mendonça, F.A.C., Lima, A. F., Racca-Filho, F., Santana, A. E. G. 2012. First report on the whitefly, *Aleurodicus pseudugesii* on the coconut palm, *Cocos nucifera* in Brazil. *J. Insect Sci.* 12(26):1-6. Available:

<https://ainfo.cnptia.embrapa.br/digital/bitstream/item/68867/1/i1536-2442-12-26.pdf> [20 June 2022].

- Pascuzzi, S., and Cerruto, E. 2015. Spray deposition in “tendone” vineyards when using a pneumatic electrostatic sprayer. *Crop Prot.* 68: 1–11. Available: <https://doi.org/10.1016/j.cropro.2014.11.006> [04 March 2023].
- Patel, B., Singh, M., Mishra, P.K., Manes, G.S., Sharma, K., and Mishra, A. 2016. Comparative Evaluation of Electrostatic Sprayer for Cotton Crop. *Int. J. Bio-Resour. Stress Manag.* 7: 1049–1053.
- Patel, B.M., Devmurari, S.H., and Rathod, M.P. 2014. Development of high voltage solid state marx generator for liquid applications. *Int. J. Eng. Res.* 3(12): 755–758.
- Patel, M.K. 2016. Technological improvements in electrostatic spraying and its impact to agriculture during the last decade and future research perspectives – A review. *Eng. Agric. Environ. Food.* 9(1): 92–100. Available: <https://doi.org/10.1016/j.eaef.2015.09.006> [12 June 2023].
- Patel, M.K., Ghanshyam, C., and Kapur, P. 2013. Characterization of electrode material for electrostatic spray charging: Theoretical and engineering practices. *J. Electrostat.* 71(1): 55-60.
- Patel, M.K., Kumar, A., Kumar, P., Jangra, A., and Kumar, A. 2019. Optimization of parameters of designed and developed hand-held electrostatic sprayer and its performance evaluation for herbal pesticides. *J. Phys. Conf. Ser.* 1322(1): 012024. Available: <https://doi.org/10.1088/1742-6596/1322/1/012024> [19 August 2022].
- Patel, M.K., Praveen, B., Sahoo, H.K., Patel, B., Kumar, A., Singh, M., Nayak, M.K., and Rajan, P. 2017. An advance air-induced air-assisted electrostatic nozzle with enhanced performance. *Comput. Electron. Agric.* 135: 280–288. Available: <https://doi.org/10.1016/j.compag.2017.02.010> [26 October 2021].

- Pergher, G. 2001. Recovery rate of tracer dyes used for spray deposit assessment. *Trans. ASAE*. 44(4): 787–794 Available: <https://doi.org/10.13031/2013.6240> [23 March 2024].
- Pergher, G., and Gubiani, R. 1995. The Effect of Spray Application Rate and Airflow Rate on Foliar Deposition in a Hedgerow Vineyard. *J. Agric. Eng. Res.* 61(3): 205–216. Available: <https://doi.org/10.1006/jaer.1995.1048> [23 March 2024].
- Privitera, S., Manetto, G., Pascuzzi, S., Pessina, D., and Cerruto, E. 2023. Drop size measurement techniques for agricultural sprays: A state-of-the-art review. *Agron.* 13(3): 678. Available: <https://doi.org/10.3390/agronomy13030678> [23 March 2024].
- Pham, L.J. 2016. Coconut (*Cocos nucifera*). In: *Industrial Oil Crops*. Elsevier Publication. pp. 231–242. Available: <https://doi.org/10.1016/B978-1-893997-98-1.00009-9> [18 May 2023].
- Phillips, M.C., Paveley, N., and Harris, P. 1988. Biological efficiency of electrostatically charged sprays applied by hydraulic nozzles to cereal crops. *Crop Prot.* 7(2): 125–130. Available: [https://doi.org/10.1016/0261-2194\(88\)90023-3](https://doi.org/10.1016/0261-2194(88)90023-3) [23 November 2023].
- Ru, Y., Gan, Y., Zheng, J., and Zhou, H. 2008. Design and experiments on droplet charging device for high-range electrostatic sprayer. In: *Pesticides in the Modern World – Pesticides Use and Management*. Providence, Rhode Island. pp 137-138. Available: <https://doi.org/10.13031/2013.24589> [07 October 2021].
- Salcedo, R., Llop, J., Campos, J., Costas, M., Gallart, M., Ortega, P., and Gil, E. 2020. Evaluation of leaf deposit quality between electrostatic and conventional multi-row sprayers in a trellised vineyard. *Crop Protect.* 127: 104964. Available: <https://doi.org/10.1016/j.cropro.2019.104964> [23 November 2023].
- Samseemoung, G., Soni, P., and Suwan, P. 2017. Development of a variable rate chemical sprayer for monitoring diseases and pests infestation in coconut plantations. *Agric.* 7(10): 89. Available: <https://doi.org/10.3390/agriculture7100089> [07 October 2021].

- Sanjay, N.A., and Jeevitha, R.R. 2023. Design and developement of agri drone detetction of infected areas and application of pesticides for coconut three. *Int. Res. J. Modern. Eng. Technol. Sci.* 5(3): 1293–1310.
- Sasaki, R.S., Teixeira, M.M., Fernandes, H.C., Monteiro, P.M.D.B., Rodrigues, D.E., and Alvarenga, C.B.D. 2013. Parameters of electrostatic spraying and its influence on the application efficiency. *Revista Ceres*, 60(4): 474–479. Available: <https://doi.org/10.1590/S0034-737X2013000400005> [09 August 2022].
- Shi, R., Sun, H., Qiu, W., Lv, X., Ahmad, F., Gu, J., Yu, H., and Zhang, Z. 2022. Analysing Airflow Velocity in the Canopy to Improve Droplet Deposition for Air-Assisted Spraying: A Case Study on Pears. *Agron.* 12(10):2424. Available: <https://doi.org/10.3390/agronomy12102424> [03 May 2024].
- Sharman, R.A. 2011. Electric ducted fan – theory and practice. RC Groups. com [on-line] Available: <https://www.rcgroups.com/forums/showatt.php?attachmentid=6384145> [20 April 2024].
- Singh, M., Ghanshyam, C., Mishra, P.K., and Chak, R. 2013. Current status of electrostatic spraying technology for efficient crop protection. *Agric. Mech. Asia Afr. Latin Am.* 44(2): 46-53
- Smith, D.B., Askew, S.D., Morris, W.H., Shaw, D.R., and Boyette. 2000. Droplet size and leaf morphology effects on pesticide spray deposition. *Trans. ASAE.* 3(2): 255–259. Available: <https://doi.org/10.13031/2013.2700> [18 July 2024].
- Suriya, A.C.N.P. 2016. Coconut. In: Gupta, S.K. (Ed.), *Breeding oilseed crops for sustainable production*. Academic Press. pp. 201–216. Available: <https://doi.org/10.1016/B978-0-12-801309-0.00009-4> [18 May 2023].
- Taravati, S., Mannion, C., and Osborne, L.S. 2013. Management of Rugose Spiraling Whitefly (*Aleurodicus rugioperculatus*) in the South Florida Landscape. *Proc. Fla. State Hort. Soc.*, 126: 276–278.

- Tarigan, K., Perangin-angin, B., Brahmana, K., Manalu, A., and Sinambela, M. 2019. Simple Designed of high voltage pulsed electric field generator based on flyback transformer. *J. Phys. Conf. Ser.* 1230(1): 012027. Available: <https://doi.org/10.1088/1742-6596/1230/1/012027> [22 November 2023].
- Taylor, G. 1964. Disintegration of water drops in an electric field. *Proceedings of the Royal Society of London. Series A. Mathematical and Physical Sciences*, 280(1382): 383–397. Available: <https://doi.org/10.1098/rspa.1964.0151> [12 October 2022].
- Thamban, C., Jayasekhar, S., Chandran, K.P., and Jaganathan, D. 2016. *Coconut production in Kerala: trend, challenges and opportunities [online]*. Available: <http://krishi.icar.gov.in/jspui/handle/123456789/13692> [24 October 2021].
- Thummala, P., Maksimovic, D., Zhang, Z., and Andersen, M.A.E. 2016. Digital control of a high-voltage (2.5 kV) bidirectional DC-DC flyback converter for driving a capacitive incremental actuator. *IEEE Trans. Power Electron.* 31(12): 8500–8516. Available: <https://doi.org/10.1109/TPEL.2016.2520497> [09 August 2021].
- Thummala, P., Zhang, Z., Andersen, M.A.E., Maksimovic, D., and Sarban, R. 2014. Design of a high voltage bidirectional DC-DC converter for driving capacitive incremental actuators usable in electric vehicles (EVs). *IEEE International Electric Vehicle Conference (IEVC)*, pp1–8. Available: <https://doi.org/10.1109/IEVC.2014.7056132> [09 August 2021].
- Toljic, N., Adamiak, K., and Castle, G.S.P. 2008. Determination of particle charge to mass ratio distribution in electrostatic applications: a brief review. *Proceedings of ESA Annual Meeting on Electrostatics*. 9p.
- Urban, D., Kusmirek, S., Socha, V., Hanakova, L., Hylmar, K., and Kraus, J. 2023. Effect of electric ducted fans structural arrangement on their performance characteristics. *Appl. Sci.* 13(5): 2787. Available: <https://doi.org/10.3390/app13052787> [30 April 2024].

- van Oorschot, J. 2018. Design, production and testing of a high-speed electric ducted fan for a record-speed model airplane. Mater thesis. Eindhoven University of Technology, Netherlands. 97p. Available: https://pure.tue.nl/ws/portalfiles/portal/201742064/0769268_Oorschot.pdf [30 April 2023].
- van Rooij, N.E. 2019. Analysis of a 3D printed electric ducted fan for high-speed flight. M. Sc thesis. Eindhoven University of Technology. 79p. Available: Analysis of a 3D printed electric ducted fan for high-speed flight — Eindhoven University of Technology research portal (tue.nl) [23 May 2024].
- Waluyo, Syahrial, Nugraha, S., and Permana Jr, Y. 2015. Miniature prototype design and implementation of modified multiplier circuit DC high voltage generator. *Int. J. Elec. Eng. Technol.* 6(1): 1–12.
- Wankhede, S.M., Shinde, V.V., Ghavale, S.L., and Malshe, K.V. 2023. Eco-friendly management of rugose spiralling whitefly, *Aleurodicus rugioperculatus* Martin on coconut under coastal ecosystem of Maharashtra. *Pest Manag. Hortic. Ecosyst.* 29(1): 102-108. DOI:10.5958/0974-4541.2023.00016.4
- Wei, Z., Li, R., Xue, X., Sun, Y., Zhang, S., Li, Q., Chang, C., Zhang, Z., Sun, Y., and Dou, Q. 2023. Research status, methods and prospects of air-assisted spray technology. *Agron.* 13(5): 1407. Available: <https://doi.org/10.3390/agronomy13051407> [15 March 2024].
- Xue, X., Zeng, K., Li, N., Luo, Q., Ji, Y., Li, Z., Lyu, S., and Song, S. 2023. Parameters optimization and performance evaluation model of air-assisted electrostatic sprayer for citrus orchards. *Agric.* 13(8): 1498. Available: <https://doi.org/10.3390/agriculture13081498> [23 May 2024].
- Zhang, T., and Barakos, G.N. 2020. Review on ducted fans for compound rotorcraft. *Aeronaut. J.* 124(1277): 941–974. Available: <https://doi.org/10.1017/aer.2019.164> [15 May 2023].

- Zhao, S., Castle, G.S.P., and Adamiak, K. 2005. The effect of space charge on the performance of an electrostatic induction charging spray nozzle. *J. Electrostat.* 63: 261-272. doi:10.1016/j.elstat.2004.11.001.
- Zhao, Y., Tian, Y., and Wan, Z. 2022. Aerodynamic characteristics of a ducted fan hovering and transition in ground effect. *Aerospace.* 9(10): 572. Available: <https://doi.org/10.3390/aerospace9100572> [12 March 2024].
- Zheng, J., Zhou, H., and Xu, Y. 2002. Advances in pesticide electrostatic spraying research in China. *ASAE Meeting Paper No.021034*. Chicago, Illinois, USA, pp 28-31. Available: <https://doi.org/10.13031/2013.9304> [14 August 2021].
- Zhou, J. and He, X. 2010. Deposition Studies of a Prototype Air-assisted Electrostatic Sprayer. ASABE Annual International Meeting, Paper No. 1009018. Pittsburgh, Pennsylvania, 11p. Available: <https://doi.org/10.13031/2013.29786> [16 November 2021].
- Zhu, H., Reichard, D.L., Fox, R.D., Brazee, R.D., and Ozkan, H.E. 1994. Simulation of drift of discrete sizes of water droplets from field sprayers. *Trans. ASAE.* 37(5): 1401–1407. Available: <https://doi.org/10.13031/2013.28220> [15 October 2022].
- Zhu, H., Salyani, M., and Fox, R.D. 2011. A portable scanning system for evaluation of spray deposit distribution. *Comput. Electr. Agric.* 76(1): 38–43. Available: <https://doi.org/10.1016/j.compag.2011.01.003>. [18 November 2021].