

## REFERENCES

- Agarwal, R., Agarwal, T. and Garg, P. 2019. Delineation of groundwater potential zones using geospatial techniques: A case study of the Chhattisgarh region, India. *Environ. Earth Sci.* 78(17), 514.
- Ahmed, S. and Umar, R. 2009. Groundwater flow modeling of an alluvial aquifer in the Yamuna–Krishni interstream, India. *Hydrogeo. J.* 17 (4): 1003–1017.
- Ajaykumar, S. and Regunath, K. 2025. Application of RS and GIS in Ithikkara river basin for potential groundwater zones. *Water Res. Manag.* 6 (7): 367.
- Akkara, C. S., Joseph, A., and Varghese, J. 2025. Climate-driven variability of recharge and abstraction impacts on groundwater sustainability in the Bharathapuzha Basin, Kerala, India. *Hydrogeol. J.* 33 (4): 215–232.
- Al-Faraj, T., and Hussein, A. M. 2025. Assessing groundwater depletion under intensive agricultural abstraction using MODFLOW 6–FMP in the Najd Basin, Saudi Arabia. *Water Res. Manag* 39 (2): 101–119.
- Anand, B., Karunanidhi, D., Subramani, T., Srinivasamoorthy, K. and Suresh, M. 2019. Long-term trend detection and spatiotemporal analysis of groundwater levels using GIS techniques in Lower Bhavani River basin, Tamil Nadu, India. *Environ. Develop. And Sustainability.* 22: 2779–2800.
- Anjali, A. and Kumar, R. P. 2015. Predicting availability and scarcity of water using Visual MODFLOW. *Asian J. of Engg. and Tech.* 3(4): 480-484.
- Anbazhagan, S. and Jothibasu, A. 2019. Integration of GIS and groundwater flow modelling for sustainable water resource management. *Environ. Earth Sci.* 78 (12): 362.

- Anderson, M. P., Woessner, W. W. and Hunt, R. J. (2015). *Applied Groundwater Modeling: Simulation of Flow and Advective Transport* (2nd ed.). Academic Press.
- Anoop, S. and Singh, H. 2022. Groundwater flow modelling of Maleni watershed using Visual MODFLOW. *Int. J. of Environ.and Climate Change*. 6 (7): 367-376.
- Arya, S., Subramani, T. and Karunanidhi, D. 2020. Delineation of groundwater potential zones and recommendation of artificial recharge structures for augmentation of groundwater resources in Vattamlaikarai basin, South India. *Environ. Earth Sci.* 79 (5): 102.
- Aravinda, P. T. and Balakrishna, H. B. 2013. Morphometric analysis of vrishabhavathi watershed using remote sensing and GIS. *Int. J. of Res. In Engg. and Technol.* 4 (1): 54-63.
- Arya, V. and Rao, M. S. 2024. Groundwater recharge potential index and artificial groundwater recharge in the alluvial soils of middle Ganga basin. *Discover Appl. Sci.* 6 (7): 367.
- Assainar, K. K. R., Joseph, A. and Sajeena, S. 2023. Trend analysis of groundwater levels in Kalpathypuzha sub-basin of Bharathapuzha, Kerala, India. *Int. J. of Environ.and Climate Change*. 13 (9): 1145-1157.
- Arkoprovo, B., Adarsa, J. and Prakash, S. S. 2012. Delineation of groundwater potential zones using satellite Remote Sensing and Geographic Information System techniques: A case study from Ganjam district, Orissa, India. *Res. J. of Recent Sci.* 1(9):59-66.
- Babu, R., Seshadri, H. and Sasidhar, P. 2014. Assessment of groundwater flow model using Visual MODFLOW in Nellore coastal zone. *Int J. of Innovative Res.in Sci. Eng. and Technol.* 2 (1): 12-98.

- Bailey, R. T. 2025. SWAT+MODFLOW: A new hydrologic model for simulating surface and subsurface water interactions. *Geoscientific Model Develop.* 18 (6): 5681–5695.
- Babar. and Shah, I. I. 2012. Influence of geological and geomorphological characteristics on groundwater occurrence in Deccan basalt hard rock area of Tawarja river Sub-Basin Latur, Maharashtra. *J. of Environ. Sci.* 4 (4): 440-447.
- Balasubramani, S. M., Aparna, S. B. and Vivek, S. Block level assessment of groundwater potential zones using hydrogeological and remote sensing and GIS data: a scientific approach to prevent water scarcity problems. *Desalination and Water Treat.* 297: 227-239.
- Bera, S. and Ahmad, M. 2016. Delineation of groundwater potential zones in Dhanbad district, Jharkhand, using Remote Sensing and GIS Techniques. *Int. Res. J. of Eng. and Technol.* 3(7):1607 1615.
- Bhatnagar, D. and Goyal, S. 2012. Groundwater potential zones mapping through multi-criteria analysis, a case study of sub watershed of Katni River Basin. *Int. J. of Remote Sensing and Geosciences.* 1(1):22-26.
- CGWB (Central Ground Water Board). 2020. Dynamic Groundwater Resources of India. Ministry of Jal Shakti, Government of India, New Delhi.
- CGWB (Central Ground Water Board). 2024. Dynamic Groundwater Resources of India. Ministry of Jal Shakti, Government of India, New Delhi.
- CGWB (Central Ground Water Board). 2023. Dynamic Groundwater Resources of India. Ministry of Jal Shakti, Government of India, New Delhi.
- CGWB (Central Ground Water Board). 2017. Dynamic Groundwater Resources of India. Ministry of Jal Shakti, Government of India, New Delhi.
- CGWB (Central Ground Water Board). 2013. Dynamic Groundwater Resources of India. Ministry of Jal Shakti, Government of India, New Delhi.

- Chandra, S. and Saxena, R. S. 1975. Water balance study for estimation of groundwater resources. *J. of Irrigation and Power, Central Board of Irrigation and Power, New Delhi*. 32 (4): 443-449.
- Chandramohan, R., Dhiman, R. D. and Sharma, P. K. 2018. Morphometric analysis of sub watersheds in Gurudaspur district, Punjab using Remote Sensing and GIS techniques. *J. of the Indian Soc. of Remote Sensing*. 33(4):531-539.
- Choudhari, K., Panigrahi, B. and Paul, J. C. 2014. Morphometric analysis of Kharlikani watershed in Odisha, India using spatial information technology. *Int. J. of Geomatics and geosciences*. 4(4):661-671.
- Christos, M., Sabri, M. A. and Xian, J. 2025. Assessment of future groundwater levels using MODFLOW in the Serres river basin. *Environ. Earth Sci*. 84 (3): 123–135.
- Dar, I. A., Sankar, K. and Dar, M. A. 2019. Integrated approach for mapping groundwater potential zones in hard rock terrains using remote sensing, GIS, and MIF techniques. *Hydro Res*. 1: 26–38.
- Das, B., Singh, S., Thakur, P. and Jain, S. K. 2020. Assessment of future groundwater levels using Visual MODFLOW in the Gomti River basin in India. *Theoretical and Appl. Climatology*. 155 (4): 2917.
- Deeksha, S. (2014). Delineation of groundwater prospect zones using Remote Sensing, GIS Techniques - A case study of Bilaspur District. *Int. J. of Geol., Earth and Environ. Sci*. 4(2):62-72.
- Devi, B. A. and Nair, A. M. 2018. Assessment of dynamic groundwater reserve of Kamarup district lower Assam, India. *Int. J. of Adv. Civil Engg. and Architecture Res*. 4 (1): 89-99.
- Díaz-Alcaide, S. and Martínez-Santos, P. 2019. Advances in groundwater potential mapping. *Hydrogeology J*. 27 (7): 2307–2324.

- Dinesh, K., Elango, L and Brindha, K. 2020. Groundwater flow modeling and its application for water management in a semi-arid region. *Hydro Res.*3: 1–11.
- Embaby, A. A., Sabri, M. A. Sh. E. L. and Rayan, R. A. 2017. Using MODFLOW as a Mangement tool for the Groundwater System in the Area Northeastern Cairo, Egypt. *J. of Appl. Geology and Geophysics.* 5 (2): 78-88.
- Elmahdy, S. I. and Mohamed, M. M. 2021. Integrating remote sensing, GIS, and AHP techniques for groundwater potential mapping in arid regions. *Sustainability.* 13 (9): 5004.
- Fenta, A. A., Hasan, E. and Kebede, S. 2023. Modeling groundwater flow and management options under varying recharge conditions using Visual MODFLOW. *Environ. Modelling & Software.* 161: 105593.
- Ganesh, B. and Ravibabu, G. 2021. Modelling Impact of Cropping Pattern and Urban area on Groundwater Resources of Nagarjuna Sagar Right Canal Command area using Visual MODFLOW. *Eco. Enivorn. and Cons.* pp. 391-397.
- Garg, V., Manish, K., Milap, D. Rajesh, K., Amit, S. and Alok, K. 2025. Delineating potential groundwater recharge zones in the semi-arid eastern plains of Rajasthan, India. *Clean-Soil, Air, Water.* 53 (1): e202400013.
- Gopinath, S., Sivasankar, V. and Saravanan, K. 2021. Delineation of groundwater potential zones using GIS and validation through MODFLOW in crystalline terrain, Tamil Nadu, India. *Arabian J. of Geosci.* 14: 23-47.
- Gebreslassie, H., Berhane, G., Gebreyohannes, T., Hagos, M., Hussien, A. and Walraevens, K. 2025. Water harvesting and groundwater recharge: A comprehensive review and synthesis of current practices. *Water.* 17 (7): 976.
- Gnanachandrasamy, G., Nagarajan, R. and Prabhakaran, S. 2020. Delineation of groundwater potential zones using remote sensing and GIS techniques in hard rock terrain of southern India. *Groundwater for Sustainable Develop.* 10: 100-113.

- GSI. (2022). *Geology and Mineral Resources of Kerala (3rd Revised Edition)*. Geological Survey of India.
- Gyeltshen, S., Tshering, K., Dorji, S., and Dorji, R. (2020). Groundwater potential zone mapping using RS and GIS: A case from Bhutan. *Environ. Earth Sci.* 79 (8): 230-236.
- Hassoun, S. A. A. and Mohammad, T. A. 2011. Prediction of water table in an alluvial aquifer using Modflow. *Pertanika J. of Sci. and Technol.* 19(1):45- 55.
- Haridas, V. R., Aravindan, S. and Girish, G. 1998. Remote Sensing and its applications for groundwater favorable area identification. *Quarterly J. of GARC.* 6: 18-22.
- Harbaugh, A. W. (2005). MODFLOW-2005, The USGS Modular Ground-Water Model: The Ground-Water Flow Process. USGS Techniques and Methods 6-A16.
- Hutti, B. and Nijagunappa. R. 2011. Identification of groundwater potential zone using geoinformatics in Ghataprabha basin, North Karnataka, India. *Int. J. of Geomatics and Geosciences.* 2(1):91-109.
- Ibrahim, A., Aimrun, W., Helmi, Z. M. H. and Toridi, N. M. 2024. Remote sensing technologies for unlocking new insights in groundwater monitoring. *J. of Hydrol.* 23: 100-125.
- Ismail, C., Abdallah, B. M. and Moufida, E. M. 2009. Groundwater recharge zone mapping using GIS-based multi-criteria analysis: A case study in central Tunisia (Maknassy Basin). *Water Resour. Manag.* 24: 921-939.
- Ismail, C. and Abdallah, B. M. 2009. Groundwater recharge study in arid region: An approach using GIS techniques and numerical modeling. *Computers and Geosciences.* 36: 801-817.
- Jha, M. K., Chowdary, V. M. and Chowdhury, A. 2010. Groundwater assessment in Salboni block, West Bengal (India) using remote sensing, geographical information

- system, and multi-criteria decision analysis techniques. *Hydrogeol. J.* 18: 1713–1728.
- Jose, S. K., Jayasree, R., Kumar, S. R. and Rajendran, S. 2013. Identification of groundwater potential zones in Palakkad district, Kerala through multicriteria analysis techniques using geoinformation technology. *Bonfring Int. J. of Indust. Engg. and Manage. Sci.* 2(1): 62-68.
- Joseph, A., Nair, A. S. and Suresh, R. 2023. Integrated geospatial assessment of groundwater potential in hard rock terrains of Kerala, India. *Environ. Monitoring and Assess.* 10 (5): 12-29.
- Kaviyarasan, R., Seshadri, H. and Sasidhar, P. 2013. Assessment of groundwater flow model for an unconfined coastal aquifer. *Int J. of Innovative Res.in Sci. Eng. and Technol.* 2 (1): 12-98.
- Kaur, H., Singh, R. and Goyal, R. 2022. Simulation of groundwater flow in semi-arid regions using Visual MODFLOW. *Groundwater for Sustainable Develop.* 16: 10072.
- Khadri, S. F. R. and Kokate, N. R. 2015. Groundwater resource management of the Morna River basin, Akola District, Maharashtra, India. Proceedings/Conference paper ICAET 2015.
- Khadri, S. F. R. and Pande, C. 2016. Groundwater modelling for calibration of steady state using MODFLOW software: a case study of Mahesh river basin, India. *Modeling Earth Systems and Environ.* 2: 39
- Khan, M. A., Singh, P. and Sharma, R. K. 2020. Identification of suitable sites for artificial recharge using geospatial tools and CGWB guidelines: A case study from the Yamuna River Basin, India. *Hydro Res.* 3: 36–48.

- Khan, M. A., Laxman, P. and Pande, M. 2023. Groundwater flow modeling in subtropical coal mining area of northwest Bangladesh using Visual MODFLOW. *Hydro Res.* 8: 39–51.
- Kim, J. C., Kim, M., Lee, S., and Lee, S. 2019. Spatial groundwater productivity mapping using random forest and boosted regression tree models in Okcheon, Korea. *Remote Sensing.* 11 (5): 18-21.
- Koohestani, N., Halaghi, M. M. and Dehghani, A. A. 2013. Numerical simulation of groundwater level using MODFLOW software (A case study: Narmab watershed, Golestan province). *Int. J. of Adv. Biological and Biomedical Res.* 1(8):858-873.
- Kumar, P., Thomas, A. and Joseph, L. 2021. Groundwater level trends and recharge potential assessment in semi-arid regions of Kerala using long-term monitoring data. *Hydro Res.* 4(2): 67–79.
- Kumar, C. and Kumar, S. 2015. Concepts and modeling of groundwater system. *Int. J. of Innovative Sci., Eng. and Technol.* 2(2):262- 271.
- Lasya, C. R. and Inayathulla, M. 2015. Groundwater flow analysis using visual MODFLOW. *J.of Mech. and Civil Eng.* 12(2):05-09.
- Letz, O., Siebner, H., Avrahamov, N., Egozi, R., Eshel, G. and Dahan, O. 2021. The impact of geomorphology on groundwater recharge in a semi-arid mountainous area. *J. of Hydrology.* 6 (3): 121-132.
- Li, P., Qian, H. and Wu, J. 2020. Groundwater modeling and uncertainty analysis for aquifer systems. *Environ. Earth Sci.* 79 (10): 1–13.
- Lyazidi, R., Mohamed, A. H., Jaouad, F. M. and Bahir, M. 2020. Developing a methodology for estimating the groundwater levels of coastal aquifers in the Gareb-Bourag plains, Morocco embedding the visual MODFLOW techniques in groundwater modeling system. *Groundwater for Sustainable Develop.* 11: 2-19.

- Mamo, S., Behailu, B., Tenalem, A. and Taye, G. 2021. Three-dimensional groundwater flow modeling to assess the impacts of the increase in abstraction and recharge reduction on the groundwater, groundwater availability and groundwater-surface waters interaction: A case of the rib catchment in the Lake Tana sub-basin of the Upper Blue Nile River, Ethiopia. *J. of Hydrol.: Reg. studies.* 35 (2): 100831.
- Malik, V. S., Singh, R. K. and Singh. S. K. 2012. Groundwater modeling with processing MODFLOW for windows, (PMWIN) for the water balance study and sustainable recharge site: Case study of Gurgaon district, Haryana, India. *Int. J. of Appl. or Innovation in Eng. and Manag.* 1(1):72-84.
- Mandal, D. K. 2011. Identification of groundwater potential zone in and around Dehradun using index overlay method. *Cartography of India.* 31 (1):190 196.
- Manikandan, J., Kiruthika, A. M. and Sureshababu. S. 2014. Evaluation of groundwater potential zones in Krishnagiri District, Tamil Nadu using MIF Technique. *Int J. of Innovative Res.in Sci. Eng. and Technol.* 3 (3): 10524-10534.
- Manouchehr, C. and Ali, M. 2015. Evaluation of artificial recharge on groundwater using MODFLOW model (Case study: Gotvand Plain-Iran). *J. of Geoscience and Environ. Protection.* 3: 122-132.
- Magesh, N. S., Chandrasekar, N. and Soundranayagam, J. P. 2012. Delineation of groundwater potential zones in Theni district, Tamil Nadu, using remote sensing, GIS, and MIF techniques. *Environ. Earth Sci.* 66 (8): 2313–2327.
- Mayilvaganan, M. K. and Naidu, K. B. (2011). ANN and Fuzzy Logic Models for the prediction of groundwater level of a watershed. *Int. J. on Computer Sci.and Eng.* 3(6):2523-2530.

- Mengistu, T. D., Moon, I. C., Sun, W. C., Yifru, B. A. and Kim, M. G. 2019. Challenges and Prospects of Advancing Groundwater Research in Ethiopian Aquifers: A Review. *Sustainability*. 13 (20): 11500.
- Mondal, M. S., Pandey, A. C. and Garg, R. D. 2008. Groundwater prospects evaluation based on hydro-geomorphological mapping using high resolution satellite images: a case study in Uttarakhand. *J. of the Indian Society of Remote Sensing*. 36(1):69–76.
- Mohanty, S. and Behra, B. 2010. Artificial Neural Network modeling for groundwater level forecasting in a River Island of Eastern India. *Water Res. Manag.* 24(9):1845-1865.
- Mondal, N. C., Singh, V. P. and Sankaran, S. 2011. Groundwater flow model for a Tannery Belt in Southern India. *J. of Water Res. and Protection*. 3:85-97.
- Muller, T., Mauro, F., Stuart, N. L. and Bettina, S. 2022. Hydrogeomorphology changes in groundwater availability at Otemma glacier, Swiss Alps. *The Cryosphere*. 19 (1): 423-458.
- Mustafa, J. S. and Mawlood, D. K. 2024. Mathematical modelling for groundwater management for multilayers aquifers (Erbil basin). *Ain Shams Eng. J.* 15 (7): 1-15.
- Nag, S. K. 2005. Application of remote sensing, GIS and multi-criteria analysis for delineation of groundwater potential zones. *J. of the Geol. Soc. of India*. 91(4): 456–466.
- Nag, S. K. 2018. Application of remote sensing, GIS and multi-criteria analysis for delineation of groundwater potential zones. *J. of the Geol. Soc. of India*. 91(4): 456–466.
- Naveenkumar., Soraganvi, V. S. and Hooli, S. S. 2015. Groundwater potential mapping in a part of Malaprabha River Basin using Remote Sensing data and Geographic Information System (GIS). *J. of Environ. and Earth Sci.* 5(5):41-47.

- Ndatuwong, L. G. and Yadav, G. S. 2014. Morphometric analysis to infer the hydrogeological behavior in part of Sonbhadra District, Uttar Pradesh, India, using Remote Sensing and GIS Technique. *Int. J. of Remote Sensing and GIS*. 3 (1):1-7.
- Needhidasan, S. and Nallanathel, M. 2013. Application of visual MODFLOW and GIS in groundwater modeling. *Int. J. of Civil Eng.* 2(3):41-50.
- Nguyen, T. H., Pham, L. V. and Le, D. N. 2025. Impact of land-use change and abstraction on groundwater recharge in a deltaic aquifer: A Visual MODFLOW Flex simulation. *J. of Hydrol.* 55: 102-118.
- Nyakundi, R., Nyadawa, M. and Mwangi, J. 2022. Effect of Recharge and Abstraction on Groundwater Levels. *Civil Engg. J.* 8(5): 910-925.
- Patil, S. G. and Mohite, N. M. 2014. Identification of groundwater recharge potential zones for a watershed using Remote Sensing and GIS. *Int. J. of Geomatics and Geosciences*. 4(3):485-498.
- Praseeja, A. V. and Younous. S. 2024. Monitoring of ground water level fluctuation in Chittur, Palakkad. *Int. J. of Energy and Water Res.* 9: 1-18.
- Prasad, R. K., Mondal, N. C., Banerjee, P., Nandakumar, M. V. and Singh, V. S. 2020. Deciphering potential groundwater zones in hard rock terrain using integrated remote sensing and GIS techniques. *Hydrogeo. J.* 28 (1): 153–171.
- Prayag, A. G., Zhou, Y., Veena, S., Tibor, S. and Andres, V. 2023. Assessing the impact of groundwater abstractions on aquifer depletion in the Cauvery Delta, India. 279: 108191.
- Pradosh, A. M. and Jagadish, U. S. 2019. Morphometric analysis of Suketi river basin, Himachal Himalaya, India. *J. of Earth System Sci.* 1237:1501-1515.

- Rao, K. S., Rao, S. and Babu, G. 2009. Influence of hydrogeomorphology on groundwater. *Environ. Earth Sci.* 4 (2): 771–789.
- Rao, G. T., Rao, V. V. and Babu, G. S. 2019. Evaluation of groundwater potential zones using remote sensing and GIS: A case study from the Southern Peninsular India. *Modeling Earth Systems and Environ.* 5 (4): 1613–1625.
- Raju, S. G. 2012. Delineation of groundwater prospects zones in and around Kadiri, Anathapur District, Andhra Pradesh, India. *Int. J. of Geomatics and Geosciences.* 2(3):759-769.
- Ramu, K., Mahalingam, B. and Vinay, M. 2014. Identification of groundwater potential zones using GIS and Remote Sensing Techniques: A case study of Mysore Taluk–Karnataka. *Int. J. of Geomatics and Geosciences.* 5(3):393-403.
- Radhakrishnan, D. and Ramamoorthy. P. 2014. Delineation of groundwater recharge potential zones in Mailam Block, Villupuram district, using GIS. *Int. J. of Water Res.* 2(2):71-75.
- Raviraj, A., Nimmi, K. and Balaji, K. 2017. Identification of potential groundwater recharge zones using RS and GIS in Amaravathy basin. *J. of Remote Sensing.* 6 (4): 1-10.
- Rajasekhar, M., Rao, V. V. and Reddy, R. S. 2022. GIS-based delineation of groundwater potential zones in crystalline terrain of southern India using analytic hierarchy process. *Sustainable Water Res. Manage.* 8(2): 44.
- Rajaveni, S. P., Brindha, K. and Elango, L. 2017. Geological and geomorphological controls on groundwater occurrence in a hard rock region. *Appl. Water Sci.* 7: 1377–1389.

- Reinecke, R., Stephan, R. and Oldrich, R. 2020. Uncertainty of simulated groundwater recharge at different spatial scales. *Hydrol. and Earth System Sci.* 25(2): 787–803.
- Reddy, V. R., Arjun, R. and Sandeep, R. 2021. Groundwater depletion and management strategies in hard rock regions of peninsular India. *Hydro Research.* 4: 77–88.
- Rehman, S., Bikshu, H. and Raja, K. 2024. Numerical simulation of groundwater flow under intensive pumping conditions using MODFLOW. *Hydrol. Sci. J.* 67(5): 683–696.
- Sadeak, S., Farzana, Z. M., Tareq, C. Alam, J. Md. and Mia. Md. B. 2023. Prioritizing geochemical drivers of groundwater quality and health risks in coastal aquifers of Bangladesh using machine learning algorithms. *Environ. Geochem. Health.* 49: 493-513.
- Saha, D. and Roy, R. K. 2019. Groundwater resources of India: potential, challenges and management: Issues and challenges in South Asia. DOI: 10.1007/978-3-319-75115-3\_2.
- Saha, D., Kisku, G. C. and Kumar, S. 2020. GIS-based groundwater potential mapping and validation through MODFLOW modeling in alluvial aquifer systems. *Hydrogeo. J.* 28 (8): 2593–2607.
- Sajeena, S. and Kurien, E. K. 2019. Studies on groundwater resources using Visual MODFLOW – A case study of Kadalundi river basin, Malappuram, Kerala. *Ind. J. of Soil Conserv.* 47(1): 21-29.
- Sandeep, K., Prasad, R. and Sharma, M. 2023. An action plan for protection and sustainable management of urban groundwater resources using numerical modeling approaches. *J. of Water Res. Manage.* 37(4): 785–799.

- Sarala. 2013. Identification of groundwater prospects in the Khammam district. *Int. J. of Appl. Sci. and Eng. Res.* 2(2):146-159.
- Sarup, J., Tiwari, M. K. and Khatediya, V. 2011. Delineate groundwater prospect zones and identification of artificial recharge sites using geospatial technique. *Int. J. of Adv. Technol. and Eng. Res.* 1(1):6-13.
- Saranya, K. and Elango, L. 2022. Artificial recharge for groundwater sustainability: Modeling and management perspectives. *Environ. Monitoring and Assess.* 194(4): 259.
- Sarkar, M., Rasmi, S. N. and Sivapullaiah, P. V. 2024. Groundwater flow modeling of Palla floodplain aquifers, Delhi, India. *Asian J. of Water, Environ. and Pollution.* 1(1-2):65-77.
- Sethupathi. A. S, Lakshmi, N. C., Vasanthamohan, V. 2012. Evaluation of hydrogeomorphological landforms and lineaments using GIS and Remote Sensing techniques in Bargur – Mathur subwatersheds, Ponnaiyar River basin, India. *Int. J. of Geomatics and Geosciences.* 3(1): 21-32.
- Sedhuraman, M., Revathy, S. S. and Suresh, B. S. 2014. Integration of geology and geomorphology for groundwater assessment using Remote Sensing and GIS Techniques. *Int. J. of Innovative Res. in Sci., Eng. and Technol...* 3 (3):10203-10211.
- Shah, R. A., Ahmad, S., Dar, F. A., and Rashid, I. 2019. Hydrogeomorphological mapping using geospatial techniques for groundwater potential assessment in the Rambiarra river basin, India. *Appl. Water Sci.* 9(6): 130.
- Shaji, E., Gómez-Alday, J. J., Hussein, S., Deepu, T. R. and Anilkumar, Y. 2018. Salinization and Deterioration of Groundwater Quality by Nitrate and Fluoride in the Chittur Block, Palakkad, Kerala. *J. of Geological Soc. of India*, 92(3), 337–345.

- Shamshudda, S., Nath, S. K. and Roy, J. 2010. Groundwater potential modeling in a soft rock area using a MODFLOW. *Int. J. of Remote Sensing*. 21:1919-1924.
- Silmani, R., Anup Kumar and Chakarvarti, S. K. 2014. Remote Sensing and GIS approach for groundwater potential mapping in Mewat District, Haryana, India. *Int. J. of Innovative Res. in Adv. Eng.* 1(11):106-109.
- Singh, R. K. and Patel, D. 2025. Integrated SWAT–MODFLOW modeling for evaluating recharge–abstraction dynamics in the Sabarmati Basin, India. *Environ. Earth Sci.* 84 (6): 771–789.
- Singh, A. K., Tiwari, R. N. and Mahato, M. K. 2017. Assessment of groundwater potential zones using remote sensing, GIS and modeling approach in hard rock terrain. *Environ. Earth Scis.* 76(5): 217.
- Singha, S., Verma, M. K. and Singh, S. 2016. Application of GIS and MODFLOW to ground water hydrology- A review. *Int. J. of Engg. and Res. and Applications.* 6(1): 36-42.
- Sitender and Rajeshwari. 2011. Delineation of groundwater potential zones in Mewat District, Haryana, India. *Int. J. of Geomatics and Geosciences.* 2(1):270-281.
- Singh, A. K., Tiwari, R. N. and Mahato, M. K. 2017. Assessment of groundwater potential zones using remote sensing, GIS and modeling approach in hard rock terrain. *Environ. Earth Sci.* 76 (5): 12-17.
- Sosa, J. I. M., Grisel, A., Gutierrez, A. and Rogelio, M. F. 2022. Hydrogeomorphologic mapping of the Transboundary San Pedro Aquifer: A tool for groundwater characterization. *Water.* 14 (6): 906.
- Sushant, S., Sharma, A. and Verma, R. 2017. Groundwater model development and parameter sensitivity analysis using Visual MODFLOW. *Environ. Earth Sci.* 76: 150.

- Tariq J., Ahmad, S., Dar, F. A., and Rashid, I. 2023. Hydrogeomorphological mapping as a tool in groundwater exploration. *J. of Maps*. 9(2): 263-273.
- Teixeira, J., Helder, I. C., Jose, M. C., Augusto, P. A. and Fernando, R. 2008. Hydrogeomorphological mapping as a tool in groundwater exploration. *J. of Maps*. 9(2): 263-273.
- Teshome, W. M., Gizaw, B. and Abera, G. 2025. Coupled surface–groundwater modeling to assess recharge–abstraction interactions under semi-arid conditions in eastern Ethiopia. *Hydrol. Processes*. 39(5): e15423.
- Thakur, J. K. and Thomas, M. 2021. Integrated groundwater flow modelling for water resource management in crystalline terrains of southern India. *Hydrol. Sci. J.* 66(6): 1083–1098.
- Varghese, J., Thomas, M. and Raj, V. 2015. Evaluation of recharge and pumping sensitivity in groundwater modeling using Visual MODFLOW. *J. of Hydrol.* 5 (2): 78–88.
- Varghese, A. A., Raikar, R. V. and Purandara, B. K. 2018. Simulation of groundwater levels in Malaprabha Command Area using Visual MODFLOW FLEX. *Int. Res. J. of Eng. and Technol.* 2 (8): 434-440.
- Wang, H., Gao, J., Zhang, M. and Xing, L. 2013. Modeling the Impact of Soil and Water Conservation on Surface and Ground Water Based on the SCS and Visual MODFLOW. *PLOS One*. 12: 14-26.
- Qadir, N., Halaghi, M. M. and Ahmed, A. A. 2016. Numerical simulation of groundwater level using MODFLOW software. *Int. J. of Adv. Biological and Biomedical Res.* 1(8):858-873.
- Qiu, S., Liang, X., Xiao, C., Huang, H., Fang, Z. and Fengchao, L. 2015. Numerical simulation of groundwater flow in a River Valley Basin in Jilin Urban Area, China. *Water*. 7(10):5768-5787.

Yang, Q., Wenxi Lu. and Fang, Y. 2011. Numerical modeling of three dimension groundwater flow, procedia engineering in Tongliao (China). *Int. Conference on Adv. in Eng.* 24: 638 – 642.

Zahra, H. A., Waqed, H. H. and Musa. H. Al. 2025. Integration of MODFLOW and deep learning models for groundwater level prediction. *Results in Eng.* 27: 1-18.