

## CHAPTER VI

### REFERENCES

- Abbaspour, K.C., Vaghefi, S.A., and Srinivasan, R. 2017. A guideline for successful calibration and uncertainty analysis for soil and water assessment: A review of papers from the 2016 International SWAT Conference. *Water*.10(6): 1-18.
- Abdelhamid, M.T., Palta, J.A., Veneklaas, E.J., Atkins, C., Turner, N.C. and Siddique, K.H. 2011. Drying the surface soil reduces the nitrogen content of faba bean (*Vicia faba* L.) through a reduction in nitrogen fixation. *Plant and Soil*. 339:351-362.
- Alam, M.M. and Bhutta, M.N. 2004. Comparative evaluation of canal seepage investigation techniques. *Agric. Water Manag.*, 66(1), pp.65-76.
- Allen, R.G., Pereira, L.S., Raes, D. and Smith, M. 1998. Crop evapotranspiration-Guidelines for computing crop water requirements-FAO Irrigation and drainage paper 56. *Fao, Rome*, 300(9), p.D05109.
- Andersson, J. and Wallace, D. 2002. Pareto optimization using the struggle genetic crowding algorithm. *Eng. Optimization*. 34(6):623-643.
- Arnold, J.G., Srinivasan, R.S., Muttaiah, R.S., and Williams, J.R. 1998. Large area hydrologic modelling and assessment Part I: model development. *J. of Am. Water Resour. Assoc.* 34(1): 73-89.
- Assaf, A.T., Sayl, K.N., and Adham, A. 2021. August. Surface water detection method for water resources management. *Int J. of Physics: Conference Series*. IOP Publishing. 1973. 49
- Bai, G. E. and Rema, K.P. 2020. Conjunctive water management model for a multi crop irrigation command. PhD (Department of Irrigation and Drainage Engineering) thesis, Kerala Agricultural University, Thrissur, 12-104.

- Banerjee, A. and Dawn, D.S. 2020. Preparation of Crop Calendar on Mangalbari Town under Matiali Block, Jalpaiguri District. *Agriculture J. IJOEAR* 6(12):10.
- Bakiev, M. and Khasanov, K. 2021. Comparison of digital elevation models for determining the area and volume the water reservoir. *Int. J. of Geoinformatics*. 17(1): 37-45.
- Bejranonda, W., Koch, M., and Koontanakulvong, S. 2013. Surface water and groundwater dynamic interaction models as guiding tools for optimal conjunctive water use policies in the central plain of Thailand. *Environ. Earth Sci.* 70:2079-2086.
- Bouwer, H. 1969. Theory of seepage from open channels. In *Advances in hydroscience*, ed.121–172. New York and London: Academic Press.
- Briones, L. and Escola, J.M. 2019. Application of the Microsoft Excel Solver tool in the solution of optimization problems of heat exchanger network systems. *Educ. for Chem. Eng.* 26:41-47.
- Cancelliere, A., Giuliano, G., Ancarani, A., and Rossi, G. 2002. A neural networks approach for deriving irrigation reservoir operating rules. *Water Resour. Manag.* 16: 71-88.
- Chang, J., Kan, Y., Wang, Y., Huang, Q., and Chen, L. 2017. Conjunctive operation of reservoirs and ponds using a simulation-optimization model of irrigation systems. *Water Resour. Manag.* 31: 995-1012.
- Chaturvedi, M.C. and Srivastava, D.K. 1981. Study of a complex water resources system with screening and simulation models. *Water Resour. Res.* 17(4): 783-794.
- Chaves, P. and Kojiri, T. 2007. Deriving reservoir operational strategies considering water quantity and quality objectives by stochastic fuzzy neural networks. *Adv. in Water Resour.* 30(5): 1329-1341.

- Chen, S., Shao, D., Li, X., and Lei, C. 2016. Simulation-optimization modelling of conjunctive operation of reservoirs and ponds for irrigation of multiple crops using an improved artificial bee colony algorithm. *Water Resour. Manag.* 30: 2887-2905.
- Chhuon, K., Herrera, E., and Nadaoka, K. 2016. Application of integrated hydrologic and river basin management modelling for the optimal development of a multi-purpose reservoir project. *Water Resour. Manage.* 30: 3143-3157.
- Chu, T. W. and Shirmohammadi, A. 2004. Evaluation of the SWAT model's hydrology component in the Piedmont physiographic region of Maryland. *Trans. ASAE* 47(4): 1057-1073.
- Cibin, R., Athira, P., Sudheer, K.P., and Chaubey, I. 2014. Application of distributed hydrological models for predictions in ungauged basins: a method to quantify predictive uncertainty. *Hydrological Processes.* 28(4): 2033-2045.
- Crawford, N.H. and Burges, S.J. 2004. History of the Stanford watershed model. *Water Resour. Impact.* 6(2): 3-6.
- Daniel, E.B., Camp, J.V., LeBoeuf, E.J., Penrod, J.R., Dobbins, J.P., and Abkowitz, M.D. 2011. Watershed modelling and its applications: A state-of-the-art review. *The Open Hydrol. J.* 5(1).
- Deb, K., Pratap, A., Agarwal, S., and Meyarivan, T.A.M.T. 2002. A fast and elitist multi objective genetic algorithm: NSGA-II. *IEEE transactions on evolutionary computation*, 6(2), pp.182-197.
- Devia, G.K., Ganasri, B.P. and Dwarakish, G.S., 2015. A review on hydrological models. *Aquatic Procedia.* 4, pp.1001-1007.
- Dhar, A. and Datta, B. 2008. Optimal operation of reservoirs for downstream water quality control using linked simulation optimization. *Hydrological Processes: An Int. J.* 22(6): 842-853.
- Dhillon, G. S. 1967. Estimation of seepage losses from lined channels. *Indian J. of Power and River Valley Dev.* 17: 16-20.

- Dixon, J.A. and Lal, P.N. 1997. The management of coastal wetlands: economic analysis of combined ecologic-economic systems. *The Environ. and Emerging Develop.* 2: 399-424.
- Dugan, P. J. 1990. *Wetland Conservation: A Review of Current Issues and Required Action*. Gland, Switzerland: IUCN, The World Conservation Union. 120-406.
- Engel, B.A., Srinivasan, R., Arnold, J., Rewerts, C., and Brown, S.J. 1993. Nonpoint source (NPS) pollution modelling using models integrated with geographic information systems (GIS). *Water Sci. and Technol.* 28(5): 685-690.
- El-Molla, D.A. and El-Molla, M.A. 2021. Reducing the conveyance losses in trapezoidal canals using compacted earth lining. *Ain Shams Eng. J.* 12(3): 2453-2463.
- El-Molla, D.A. and El-Molla, M.A. 2022. Estimation of seepage losses in trapezoidal canals using compacted earth lining. *Ain Shams Eng. J.* 12(3): 353-383.
- Eshetu, B.D. and Alamirew, T. 2018. Estimation of seepage loss in irrigation canals of Tendaho sugar estate, Ethiopia. *Irrig. Drain. Syst. Eng.* 7 (3): 220.
- Fattah, M. Y., Omran, H. A., and Hassan, M. A. 2015. Behaviour of an earth dam during rapid drawdown of water in reservoir – Case Study. *Int. J. of Adv. Res.* 3(10): 110–122.
- Fernández-Enrriquez, A., Pérez-Cayeiro, M.L., and Anfuso, G. 2022. GIS modelling to climate change adaptation by reducing evaporation in water reservoirs: smart location technique of minimal evaporation reservoirs (gis-mer). *Sustainability.* 14(21): 13822.
- Gangwar, A., Nayak, T.R., Singh, R.M., and Singh, A. 2017. Estimation of crop water requirement using CROPWAT 8.0 model for Bina command, Madhya Pradesh. *Indian J. of Ecol.* 44(4):71-76.
- Gassman, P.W., Reyes, M.R., Green, C.H., and Arnold, J.G. 2007. The soil and water assessment tool: historical development, applications, and future research directions. *Transactions of the ASABE.* 50(4): 1211-1250.

- Green, W.H. and Ampt, G. 1911. Studies on soil physics: 1. The flow of air and water through soils. *The J. of Agric. Sci.* 4: 1-24.
- Hagos, Y.G., Andualem, T.G., Mengie, M.A., Ayele, W.T., and Malede, D.A. 2022. Suitable dam site identification using GIS-based MCDA: a case study of Chemoga watershed, Ethiopia. *Appl. Water Sci.* 12(4): 69.
- Hameed, A. 1975. Fertility investigations in the kole soils of Kerala. *M. Sc (Agri) thesis, college of Agriculture Vellayani.*
- Hargreaves, G.H. and Samani, Z.A. 1985. Reference crop evapotranspiration from temperature. *Appl. Eng. in Agricul.* 1(2): 96-99.
- Harisankar, O.P., Joseph, S., Sathian, K.K., Joseph, A. and Jayan, P.R., 2023. Techno Economic Assessment of Axial Flow Pumps in Thrissur Kole Lands. *Current J.I of Appl. Sci. and Technol.* 42(5): 19-28.
- Heuvelmans, G., Muys, B. and Feyen, J., 2004. Evaluation of hydrological model parameter transferability for simulating the impact of land use on catchment hydrology. *Phys. Chem. Earth.* 29: 739–747.
- Hossain, F., Akter, S., and Ahshan, A. 2018. Digital elevation modelling of Saint Martin Island, Bangladesh: a method based on open source Google Earth data. *Int. J. Adv. Res.* 6(2): 379-389.
- International Commission on Irrigation and Drainage (ICID). 1968. *Controlling Seepage Losses from Irrigation Canals: World-Wide Survey.*45:12.
- Irvem, A. 2020. Pixel size effects on dam water storage capacity estimation using GIS: Case study of Buyuk Karacay Dam, Turkey. *Fresenius Environ. Bull.* 29: 6338-6348.
- Iqbal, Z., MacLean, R.T., Taylor, B.D., Hecker, F.J., and Bennett, D.R. 2002. Seepage losses from irrigation canals in southern Alberta. *Canadian Biosystems Eng.* 44(1): 21-27.

- Jain, S.K., Tyagi, J. and Singh, V. 2010. Simulation of Runoff and Sediment Yield for a Himalayan Watershed Using SWAT model. *J. Water Resour. and Prot.* 2: 276- 281.
- Jamel, A. 2016 Analysis and estimation of downward seepage from lining and unlining triangular open channel. *Eng. Tech J.* 34:215-265.
- Johnkutty. I. and Venugopal, V.K. 1993. *Kole Lands of Kerala*. Kerala Agriculture University, Thrissur. 1-2.
- Johnson, E.G., Kathman, A.D., Hochmuth, D.H., Cook, A.L., Brown, D.R., and Delaney, W.F. 1993. December. Advantages of genetic algorithm optimization methods in diffractive optic design. In *Diffractive and Miniaturized Optics: A Critical Review*. 10271: 56-76.
- Kandel, D.D., Western, A.W., Grayson, R.B., and Turrall, H.N. 2004. Process parameterization and temporal scaling in surface runoff and erosion modelling. *Hydrological Processes* 18(8): 1423-1446.
- Karamouz, M. and Kerachian, R. 2004. Optimal operation of reservoir systems considering the water quality: application of stochastic sequential genetic algorithms. In *Critical Transitions in Water and Environ. Resour. Manag.* 35: 1-10.
- Khojiakbar, K., Masharif, B., Jamshid, C., Aziz, J., and Azat, K. 2019. Water reservoir area and volume determination using geoinformation technologies and remote sensing. *Methods*. 16: 17.
- Knežević, M., Perović, N., Zivotic, L., Ivanov, M., and Topalović, A. 2013. Simulation of winter wheat water balance with CROPWAT and ISAREG models. *Agric. and For.* 59(1): 41-53.
- Koutsoyiannis, D. and Economou, A. 2003. Evaluation of the parameterization-simulation-optimization approach for the control of reservoir systems. *Water Resour. Res.* 39(6).

- Kraatz, D.B. 1977. Irrigation canal lining. FAO Land and Water Development Series. No. 1. Food and Agricultural Organization (FAO) of the United Nations, Rome. 199.
- Kuo, S.F., Lin, B.J., and Shieh, H.J. 2001. CROPWAT model to evaluate crop water requirements in Taiwan. *International Commission on Irrigation and Drainage*.12:45
- Kumar, S., Pavelic, P., George, B., Venugopal, K., and Nawarathna, B. 2013. Integrated modelling framework to evaluate conjunctive use options in a canal irrigated area. *J. of Irrig. and Drain. Eng.* 139(9): 766-774.
- Kushwaha, A. and Jain, M.K. 2013. Hydrological simulation in a forest dominated watershed in Himalayan region using SWAT model. *Water Resour. Manag.* 27: 3005-3023.
- Labadie, J.W. 2004. Optimal operation of Multi reservoir systems: State-of-the-art review. *J. of Water Resour. Planning and Manag.* 130(2): 93-111.
- Latif, S.D., Ahmed, A.N., Sherif, M., Sefelnasr, A., and El-Shafie, A. 2021. Reservoir water balance simulation model utilizing machine learning algorithm. *Alexandria Eng. J.* 60(1): 1365-1378.
- Lawrence, P. and Lo Cascio, A. 2004. Sedimentation in Small Dams. Hydrology and Drawdown Computations. Report OD TN 119. Rev 0.0. January 2004. HR Wallingford, UK
- Leigh, E. 2014. Evaluation of methods for predicting seepage loss rates for the hard-lined irrigation canals of the Lower Rio Grande Valley of Texas (Doctoral dissertation).
- Liu, Y., Xu, S., Zhu, T., and Wang, T. 2020. Application of multi-source data fusion method in updating topography and estimating sedimentation of the reservoir. *Water.* 12(11): 3057.

- Luo, Y., Su, B., Yuan, J., Li, H., and Zhang, Q. 2011. GIS techniques for watershed delineation of SWAT model in plain polders. *Procedia Environ. Sci.* 10: 2050-2057.
- Ma, L., Ahuja, L.R., Nolan, B.T., Malone, R.W., Trout, T.J., and Qi, Z. 2012. Root zone water quality model (RZWQM2): Model use, calibration, and validation. *Transactions of the ASABE.* 55(4): 1425-1446.
- Malik, M.K. and Karim, I.R. 2020. November. Seepage and slope stability analysis of Haditha Dam using Geo-Studio Software. In IOP conference series: materials science and *Eng.* (Vol. 928, No. 2, p. 022074). IOP Publishing.
- Maass, A., Hufschmidt, M.M., Dorfman, R., Thomas, Jr, H.A., Marglin, S.A., and Fair, G.M. 1962. *Design of water-resource systems: New techniques for relating economic objectives, Eng. analysis, and governmental planning.* Harvard University Press.
- Mac Lean, A. 2005. Statistical evaluation of WATFLOOD. [on-line]. Available: [http://www.civil.uwaterloo.ca/watflood/downloads/stats\\_users\\_manual.pdf](http://www.civil.uwaterloo.ca/watflood/downloads/stats_users_manual.pdf) [17 Nov.2017].
- Malagao, A., Liliana, P., Faycal, B., and Marco, F. 2015. Comparing calibrated sets of the SWAT model for the Scandinavian and Iberian peninsulas. *Hydrol. Sci. J.* 60(5): 949-967.
- Martin, A. 2000. An integrated introduction to spreadsheet and programming skills for operational research students. *J. of the Operational Res. Soc.* 51(12): 1399-1408.
- Me, W., Abell, J.M., and Hamilton, D.P. 2015. Effects of hydrologic conditions on SWAT model performance and parameter sensitivity for a small, mixed land use catchment in New Zealand. *Hydrol. and Earth System Sci.* 19(10): 4127-4147.
- Mehmood, K., Patel, A., Singh, V., Prajapati, S., Kalubarme, M.H., Prakash, I. and Gupta, K.P. 2014. Submergence Analysis Using Geo-Informatics



- Technology for Proposed Dam Reservoirs of Par-Tapi-Narmada River Link Project, Gujarat State, India. *International J. of Geosciences*. 25(2):45-58.
- Menon, M., Mohanraj, R., Joemon, V.B., and Akhil, P. 2023. Bioaccumulation of heavy metals in a gastropod species at the Kole wetland agroecosystem, a Ramsar site. *J. of Environ. Manag.* 329(1):117.
- Mitsch, W.J. and Gosselink, J.G. 2000. The value of wetlands: importance of scale and landscape setting. *Ecolog. Econo.* 35(1):25-33.
- Mohammadiyah, N. M., Sohrabi, T., and Rahimi, H. 2010. Evaluation of experimental methods for determination of leakage in earthen channels (case study: Ghazvin plain). *Iran. J. Water Res.* 4 (7): 125–128
- Mohan, S. and Jothiprakash, V. 2003. Development of priority-based policies for conjunctive use of surface and groundwater. *Water Int.* 28(2): 254-267.
- Mohanty, S., Panda, R. K., and Sahoo, B. 2003. Estimation of Canal Storage in Mahanadi Delta Using Trapezoidal Rule." *J. of Irri. and Drain. Eng.* 129(3): 220-227.
- Monteith, J.L. 1965. Evaporation and environment. In *Symposia of the society for experimental biology* (Vol. 19, pp. 205-234). Cambridge University Press (CUP) Cambridge.
- Moharrami, A., Hassanzadeh, Y., Salmasi, F., Moradi, G., and Moharrami, G. 2014. Performance of the Horizontal Drains in Upstream Shell of Earth Dams on the Upstream Slope Stability during Rapid Drawdown Conditions. *Arabian J. of Geosciences*. 7(5): 1957–1964.
- Moradkhani, H. and Sorooshian, S. 2008. *General review of rainfall-runoff modelling: model calibration, data assimilation, and uncertainty analysis* (pp. 1-24). Springer Berlin Heidelberg.
- Moriasi, D.N., Arnold, J.G., Van Liew, M.W., Bingner, R.L., Harmel, R.D., and Veith, T.L. 2007. Model evaluation guidelines for systematic quantification

- of accuracy in watershed simulations. *Transactions of the ASABE*, 50(3), pp.885-900.
- Nair, A.S.K and G. Sankar 2002. Wetlands of Kerala. Wetland conservation and management in Kerala . *Water Resour. Manag.*17-26.
- Nameer, P. O. 2002. Kole Wetlands- An Internationally Important Wetland in Peril. *Proc. of the Fourteenth Kerala Sci. Congress.* 29-31: 627-630.
- Nalbantis, I. and Koutsoyiannis, D. 1997. A parametric rule for planning and management of multiple-reservoir systems. *Water Resour. Res.* 33(9): 2165-2177.
- Nayar, S. and Nayar, N.M. 1997. Wetlands. *The natural resources of Kerala.* WWF State Office, Trivandrum, Kerala.
- Neelakantan, T.R. and Pundarikanthan, N.V. 1999. Hedging rule optimisation for water supply reservoirs system. *Water Resour. Manag.*13: 409-426.
- Neitsch, S.L., Arnold, J.G., Kiniry, J.R., and Williams, J.R. 2009. *Soil and Water Assessment Tool- theoretical documentation version 2009.* Texas Water Resources Institute Technical Report No.406, Texas A&M University System College Station, Texas.
- Neitsch, S.L., Arnold, J.G., Kiniry, J.R. and Williams, J.R. 2011. Soil and water assessment tool theoretical documentation Version 2009. Technical report No.406, Texas Water Resources Institute.
- Nikhil, P.P. and Azeez P.A. (2009). Real Estate and Agricultural Wetlands in Kerala *Economic and Political Weekly.* 44: 63-66.
- Nourani, V., Rouzegari, N., Molajou, A., and Baghanam, A.H. 2020. An integrated simulation-optimization framework to optimize the reservoir operation adapted to climate change scenarios. *J. of Hydrol.* 587:125018.

- Orellana, B., Pechlivanidis, I.G., McIntyre, N., Wheeler, H.S., and Wagener, T. 2008. A toolbox for the identification of parsimonious semi-distributed rainfall-runoff models: Application to the Upper Lee catchment.
- Peralta, R.C. and Shulstad, R. 2004. Optimization modelling for groundwater and conjunctive use water policy development.
- Priestley, C.H.B. and Taylor, R.J. 1972. On the assessment of surface heat flux and evaporation using large-scale parameters. *Mon. Weather Rev.* 100(2): 81-92.
- Rajib, A., Evenson, G.R., Golden, H.E., and Lane, C.R. 2018. Hydrologic model predictability improves with spatially explicit calibration using remotely sensed evapotranspiration and biophysical parameters. *J. of Hydrol.* 567: 668-683.
- Raaj, S., Gupta, V., Singh, V. and Shukla, D.P., 2024. A novel framework for peak flow estimation in the Himalayan river basin by integrating SWAT model with machine learning based approach. *Earth Sci. Informatics.* 17(1):211-226.
- Ralph, C.J. 1993. *Handbook of field methods for monitoring landbirds* (Vol. 144). Pacific Southwest Research Station.
- Randall, D., Cleland, L., Kuehne, C.S., Link, G.W.B., and Sheer, D.P. 1997. Water supply planning simulation model using mixed-integer linear programming “engine”. *J. of Water Resour. Planning and Manag.* 123(2): 116-124.
- Rani, D., Jain, S.K., Srivastava, D.K., and Perumal, M. 2013. Genetic algorithms and their applications to water resources systems. *Metaheuristics in water, geotechnical and transport Eng.*, 43.
- Rouholahnejad, E., Abbaspour, K.C., Srinivasan, R., Bacu, V., and Lehmann, A. 2014. Water resources of the Black Sea Basin at high spatial and temporal resolution. *Water Resour. Res.*, 50(7), pp.5866-5885.

- Rusli, N. and Majid, M.R. 2012. Digital Elevation Model (DEM) Extraction from Google Earth: a Study in Sungai Muar Watershed. AGSE 2012–FOSS4G-SEA, p.24.
- Saavedra, C. and Mannaerts, C.M. 2005. Erosion estimation in an Andean catchment combining coarse and fine resolution satellite imagery. In *Proceedings of the 31st Int. Symposium on Remote Sensing of Environment: global monitoring for sustainability and security*.
- Safavi, H.R., Darzi, F. and Mariño, M. A. 2010. Simulation-optimization modelling of conjunctive use of surface water and groundwater. *Water Resour. Manag.* 24: 1965-1988.
- Sahoo, S. 2013. Assessing hydrological modelling of Bandu River Basin, West Bengal (India). *Int. J. Remote Sens. Geosci.* 2(5).
- Salmasi, F. and Abraham, J. 2020. Predicting seepage from unlined earthen channels using the finite element method and multi variable nonlinear regression. *Agric. Water Manage.* 234: 106148.
- Saltelli, A., Tarantola, S., and Campolongo, F. 2000. Sensitivity analysis as an ingredient of modeling. *Statistical Sci.* 377-395.
- Sarki, A., Memon, S.Q., and Leghari, M. 2008. Comparison of different methods for computing seepage losses in an earthen watercourse. *Agricultura Tropica et Subtropica.* 41(4): 197-205.
- Sawunyama, T.E.N.D.A.I. 2005. Estimation of small reservoir storage capacities in Limpopo Basin using geographical information systems (GIS) and remotely sensed surface areas: A case of Mzingwane Catchment (Doctoral dissertation, University of Zimbabwe).
- Schmidt, E. and Zemadim, B. 2014. Hydrological modelling of sustainable land management interventions in the Mizewa watershed of the Blue Nile Basin.

- Schuol, J. and Abbaspour, K.C. 2007. Using monthly weather statistics to generate daily data in a SWAT model application to West Africa. *Ecological Modelling*, 201(3-4):301-311.
- Schuol, J., Abbaspour, K.C., Srinivasan, R., and Yang, H. 2007. Taking the step from a large-scale hydrological model (West-Africa) to a continental model (Africa). In *4th Int. SWAT Conference. Delft, The Netherlands, UNESCOIHE*.
- Scott, D. A. 1989. Design of wetland data sheet for database on Ramsar sites. Gland, Switzerland: Ramsar Convention Bureau. Mimeo.
- Setegn, S.G., Srinivasan, R., and Dargahi, B. 2008. Hydrological modelling in the Lake Tana Basin, Ethiopia using SWAT model. *The Open Hydrol. J.* 2(1).
- Shen , Z.Y., Gong, Y.W., Li, Y.H., Hong, Q., Xu, L. and Liu, R.M. 2009. A comparison of WEPP and SWAT for modelling soil erosion of the Zhangjiachong watershed in the Three Gorges reservoir area. *Agric. Water Manag.* 96(10):1435–1442. doi:10.1016/j.agwat.2009.04.017.
- Shoemaker, L., Dai, T., Koenig, J., and Hantush, M. 2005. *TMDL model evaluation and research needs*. Washington, DC, USA: National Risk Management Research Laboratory, US Environmental Protection Agency.
- Shourian, M., Mousavi, S.J., and Tahershamsi, A. 2008. Basin-wide water resources planning by integrating PSO algorithm and MODSIM. *Water Resour. Manag.* 22: 1347-1366.
- Simonovic, S.P., Fahmy, H., and El-Shorbagy, A. 1997. The use of object-oriented modelling for water resources planning in Egypt. *Water Resour. Manag.* 11: 243-261.
- Sivaperuman, C. and Jayson, E.A. 2000. Birds of kole wetlands, Thrissur, Kerala. *Zoos'print J.* 15(10):344-349.

- Spruill, C.A., Workman, S.R., and Taraba, J.L. 2000. Simulation of daily and monthly stream discharge from small watersheds using the SWAT model. *Transactions of the ASAE*. 43(6): 1431-1439.
- Singh, V.P. and Woolhiser, D.A. 2002. Mathematical modelling of watershed hydrology. *J. of Hydrologic Eng.* 7(4): 270-292.
- Singh, V.P. and Frevert, D.K. 2002. *Mathematical models of large watershed hydrology*. Water Resources Publication.
- Singh, A., Imtiyaz, M., Isaac, R.K., and Denis, D.M. 2012. Hydrological process modelling using RBNN-A neural network computing technique. *J. of Agric. Eng.* 49(2): 27-32.
- Singh, V.P. 2018. Hydrologic modelling: progress and future directions. *Geoscience Letters*. 5(1): 1-18.
- Solomon, E. S. 2014. Effect of clay-concrete lining on canal seepage towards the drainage region - an analysis using Finite-Element method. *Constr Mater Struct*. 1331–41. doi: <https://doi.org/10.3233/978-1-61499-466-4-1331>.
- Stehr, A., Patrick, D., Francisco, R., and Hernan, A. 2008. Hydrological modelling with SWAT under conditions of limited data availability: Evaluation of results from a Chilean case study. *Hydrol. Sci. J.* 53(3): 588-602
- Suiadee, W. and Tingsanchali, T. 2007. A combined simulation–genetic algorithm optimization model for optimal rule curves of a reservoir: a case study of the Nam Oon Irrigation Project, Thailand. *Hydrological Processes: An Int. J.* 21(23): 3211-3225.
- Surendran, U., Sushanth, C.M., Mammen, G., and Joseph, E.J. 2017. FAO-CROPWAT model-based estimation of crop water need and appraisal of water resources for sustainable water resource management: Pilot study for Kollam district–humid tropical region of Kerala, India. *Current Science*, pp.76-86.

- Tejada-Guibert, J.A., Johnson, S.A., and Stedinger, J.R. 1993. Comparison of two approaches for implementing multi-reservoir operating policies derived using stochastic dynamic programming. *Water Resour. Res.* 29(12): 3969-3980.
- Tejaswini, V. and Sathian, K.K. 2018. Calibration and validation of SWAT model for Kunthipuzha basin using SUFI2 algorithm. *Int. J. of Curr. Microbiol. and Appl. Sci.* 7(1): 2162-2172.
- Terzaghi, K., Peck, R.B., and Mesri, G. 1996. Soil mechanics in engineering practice. John wiley & sons.
- Tibebe, M., Melesse, A.M., and Hailu, D. 2016. Rainfall-runoff relation and runoff estimation for Holetta river, Awash sub basin, Ethiopia using SWAT model. *Int. J. of water Resour. and Environ. Eng.* 9(5): 102-112.
- Tuppad, P., Douglas-Mankin, K.R., Lee, T., Srinivasan, R., and Arnold, J.G. 2011. Soil and Water Assessment Tool (SWAT) hydrologic/water quality model: Extended capability and wider adoption. *Transactions of the ASABE*, 54(5): 1677-1684.
- Trivedi, A., Pyasi, S.K., and Galkate, R.V. 2018. Estimation of evapotranspiration using CROPWAT 8.0 model for Shipra river basin in Madhya Pradesh, India. *Int. J. Curr. Microbiol. App. Sci.* 7(05): 1248-1259.
- Trivedi, A., Awasthi, M.K., Gautam, V.K., Pande, C.B. and Din, N.M. 2024. Evaluating the groundwater recharge requirement and restoration in the Kanari river, India, using SWAT model. *Environ. Develop. and Sustain.* 26(6):15067-15092.
- Vikhe, S.D. and Patil, K.A. 2014. State of the art of land use planning using remote sensing and GIS. *IOSR J. of Mechanical and Civil Eng.* 11(5): 41-47.
- Van Griensven, A.V., Meixner, T., Grunwald, S., Bishop, T., Diluzio, M., and Srinivasan, R. 2006. A global sensitivity analysis tool for the parameters of multi-variable catchment models. *J. of Hydrol.* 324(1-4):10-23.

- Varughese, A. 2016. Impact of climate change and watershed development on river basin hydrology using SWAT- A case study, Ph.D. (Ag. Eng.) thesis, Kerala Agricultural University, Thrissur, 1-120p
- Vedula, S., Mujumdar, P.P., and Sekhar, G.C. 2005. Conjunctive use modelling for multicrop irrigation. *Agric. Water Manag.* 73(3): 193-221.
- Wachyan, E. and Rushton, K.R. 1987. Water losses from irrigation canals. *J. Hydrol.* 92(3-4): 275-288.
- Wang, Y.C., Yoshitani, J., and Fukami, K. 2005. Stochastic multi objective optimization of reservoirs in parallel. *Hydrological Processes: An Int. J.* 19(18): 3551-3567.
- Wenjie, L., Wenyao, L., Hongjian, L., Wenping, D. and Hongmei, L. 2011. Runoff generation in small catchments under a native rain forest and a rubber plantation in Xishuangbanna, southwestern China. *Water Environ. J.* 25:138-147.
- Williams, J.R. and Hann, R.W. 1972. Hymo, A problem-oriented computer language for building hydrologic models. *Water Resour. Res.* 8(1): 79-86.
- Williams, M. 1990. *Wetlands: A Threatened Landscape*. Oxford: Basil Blackwell.102-405.
- Wu, H. and Chen, B. 2014. Uncertainty analysis for propagation effects from statistical downscaling to hydrological modelling uncertainty analysis for propagation effects from statistical downscaling to hydrological modelling. In *Proceedings of the Int. Conference on Marine and Freshwater Environments (IMFE 2014)-Our Water, Our Future*.
- Wurbs, R.A. 1993. Reservoir-system simulation and optimization models. *J. of Water Resour. Planning and Manage.* 119(4): 455-472.
- Wurbs, R.A. 2015. Simulation modelling of river/reservoir system water allocation and management. In *World Water Congress XV. Edinburgh: Int. Water Resources Association*.



- Worqlul, A.W., Ayana, E.K., Yen, H., Jeong, J., MacAlister, C., Taylor, R., Gerik, T.J., and Steenhuis, T.S. 2018. Evaluating hydrologic responses to soil characteristics using SWAT model in a paired-watersheds in the Upper Blue Nile Basin. *Catena*. 163:332-341.
- Xie, Y., Crosbie, R., Yang, J., Wu, J., and Wang, W. 2018. Usefulness of soil moisture and actual evapotranspiration data for constraining potential groundwater recharge in semiarid regions. *Water Resour. Res.* 54(7): 4929-4945.
- Yao, L., Feng, S., Mao, X., Huo, Z., Kang, S., and Barry, D.A. 2012. Coupled effects of canal lining and multi-layered soil structure on canal seepage and soil water dynamics. *J. of Hydrol.* 430: 91-102.
- Zhang, D., Chen, X., Yao, H., and Lin, B. 2015. Improved calibrated scheme of SWAT by separating wet and dry seasons. *Ecol. Modelling.* 301: 54-61.
- Zhang, Q., Chai, J., Xu, Z., and Qin, Y. 2017. Investigation of irrigation canal seepage losses through use of four different methods in Hetao Irrigation District, China. *J. Hydrol. Eng.* 22(3):35.