
REFERENCES

REFERENCES

- Aatola, S. 1989. Transmission of vibration to the wrist and comparison of frequency response function estimators. *J. Sound Vibration*. 131(3): 497-507.
- Abrams, C.F. and Suggs, C.W. 1969. Chain saw vibration: Isolation and transmission through the human arm. *Trans. ASAE*. 12(4): 423-0425.
- Aiello, G., La Scalia, G., Vallone, M., Catania, P., and Venticinque, M. 2012. Real time assessment of hand–arm vibration system based on capacitive MEMS accelerometers. *Comput. Electr. Agric.* 85: 45-52.
- Ainsa, I., Gonzalez, D., Lizaranzu, M., and Bernad, C. 2011. Experimental evaluation of uncertainty in hand–arm vibration measurements. *Int. J. Ind. Ergonomics*. 41(2): 167-179.
- Aliprja, I., Hernandez, R.E., and Koubaa, A. 2023. The Role Played by the Rake Angle of a Strander-Canter When Processing Jack Pine Logs. *Forests*. 14(11): 2182.
- Ban, Y., Liu, Y., Zhao, X., Lin, C., Wen, J., and Li, W. 2024. Experimental study on the design and cutting mechanical properties of bionic pruning blades. *Forests*. 15(10): p.1765.
- Bedane, G.M., Gupta, M.L., and George, D.L. 2011. Development and evaluation of a guayule debarker. *Ind. Crops Products*. 34(2): 1256-1261.
- Caceres, C.B., Uliana, L., and Hernandez, R.E. 2018. Orthogonal cutting study of wood and knots of white spruce. *Wood Fiber Sci.* 50(1): 55-65.
- Calvo, A., Deboli, R. and Preti, C., 2022. Machines used in little olive groves: the hidden hand-arm vibration risk. *Int. J. Ind. Ergonomics*. 90: 103326.
- Calvo, A., Romano, E., Preti, C., Schillaci, G., and Deboli, R. 2018. Upper limb disorders and hand-arm vibration risks with hand-held olive beaters. *Int. J. Ind. Ergonomics*. 65: 36-45.

- Chahal, A., Ciolkosz, D., Puri, V., Liu, J., and Jacobson, M. 2020. Factors affecting wood-bark adhesion for debarking of shrub willow. *Biosystems Eng.* 196: 202-209.
- Chaturvedi, V., Kumar, A., and Singh, J.K. 2012. Power tiller: Vibration magnitudes and intervention development for vibration reduction. *Appl. Ergonomics.* 43(5): 891-901.
- Chen, W., Xiao, S., Jia, Q., Deng, X., Huang, C., and Zheng, Y. 2021. Transmission structure design and motion simulation analysis of 4GXJ-2 Electric rubber cutter. *J. Yancheng Inst. Technol.* 34: 24–31.
- Cherian, T., Rakheja, S., and Bhat, R.B. 1996. An analytical investigation of an energy flow divider to attenuate hand-transmitted vibration. *Int. J. Ind. Ergonomics.* 17(6): 455-467.
- Dauda, S.M., Ahmad, D., Khalina, A., and Jamarie, O. 2015. Effect of cutting speed on cutting torque and cutting power of varying kenaf-stem diameters at different moisture contents. *J. Trop. Agric. Sci.* 38 (4): 549 – 561.
- Deepthi, S.R., DSouza, R.M.D., and Shri, K.A. 2020. September. Automated Rubber tree tapping and latex mixing machine for quality production of natural rubber. In *IEEE-HYDCON* 1-4.
- Dewangan, K.N. and Tewari, V.K. 2008. Characteristics of vibration transmission in the hand–arm system and subjective response during field operation of a hand tractor. *Biosystems Eng.* 100(4): 535-546.
- Eker, M., Coban, H.O., and Acar, H.H. 2011. Time study and productivity analysis of chainsaw mounted log debarker in southern pine forests of Turkey. *Afr. J. Agric. Res.* 6(10): 2146-2156.

- Ekevad, M., Marklund, B., and Gren, P. 2012. Wood-chip formation in circular saw blades studied by high-speed photography. *Wood Mater. Sci. Eng.* 7(3): 115-119.
- Jalaludeen, S. Md. 1999. *A Textbook of Machine Design*. Anuradha Publications, Chennai, 32.18p.
- Gaind, K.N. and Baveja, S.K. 1960. Investigation of *Machilus macrantha* Nees. II: Pharmacological Action and Chemical Constitution of Machiline. *J. Am. Pharma. Assoc.* 49(10): 663-665.
- Gaind, K.N. and Baveja, S.K. 1960. Investigation of *Machilus macrantha* Nees. I: Pharmacognostical and Phytochemical Study of Root. *J. Am. Pharma. Assoc.* 49(10): 659-662.
- Ghodki, B.M. and Goswami, T.K. 2016. Effect of moisture on physical and mechanical properties of cassia. *Cogent Food Agric.* 2(1): 1192975.
- Gite, L.P., Agrawal, K.N., Mehta, C.R., Potdar, R.R., and Narwariya, B.S. (2020). *Handbook of Ergonomical Design of Agricultural Tools, Equipment and Workplaces*. Jain Brothers, New Delhi. 218 p.
- Guedje, N.M., Tchamou, N., and Lejoly, J. 2016. Tree response to bark harvest: the case of a medicinal species, *Garcinia lucida*, as source of raw materials for plant-based drug development. *J. Appl. Biosci.* 99: 9476-9491.
- Gurram, R., Rakheja, S., and Gouw, G.J. 1994. Vibration transmission characteristics of the human hand-arm and gloves. *Int. J. Ind. Ergonomics.* 13(3): 217-234.
- Hazarika, P., Dutta, N.B., Biswas, S.C., Dutta, R.C., and Jayaraj, R.S.C. 2018. Status of agarbatti industry in India with special reference to Northeast. *Int. J. Adv. Res. Biol. Sci.* 5(1): 173-186.

- Heppelmann, J.B., Labelle, E.R., Wittkopf, S., and Seeling, U. 2019. In-stand debarking with the use of modified harvesting heads: a potential solution for key challenges in European forestry. *Eur. J. For. Res.* 138(6): 1067-1081.
- Iskra, P. and Hernandez, R.E. 2012. Analysis of cutting forces in straight-knife peripheral cutting of wood. *Wood Fiber Sci.* pp.134-144.
- IS: 1708 (Part 10). 1986. Methods of testing of small clear specimens of timber: *Determination of hardness under static indentation* (Second Revision). Bureau of Indian Standards, New Delhi.
- ISO 5349-2. 2001. *Mechanical vibration – Measurement and evaluation of human exposure to hand-transmitted vibration. Part 2: Practical guidance for measurement at workplace*. International Organization for Standardization, Geneva, Switzerland.
- ISO 5349-1. 2001. *Mechanical vibration – Measurement and evaluation of human exposure to hand-transmitted vibration. Part 1: General requirements*. International Organization for Standardization, Geneva, Switzerland.
- Iwata, H., Katagiri, Y. and Ohsima, K., 1974. Skin temperature and hyperemia time measurement by nail press procedure in detecting abnormality of dynamics of peripheral circulation in the vibration disease [in Japanese]. *Jpn. J. Ind. Health.* 16: 463-468.
- Kannangara, K.K.D.V.N., Indikadulle, I.K.K.D., Gamage, J.R., and Silva, G.A.R. 2023. A Single-Feed 3-in-1 Cinnamon Processing Machine.
- Khurmi, R. S. and Gupta, J. K. 2012. *A Textbook of Machine Design*. Eurasia Publishing House (Pvt.) Ltd., New Delhi, 1230p.
- Kihlberg, S. 1995. Biodynamic response of the hand-arm system to vibration from an impact hammer and a grinder. *Int. J. Ind. Ergonomics.* 16(1): 1-8.

- Kirtikar, K.R. and Basu, B.D. 1999. Indian Medicinal Plants. Vol. III, International Book Distributors Book Sellers and Publishers, Deheradun.
- Kovac, J. and Mikles, M. 2009. Analysis a cutting edge geometry influence on circular saw teeth at the process of crosscutting wood. *Acta Universitas Agriculturae et Silviculturae Mendelianae Brunensis*. 47(5): pp.177-183.
- Krasavina, T.S., Volkova, T.N., and Gornik, V.M. 1977. Functional condition of the sympathico-adrenal system in patients with late stages of vibration disease. *Klinicheskaia Meditsina*. 55(5): 77-80.
- Kuljich, S., Hernandez, R.E., Llave, A.M., and Koubaa, A. 2013. Effects of cutting direction, rake angle, and depth of cut on cutting forces and surface quality during machining of balsam fir. *Wood Fiber Sci*. pp.195-205.
- Kulkarni, Y.A., Gokhale, S.B., Yele, S.U., Surana, S.J., and Tatiya, A.U. 2011. Pharmacognostical studies and preliminary phytochemical investigations on the bark of *Persea macrantha* (Nees) Kosterm (Lauraceae). *Indian J. Nat. Prod. Resour*. 2(2): 211-217.
- Kulkarni, Y.A., Gokhale, S.B., Veeranjanyulu, A., Surana, S.J., and Tatiya, A.U. 2009. Effect of *Persea macrantha* against acute inflammation and adjuvant-induced arthritis in rats. *Pharma. Boil*. 47(4): 304-308.
- Kulkarni, Y., Yele, S., Gokhale, S., and Surana, S. 2008. Pharmacognostical studies of leaves of *Machilus macrantha* Nees. *Pharmacognosy mag*. 4(13): 83.
- Malkocoglu, A. 2007. Machining properties and surface roughness of various wood species planed in different conditions. *Building Environ*. 42(7): 2562-2567.
- Malkocoglu, A. and Ozdemir, T.U.R.G.A.Y. 2006. The machining properties of some hardwoods and softwoods naturally grown in Eastern Black Sea Region of Turkey. *J. Mater. Processing Technol*. 173(3): 315-320.
- Mallick, Z. 2010. Optimization of the operating parameters of a grass trimming machine. *Appl. Ergonomics*. 41(2): 260-265.

- Mergl, V. and Stanek, L. 2025. Hand-arm vibration levels in hardwood and softwood cutting with battery-powered and petrol chainsaws. *Int. J. For. Eng.* 36(3): 360-367.
- Mirbod, S.M., Inaba, R., and Iwata, H.I.R.O.T.O.S.H.I. 1994. Operating hand-held vibrating tools and prevalence of white fingers. *Nagoya J. Med. Sci.* 57: 173-83.
- Miyashita, K., Shiomi, S., Itoh, N., Kasamatsu, T., and Iwata, H., 1983. Epidemiological study of vibration syndrome in response to total hand-tool operating time. *Occup. Environ. Med.* 40(1): 92-98.
- Monarca, D., Biondi, P., Cecchini, M., Santi, M., Guerrieri, M., Colantoni, A., and Colopardi, F. 2008. Transmission of vibrations from portable agricultural machinery to the hand arm system (HAV): Risk evaluation and definition of exposure time for daily action and exposure limits. In: *Proceedings of the International Conference on Innovation Technology to Empower Safety, Health and Welfare in Agriculture and Agro-food Systems*. 15–17 September 2008, Italy.
- Naylor, A., Hackney, P., Perera, N. and Clahr, E., 2012. A predictive model for the cutting force in wood machining developed using mechanical properties. *Bio Resour.* 7(3): 2883-2894.
- Ostlund, L., Ahlberg, L., Zackrisson, O., Bergman, I., and Arno, S. 2009. Bark-peeling, food stress and tree spirits—the use of pine inner bark for food in Scandinavia and North America. *J. Ethnobiology.* 29(1): 94-112.
- Palmqvist, J., Lenner, M. and Gustafsson, S.I., 2005. Cutting-forces when up-milling in beech. *Wood Sci. Technol.* 39(8): 674-684.
- Palmqvist, J., Lenner, M., and Gustafsson, S.I. 2003. Cutter head forces and load cell scanning. *Wood Sci. Technol.* 37(3): 199-211.

- Pandey, A.K. and Mandal, A.K. 2012. Sustainable Harvesting of *Terminalia arjuna* (Roxb.) Wight & Arnot (Arjuna) and *Litsea glutinosa* (Lour.) Robinson (Maida) Bark in Central India. *J. Sustain. For.* 31(3): 294-309.
- Peerzada, H.A., Dixit, J., Muzamil, M., and Mohiuddin, M. 2024. Influence of hand arm vibrations on operator's physiological parameters and its attenuation in power weeder. *J. Inst. Eng.* 105(2): 331-341.
- Prashith Kekuda, T.R., Vivek, M.N., Kambar, Y., Manasa, M., and Raghavendra, H.L. 2014. Antibacterial and Radical Scavenging activity of Leaf and Bark of *Persea macrantha* (Nees) Kosterm.(Lauraceae). *Int. J. Drug Dev. Res.* 6(2): 123-9.
- Praveena, S., Jithin, J., and Jose, P.A. 2023. Development of Agrotechniques and restocking of *Persea macrantha*—a JIGAT yielding plant for sustainable utilisation. *J. Trop. For. Sci.* 35(3): 331-338.
- Pytko, I., Farkkila, M., Toivanen, J., Korhonen, O., and Hyvarinen, J. 1976. Transmission of vibration in the hand-arm system with special reference to changes in compression force and acceleration. *Scandinavian J. Work Environ. & Health.* PP. 87-95.
- Ramana, K.V. and Raju, A.S. 2017. Traditional and commercial uses of *Litsea glutinosa* (Lour.) CB Robinson (Lauraceae). *J. Med. Plants Stud.* 5(3): 89-91.
- Rath, B. 2003. The Endangered Bark. In: Donoghue, E.M., Benson, G.L., and Chamberlain, J.L. (eds), *Sustainable Production of Wood and Non-Wood Forest Products*. Proceedings of the IUFRO Division 5, Research Groups 5.11 and 5.12, Rotorua, New Zealand, pp. 75–81.
- Reynolds, D.D. and Angevine, E.N. 1977. Hand-arm vibration, part II: Vibration transmission characteristics of the hand and arm. *J. sound vibration.* 51(2): 255-265.

- Riddle, H.F.V. and Taylor, W. 1982. Vibration-induced white finger among chain sawyers nine years after the introduction of anti-vibration measures. *Vibration effects on the hand and arm in industry*. New York: John Wiley & Sons. pp.169-72.
- Santosh, S.S., Kumar, R.S., and Perumal, P. 2011. Pharmacognostical and Physicochemical Evaluation of Leaves of *Machilus macrantha* Nees (Lauraceae). *J. Curr. Pharma. Res.* 2(1): 396.
- Scaramozzino, D., Khade, P.M., Jernigan, R.L., Lacidogna, G., and Carpinteri, A. 2020. Structural compliance: A new metric for protein flexibility. *Proteins: Structure, Function, and Bioinformatics*. 88(11): 1482-1492.
- Sharath Chandra, S.P. and Prabhanjana, K.V. 2014. Biochemical Screening of *Persea macrantha* (Nees) Leaf Extracts for its Antioxidant and Cytoprotective properties. *Int. J. Sci. Res.* 3(9): 2367-70.
- Shibly, M.A.H., Islam, M.I., Rahat, M.N.H., Billah, M.M., Rahman, M.M., Bashar, M.S., Abdul, B., and Alorfi, H.S. 2024. Extraction and characterization of a novel cellulosic fiber derived from the bark of *Rosa hybrida* plant. *Int. J. Biol Macromolecules*. 257: 128446.
- Sorensson, A. and Burstrom, L. 1997. Transmission of vibration energy to different parts of the human hand-arm system. *Int. Arch. Occup. Environ. Health*. 70(3): 199-204.
- Surana, S.S. and Kumar, R.S. 2013. Wound healing activity of methanol extract of leaves of *Machilus macrantha* Nees. *Int. J. Pharm. Phytopharmacol Res.* 3(3): 200-202.
- Su, T., Maeda, S., Fukumoto, J., Miyai, N., Marzuki Isahak, M.I., Yoshioka, A., Nakajima, R., Awang Bulgiba, A.B., and Miyashita, K., 2014. A cross sectional study on hand-arm vibration syndrome among a group of tree fellers in a tropical environment. *Ind. Health*. 52: 367-376.

- Tatiya, A.U., Beldar, V.G., and Surana, S.J. 2017. Pharmacognostic, phytochemical and pharmacological review on *Machilus macrantha* Nees. *Eur. J. Pharm. Med. Res.* 4: 174-178.
- Tatiya, A.U. and Saluja, A.K., 2011. Further studies on membrane stabilizing, anti-inflammatory and FCA induced arthritic activity of various fractions of bark of *Machilus macrantha* in rats. *Brazilian J. Pharmacognosy*. 21(6): 1052-1064.
- Tatiya, A.U. and Hatapakki, B.C., 2003. Antiinflammatory activity of bark of *Machilus macrantha* Nees.(Lauraceae). *Indian J. Pharm. Sci.* 65(5): 532-534.
- Tsai, J.M., Sun, I.C., and Chen, K.S. 2021. Realization and performance evaluation of a machine tool vibration monitoring module by multiple MEMS accelerometer integrations. *Int. J. Advanced Manufacturing Technol.* 114(1): 465-479.
- Ugulino, B., Caceres, C.B., Hernandez, R.E., and Blais, C. 2020. Influence of temperature and moisture content on bark/wood shear strength of black spruce and balsam fir logs. *Wood Sci. Technol.* 54(4): 963-979.
- Vasiliauskas, R. 1998. Patterns of wounding and decay in stems of *Quercus robur* due to bark peeling. *Scand. J. For. Res.* 13(1-4): 437-441.
- Ye, Y., Mauro, M., Bovenzi, M., and Griffin, M.J. 2015. Reduction in finger blood flow induced by hand-transmitted vibration: effect of hand elevation. *Int. Arch. Occup. Environ. Health.* 88(7): 981-992.
- Zhang, H., Zhang, G., Li, Y., and Zhang, L. 2025. Parameter Optimization Study of Adaptive Spiral Profiling Automatic Rubber Cutter for Natural Rubber Trees. *Forests*. 16(3): 414.
- Zhang, C., Sheng, X., Zhang, S., Zhang, F., Zhang, W., Zhang, J., Yuan, T., Zhang, S., Yong, L., and Li, W. 2018. Design and experiment of portable electric tapping machine. In *2018 ASABE Annual International Meeting* (p. 1). American Society of Agricultural and Biological Engineers. Available: <https://doi.org/10.13031/aim.201800495>.

Zhou, H., Zhang, S., Zhang, J., Zhang, C., Wang, S., Zhai, Y., and Li, W. 2022. Design, development, and field evaluation of a rubber tapping robot. *J. Field Robotics*. 39(1): 28-54.